

Safety Data Sheet

Copyright, 2019, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 36-4895-3
 Version number:
 2.03

 Revision date:
 20/03/2019
 Supersedes date:
 28/05/2018

Transportation version number: 1.00 (09/09/2016)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Meguiar's G25024 (29-03B) Car Wash Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols:

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H319 Causes serious eye irritation.
H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains 3-Cyclohexene-1-carboxaldehyde and 4-(4-Hydroxy-4-

methylpentyl)cyclohex-3-ene-1-carbaldehyde. | Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

2% of the mixture consists of components of unknown acute oral toxicity.

Contains 10% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004: 5-15%: Anionic surfactant. <5%: Amphoteric surfactant, Non-ionic surfactants. Contains: Hydroxyisohexyl 3-cyclohexene carboxaldehyde, hexyl cinnamal, Perfumes, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

Skin and Eye classification based on test data.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			75 - 95	Substance not classified as hazardous
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	68585-47-7	271-557-7		3 - 7	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	268-356-1		1 - 5	Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	270-407-8		1 - 5	Acute Tox. 4, H302; Eye Dam. 1, H318
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	61789-40-0	263-058-8		1 - 5	Eye Dam. 1, H318; Aquatic Acute 1, H400,M=1; Aquatic Chronic 2, H411
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	500-223-8		1 - 5	Skin Irrit. 2, H315; Eye Dam. 1, H318
Dodecyldimethylamine oxide	1643-20-5	216-700-6		1 - 5	Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Kaolin, calcined	92704-41-1	296-473-8		1 - 5	Substance not classified as hazardous
Sodium Chloride	7647-14-5	231-598-3		0.5 - 1.5	Substance not classified as hazardous
3-Cyclohexene-1-carboxaldehyde and 4-(4-Hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde	31906-04-4	250-863-4		< 0.1	Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	911-418-6		< 0.0015	EUH071; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100 - Nota B Acute Tox. 2, H330; Acute Tox. 2, H310

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Rinse skin with large amounts of water. If symptoms persist, get medical attention.

Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide.

Carbon dioxide.

Condition

During combustion. During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance/Odour Opaque yellow liquid with sweet fruity odor

Odour threshold *No data available.*

pH 8.5

Boiling point/boiling rangeNo data available.Melting pointNo data available.Flammability (solid, gas)Not applicable.Explosive propertiesNot classifiedOxidising propertiesNot classified

Flash point [Test Method: Pensky-Martens Closed Cup]

Autoignition temperatureNo data available.Flammable Limits(LEL)No data available.Flammable Limits(UEL)No data available.Vapour pressureNo data available.Relative density1 [Ref Std:WATER=1]

Water solubility Complete

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Evaporation rateNo data available.Vapour densityNo data available.Decomposition temperatureNo data available.Viscosity25,600 mPa-sDensity1 g/ml

9.2. Other information

EU Volatile Organic Compounds

No data available.

No data available.

No data available.

Percent volatile 80 % weight [Test Method: Estimated]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Acute Toxicity			
Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Dermal	Rat	LD50 > 2,000 mg/kg
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Ingestion	Rat	LD50 977 mg/kg
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene,	Dermal	Rat	LD50 > 2,000 mg/kg
sodium salts			
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	LD50 578 mg/kg
Soutum sans	ı	1	1

Kaolin, calcined	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Kaolin, calcined	Ingestion	Rat	LD50 > 2,000 mg/kg
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Dermal	Rat	LD50 > 2,000 mg/kg
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	Rat	LD50 2,870 mg/kg
Dodecyldimethylamine oxide	Ingestion	Mouse	LD50 2,700 mg/kg
Dodecyldimethylamine oxide	Dermal	Rabbit	LD50 3,536 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Dermal	Rat	LD50 > 2,000 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Ingestion	Rat	LD50 > 1,500 mg/kg
Sodium Chloride	Dermal	Rabbit	LD50 > 10,000 mg/kg
Sodium Chloride	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 10.5 mg/l
Sodium Chloride	Ingestion	Rat	LD50 3,550 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Rabbit	LD50 87 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro	Irritant
	data	
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Rabbit	Irritant
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Mild irritant
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Rabbit	Irritant
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Rabbit	Mild irritant
derivs., hydroxides, inner salts		
Sodium Chloride	Rabbit	No significant irritation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one	1	

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro data	Severe irritant
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	Rabbit	Corrosive
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Corrosive
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Rabbit	Corrosive
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Rabbit	Corrosive
derivs., hydroxides, inner salts		
Sodium Chloride	Rabbit	Mild irritant
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Guinea	Not classified
	pig	
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Guinea	Not classified
	pig	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl	Multiple	Not classified
derivs., hydroxides, inner salts	animal	
	species	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Sensitising
one	and	

|--|

Photosensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Not sensitising
one	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	In Vitro	Not mutagenic
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	In Vitro	Not mutagenic
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	In vivo	Not mutagenic
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	In Vitro	Not mutagenic
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	In vivo	Not mutagenic
Sodium Chloride	In Vitro	Some positive data exist, but the data are not sufficient for classification
Sodium Chloride	In vivo	Some positive data exist, but the data are not sufficient for classification
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Dermal	Rat	Not carcinogenic
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	Not carcinogenic
Sodium Chloride	Ingestion	Rat	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Mouse	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for female reproduction	Rat	NOAEL 871 mg/kg	2 generation
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for male reproduction	Rat	NOAEL 891 mg/kg	2 generation
Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for development	Rabbit	NOAEL 600 mg/kg	during organogenesis
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H-	Ingestion	Not classified for male reproduction	Rat	NOAEL 10	2 generation

isothiazol-3-one and 2-methyl-2H-				mg/kg/day	
isothiazol-3-one					
Mixture of 5-chloro-2-methyl-2H-	Ingestion	Not classified for development	Rat	NOAEL 15	during
isothiazol-3-one and 2-methyl-2H-		_		mg/kg/day	organogenesis
isothiazol-3-one					

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Sulphuric acid, mono-C10- 16-alkyl esters, sodium salts	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	6 months
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg	6 months
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Dermal	skin heart endocrine system gastrointestinal tract hematopoietic system liver immune system nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	Ingestion	blood eyes	Not classified	Rat	NOAEL 225 mg/kg/day	90 days
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Ingestion	heart endocrine system hematopoietic system liver nervous system eyes kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
Sodium Chloride	Ingestion	blood kidney and/or bladder vascular system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
Sodium Chloride	Ingestion	nervous system eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,700 mg/kg/day	90 days
Sodium Chloride	Ingestion	liver respiratory system	Not classified	Rat	NOAEL 33 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Sulphuric acid, mono- C10-16-alkyl esters, sodium salts	68585-47-7		Data not available or insufficient for classification			
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2		Data not available or insufficient for classification			
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Zebra Fish	Estimated	96 hours	LC50	0.6 mg/l
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Algae other	Estimated	96 hours	EC50	0.9 mg/l
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Water flea	Estimated	48 hours	EC50	1.62 mg/l
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Water flea	Estimated	21 days	NOEC	0.3 mg/l
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Fathead minnow	Estimated	30 days	NOEC	1 mg/l
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Algae other	Estimated	96 hours	NOEC	0.3 mg/l
1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Green algae	Experimental	96 hours	EC50	0.55 mg/l
1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Common Carp	Experimental	96 hours	LC50	1.9 mg/l
1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Water flea	Experimental	24 hours	EC50	1.1 mg/l
1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl	61789-40-0	Water flea	Experimental	21 days	NOEC	0.9 mg/l

derivs., hydroxides,						
inner salts 1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Green algae	Experimental	72 hours	NOEC	0.09 mg/l
Kaolin, calcined	92704-41-1		Data not available or insufficient for classification			
Dodecyldimethylamine oxide	1643-20-5	Water flea	Experimental	48 hours	EC50	2.2 mg/l
Dodecyldimethylamine oxide	1643-20-5	Ricefish	Experimental	96 hours	LC50	30 mg/l
Dodecyldimethylamine oxide	1643-20-5	Green algae	Experimental	72 hours	EC50	0.11 mg/l
Dodecyldimethylamine oxide		Water flea	Experimental	21 days	NOEC	0.36 mg/l
oxide	1643-20-5	Green algae	Experimental	72 hours	NOEC	0.0049 mg/l
Dodecyldimethylamine oxide	1643-20-5	Fathead minnow	Experimental	302 days	NOEC	0.42 mg/l
Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Diatom	Experimental	72 hours	EC50	5.2 mg/l
Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Zebra Fish	Experimental	96 hours	LC50	2.6 mg/l
Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Water flea	Experimental	48 hours	EC50	3.48 mg/l
Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Diatom	Experimental	72 hours	Effect Concentration 10%	3.9 mg/l
Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Water flea	Experimental	21 days	NOEC	6.3 mg/l
Sodium Chloride	7647-14-5	Bluegill	Experimental	96 hours	LC50	5,840 mg/l
Sodium Chloride	7647-14-5	Water flea	Experimental	48 hours	LC50	874 mg/l
Sodium Chloride	7647-14-5	Algae other	Experimental	96 hours	EC50	2,430 mg/l
Sodium Chloride	7647-14-5	Water flea	Experimental	21 days	NOEC	314 mg/l
Sodium Chloride	7647-14-5	Fathead minnow	Experimental	33 days	NOEC	252 mg/l
3-Cyclohexene-1- carboxaldehyde and 4- (4-Hydroxy-4- methylpentyl)cyclohex-	31906-04-4	Fathead minnow	Experimental	96 hours	LC50	11.8 mg/l
3-ene-1-carbaldehyde 3-Cyclohexene-1- carboxaldehyde and 4- (4-Hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde	31906-04-4	Water flea	Experimental	48 hours	EC50	76 mg/l
3-Cyclohexene-1- carboxaldehyde and 4- (4-Hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde	31906-04-4	Green Algae	Experimental	72 hours	EC50	25.4 mg/l

3-Cyclohexene-1-	31906-04-4	Green Algae	Experimental	72 hours	NOEC	5.95 mg/l
carboxaldehyde and 4-						
(4-Hydroxy-4-						
methylpentyl)cyclohex-						
3-ene-1-carbaldehyde						
Mixture of 5-chloro-2-	55965-84-9	Diatom	Experimental	72 hours	EC50	0.021 mg/l
methyl-2H-isothiazol-						
3-one and 2-methyl-						
2H-isothiazol-3-one						
Mixture of 5-chloro-2-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.18 mg/l
methyl-2H-isothiazol-						
3-one and 2-methyl-						
2H-isothiazol-3-one						
Mixture of 5-chloro-2-	55965-84-9	Diatom	Experimental	72 hours	NOEC	0.01 mg/l
methyl-2H-isothiazol-						
3-one and 2-methyl-						
2H-isothiazol-3-one						

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Sulphuric acid, mono-C10-16-alkyl esters, sodium salts	68585-47-7	Experimental Biodegradation	30 days	BOD	>60 % BOD/ThBOD	OECD 301D - Closed bottle test
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	96-100	OECD 301E - Modified OECD Scre
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Estimated Biodegradation	28 days	Dissolv. Organic Carbon Deplet	94 % weight	OECD 301A - DOC Die Away Test
1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	100 %removal of DOC	OECD 301E - Modified OECD Scre
Kaolin, calcined	92704-41-1	Data not availbl- insufficient			N/A	
Dodecyldimethylamine oxide	1643-20-5	Experimental Biodegradation	28 days	CO2 evolution	95.27 % weight	OECD 301B - Modified sturm or CO2
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	Experimental Biodegradation	28 days	CO2 evolution	80 % weight	OECD 301B - Modified sturm or CO2
Sodium Chloride	7647-14-5	Data not availbl- insufficient			N/A	
3-Cyclohexene-1- carboxaldehyde and 4-(4- Hydroxy-4- methylpentyl)cyclohex-3- ene-1-carbaldehyde	31906-04-4	Experimental Biodegradation	28 days	CO2 evolution	41.2 % weight	OECD 301B - Modified sturm or CO2
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one	55965-84-9	Data not availbl- insufficient			N/A	

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Sulphuric acid, mono-C10- 16-alkyl esters, sodium salts	68585-47-7	Experimental BCF- Carp		Bioaccumulation factor	≤73	Other methods
Alcohols, C10-16, ethoxylated, sulphates, sodium salts	68585-34-2	Experimental BCF- Carp	72 hours	Bioaccumulation factor	18	Other methods
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	Estimated BCF - Fathead Mi	28 days	Bioaccumulation factor	245	
1-Propanaminium, 3-	61789-40-0	Estimated		Log Kow	0.69	Other methods

amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts		Bioconcentration				
Kaolin, calcined	92704-41-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dodecyldimethylamine oxide	1643-20-5	Estimated Bioconcentration		Log Kow	1.85	Other methods
Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	Estimated Bioconcentration		Log Kow	-1.3	Other methods
Sodium Chloride	7647-14-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
3-Cyclohexene-1- carboxaldehyde and 4-(4- Hydroxy-4- methylpentyl)cyclohex-3- ene-1-carbaldehyde	31906-04-4	Experimental Bioconcentration		Log Kow	2.1	Other methods
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 29* Detergents containing dangerous substances

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

EUH071

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

Revision information:

Section 1: Product name information was modified.

Label: CLP Percent Unknown information was modified.

List of sensitizers information was modified.

Section 3: Composition/Information of ingredients table information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Reproductive and/or Developmental Effects text information was deleted.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: 13.1. Waste disposal note information was modified.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk