

Safety Data Sheet

Copyright, 2019, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 39-7062-1
 Version number:
 1.02

 Revision date:
 13/06/2019
 Supersedes date:
 22/02/2019

Transportation version number: 1.00 (31/01/2019)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G1905, Meguiar's Hybrid Ceramic Spray Wax (29-89A1) G190526, G190532SP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols:

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one. May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			80 - 100	Substance not classified as hazardous
Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc	68988-56-7	273-530-5		1 - 5	Substance not classified as hazardous
Siloxanes and silicones, di-Me	63148-62-9			1 - 5	Substance not classified as hazardous
Hydrocarbons, C12-C16, isoalkanes,		927-676-8		1 - 5	Asp. Tox. 1, H304; EUH066

cyclics, <2% aromatics					
Alcohols, C12-16, ethoxylated	68551-12-2	500-221-7	< 3	1	Eye Dam. 1, H318; Aquatic Acute 1, H400,M=1; Aquatic Chronic 2, H411
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		920-901-0	0.5 -	1.5	Asp. Tox. 1, H304; EUH066
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	911-418-6	0.001 - 0.002	I S S A A I I I I I I I I I I I I I I I	EUH071; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100 - Nota B Acute Tox. 2, H330; Acute Tox. 2, H310

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

.....

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

No need for first aid is anticipated.

Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus,

bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance/Odour Fruity Cranberry, Light Sky Blue, Liquid

Odour threshold *No data available.*

pH 8 - 8.8

Boiling point/boiling range100 °C [Details: Water]Melting pointNo data available.Flammability (solid, gas)Not applicable.Explosive propertiesNot classified

Explosive propertiesNot classifiedOxidising propertiesNot classified

Flash point > 93 °C (200 °F)

Autoignition temperatureNo data available.Flammable Limits(LEL)No data available.Flammable Limits(UEL)No data available.Vapour pressureNo data available.

Relative density 0.989 [*Ref Std*:WATER=1]

Water solubility No data available. Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. **Evaporation rate** No data available. Vapour density No data available. **Decomposition temperature** No data available. 700 - 2,000 Viscosity **Density** 0.989 g/cm3

9.2. Other information

EU Volatile Organic Compounds

No data available.

Percent volatile 93.5 % weight [Test Method: Estimated]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Not determined

10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

None known.

Condition

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour	Professio nal judgeme nt	LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Alcohols, C12-16, ethoxylated	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 1.6 mg/l
Alcohols, C12-16, ethoxylated	Dermal	similar compoun ds	LD50 2,525 mg/kg
Alcohols, C12-16, ethoxylated	Ingestion	similar compoun ds	LD50 2,525 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation- Vapour	Professio nal judgeme nt	LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Rabbit	LD50 87 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	LD50 40 mg/kg

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Minimal irritation
Alcohols, C12-16, ethoxylated	Rat	No significant irritation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Minimal irritation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

Serious Eve Damage/Irritation

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Mild irritant
Alcohols, C12-16, ethoxylated	Rabbit	Corrosive
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Mild irritant
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

Skin Sensitisation

Name	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Guinea	Not classified
	pig	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Guinea	Not classified
	pig	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Sensitising
one	and	
	animal	

Photosensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Not sensitising
one	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Germ Cen Mutagementy		
Name	Route	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In vivo	Not mutagenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	In vivo	Not mutagenic
one		
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	In Vitro	Some positive data exist, but the data are not
one		sufficient for classification

Carcinogenicity

curemogeniery			
Name	Route	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not available	Not carcinogenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not available	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Dermal	Mouse	Not carcinogenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Rat	NOAEL Not available	during gestation
Hydrocarbons, C11-C13, isoalkanes, <2%	Not	Not classified for female reproduction	Not	NOAEL NA	1 generation

D. . . 0 . C . 12

aromatics	specified.		available		
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Rat	NOAEL Not available	during gestation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

Aspiration Hazard

Name	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Hydrocarbons, C12-	927-676-8	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Rainbow trout	Estimated	96 hours	Lethal Level 50%	>1,000 mg/l
C16, isoalkanes,						_

Extraction Page P	elics, <2% aromatics		I	I	I	I	<u> </u>
Cif.	iics, <2% aromatics						
Hydrocarbons, C12- (C16, isoalkanes, eyelies, <2% aromatics Siloxanes and silicones, di-Me Silicic acid, sodium salt, reaction products with chlorotrimethylsilana and iso-Pra le Alcohols, C12-16, ethoxylated Silicic acid, sodium salt, reaction products with chlorotrimethylsilana and iso-Pra le Alcohols, C12-16, ethoxylated Alcohols, C12	6, isoalkanes,	927-676-8	Water flea	Estimated	48 hours	Effect Level 50%	>1,000 mg/l
Level C16, isoalkanes, cycles, <2% aromatics							
cyclics, 2% aromatics Data not available or insufficient for classification Data not available or insufficient for classification Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc 68988-56-7 Data not available or insufficient for classification Alcohols, C12-16, elosylated 68551-12-2 Diatom Experimental 72 hours EC50 1 mg/l Alcohols, C12-16, ethoxylated Alcohols, C12-16, ethoxylated 68551-12-2 Fathead minnow Experimental 72 hours EC50 0.48 mg/l Alcohols, C12-16, ethoxylated 68551-12-2 Water flea Experimental 72 hours EC50 0.85 mg/l Alcohols, C12-16, ethoxylated 68551-12-2 Water flea Experimental 48 hours EC50 0.30 mg/l Alcohols, C12-16, ethoxylated 68551-12-2 Diatom Experimental 72 hours NOEC 0.3 mg/l Alcohols, C12-16, ethoxylated 68551-12-2 Water flea Experimental 72 hours NOEC 0.5 mg/l Alcohols, C12-16, ethoxylated 68551-12-2 Water flea Experimental 72 hours NOEC 0.5 mg/l <td></td> <td>927-676-8</td> <td>Green Algae</td> <td>Estimated</td> <td>72 hours</td> <td>1</td> <td>1,000 mg/l</td>		927-676-8	Green Algae	Estimated	72 hours	1	1,000 mg/l
Siloxanes and silicones, G3148-62-9 Data not available Orisus/ficient for classification Calculation C	5, isoalkanes,					Level	
di-Me		(2140, (2.0		D (111			
Classification Clas		3148-62-9					
Silicic acid, sodium Salt, reaction products with chlorotrimethylsilan Classification	vie						
Salt, reaction products with chlorotrimethylsilane and iso-Pt alc Alcohols, C12-16, ethoxylated Experimental 21 days NOEC 0.5 mg/l Experimental 21 days NOEC 0.083 mg/l Experimental 21 days NOEC 0.093 mg/l Experimental 21 days NOEC 0.093 mg/l Experimental 21 days NOEC 0.093 mg/l Experimental 22 days NOEC 0.093 mg/l Experimental Experimental 22 days NOEC 0.000 mg/l	cic acid sodium 6	S8988-56-7					
with chlorotrimethylsilane and iso-Prale	/	00700-30-7					
Californimethylsilane and iso-Pr ale							
Indiso-Praic Alcohols, C12-16, 68551-12-2 Diatom Experimental 72 hours EC50 1 mg/l							
Ethoxylated	•						
Ethoxylated	cohols, C12-16, 6	8551-12-2	Diatom	Experimental	72 hours	EC50	1 mg/l
Ethoxylated Alcohols, C12-16, 68551-12-2 Green algae Experimental T2 hours EC50 0.85 mg/l				•			
Alcohols, C12-16, ethoxylated	cohols, C12-16, 6	58551-12-2	Fathead minnow	Experimental	96 hours	LC50	0.48 mg/l
Ethoxylated Alcohols, C12-16, 68551-12-2 Water flea Experimental 48 hours EC50 0.302 mg/l	oxylated						-
Alcohols, C12-16, ethoxylated 68551-12-2 Diatom Experimental 48 hours EC50 0.302 mg/l	cohols, C12-16, 6	8551-12-2	Green algae	Experimental	72 hours	EC50	0.85 mg/l
Ethoxylated Alcohols, C12-16, 68551-12-2 Diatom Experimental 72 hours NOEC 0.32 mg/l							
Alcohols, C12-16, ethoxylated		8551-12-2	Water flea	Experimental	48 hours	EC50	0.302 mg/l
Ethoxylated Alcohols, C12-16, 68551-12-2 Green Algae Experimental 72 hours NOEC 0.5 mg/l							
Alcohols, C12-16, ethoxylated Gestinated Experimental Resperimental		58551-12-2	Diatom	Experimental	72 hours	NOEC	0.32 mg/l
ethoxylated Alcohols, C12-16, ethoxylated 68551-12-2 Water flea Experimental 21 days NOEC 0.083 mg/l Hydrocarbons, C11- C13, isoalkanes, <2% aromatics						1,1000	
Alcohols, C12-16, ethoxylated Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C14- C15, isoalkanes, <2% aromatics Hydrocarbons, C11- C15, isoalka		8551-12-2	Green Algae	Experimental	72 hours	NOEC	0.5 mg/l
ethoxylated Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C14, isoalkanes, <2% aromatics Hydrocarbons, C11- C15, isoalkanes, <2% aromatics Hydrocarbons, C11- C16, isoalkanes, <2% aromatics Hydrocarbons, C11- C17, isoalkanes, <2% aromatics Hydrocarbons, C11- C190-901-0 Green Algae Estimated Fetivated Fet						11000	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Hydrocarbons, C11-C14-C15, isoalkanes, <2% aromatics Hydrocarbons, C11-C15, isoalkanes, <2% aro		8551-12-2	Water flea	Experimental	21 days	NOEC	0.083 mg/l
C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C14- C15- C15- C16- C17- C18- C18- C18- C18- C18- C18- C18- C18		20.001.0				T-00 - 1 - 1 - 500 /	1 1 000 //
aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one		920-901-0	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	· · · · · · · · · · · · · · · · · · ·						
C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one		20 001 0	Daimharr traut	Estimated	06 hours	Lathal Lavial 500/	>1 000 mg/l
aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one		720-901-0	Kambow trout	Estimated	96 Hours	Lethal Level 30%	/1,000 mg/1
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one							
C13, isoalkanes, <2% aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one		20-901-0	Water flea	Estimated	48 hours	Effect Level 50%	>1 000 mg/l
aromatics Hydrocarbons, C11- C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol- 3-one and 2-methyl-		/20-701-0	water nea	Limated	40 Hours	Linear Level 3070	7,000 mg/1
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	· · · · · · · · · · · · · · · · · · ·						
Ci3, isoalkanes, <2% aromatics Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one		920-901-0	Green Algae	Estimated	72 hours	No obs Effect	1,000 mg/l
aromatics Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one						Level	, ,
methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one							
3-one and 2-methyl- 2H-isothiazol-3-one Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one	xture of 5-chloro-2- 5	55965-84-9	Copepods	Experimental	48 hours	EC50	0.007 mg/l
2H-isothiazol-3-one Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one Diatom Experimental 72 hours EC50 0.0199 mg/l EC50 Diatom Diatom EC50 Diatom Diatom	thyl-2H-isothiazol-						
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	ne and 2-methyl-						
methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one							
3-one and 2-methyl- 2H-isothiazol-3-one		55965-84-9	Diatom	Experimental	72 hours	EC50	0.0199 mg/l
2H-isothiazol-3-one							
IMIXIURE 01 3-CHIOTO-2- 30000-84-9 Green Algae Experimental 1/2 hours ECO 10.027 mg/l		5065 04 0	Constant	Ei (1	72 1	IEC50	0.027/1
		03965-84-9	Green Algae	Experimental	/2 hours	EC50	U.U2 / mg/I
methyl-2H-isothiazol- 3-one and 2-methyl-							
2H-isothiazol-3-one							
Mixture of 5-chloro-2- 55965-84-9 Rainbow trout Experimental 96 hours LC50 0.19 mg/l		55965-84-9	Rainhow trout	Experimental	96 hours	LC50	0 19 mg/l
methyl-2H-isothiazol-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Tamioow Hout	Zaperimentai	70 Hours		V.17 111g/1
3-one and 2-methyl-							
2H-isothiazol-3-one							
Mixture of 5-chloro-2- 55965-84-9 Sheepshead Experimental 96 hours LC50 0.3 mg/l		55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
methyl-2H-isothiazol- Minnow				*			
3-one and 2-methyl-							
2H-isothiazol-3-one							
Mixture of 5-chloro-2- 55965-84-9 Water flea Experimental 48 hours EC50 0.099 mg/l		55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
methyl-2H-isothiazol-							
3-one and 2-methyl-							
2H-isothiazol-3-one	-isothiazol-3-one						
Mixture of 5-chloro-2- 55965-84-9 Diatom Experimental 48 hours NOEC 0.00049 mg/l		55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
methyl-2H-isothiazol-	inyl-2H-isothiazol-			j	J.	j	

3-one and 2-methyl- 2H-isothiazol-3-one						
Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one	55965-84-9	Fathead minnow	Experimental	36 days	No obs Effect Level	0.02 mg/l
Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one	55965-84-9	Green Algae	Experimental	72 hours	NOEC	0.004 mg/l
Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Siloxanes and silicones, di- Me	63148-62-9	Data not availbl- insufficient			N/A	
Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc	68988-56-7	Data not availbl- insufficient			N/A	
Alcohols, C12-16, ethoxylated	68551-12-2	Experimental Biodegradation	28 days	BOD	69 % weight	Other methods
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one	55965-84-9	Estimated Photolysis		Photolytic half-life (in air)	1.2 days (t 1/2)	Other methods
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life	> 60 days (t 1/2)	Other methods
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one	55965-84-9	Estimated Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, di- Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc	68988-56-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C12-16, ethoxylated	68551-12-2	Experimental BCF- Carp	72 hours	Bioaccumulation factor	310	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one	55965-84-9	Estimated BCF - Bluegill	28 days	Bioaccumulation factor	54	OECD 305E - Bioaccumulation flow-

and 2-methyl-2H-			through fish test
isothiazol-3-one			

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

070601* Aqueous washing liquids and mother liquors

SECTION 14: Transportation information

ADR/IATA/IMDG: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

EUH066 Repeated exposure may cause skin dryness or cracking. **EUH071** Corrosive to the respiratory tract. H301 Toxic if swallowed. H304 May be fatal if swallowed and enters airways. Fatal in contact with skin. H310 Causes severe skin burns and eye damage. H314 May cause an allergic skin reaction. H317 Causes serious eye damage. H318 H319 Causes serious eve irritation. Fatal if inhaled. H330 Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 H412 Harmful to aquatic life with long lasting effects.

Revision information:

- Section 1: Product name information was modified.
- Section 3: Composition/Information of ingredients table information was modified.
- Section 4: First aid for ingestion (swallowing) information information was modified.
- Section 4: First aid for inhalation information information was modified.
- Section 7: Precautions safe handling information information was modified.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Aspiration Hazard Table information was modified.
- Section 11: Carcinogenicity Table information was modified.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Health Effects Ingestion information information was modified.
- Section 11: Health Effects Inhalation information information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Single Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 15: Label remarks and EU Detergent information was deleted.
- Section 15: Regulations Inventories information was modified.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk