

### **Safety Data Sheet**

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 29-8038-1
 Version Number:
 3.01

 Revision Date:
 21/06/2017
 Supercedes Date:
 23/09/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

G10, Smooth Surface Clay Bar Replacement: G1001

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive

### 1.3. Details of the supplier of the safety data sheet

ADDRESS: GR\_GCSL - Local CUNO Address
Telephone: GR\_GCSL - Local Meguiar's Telephone
E Mail: GR\_GCSL - Local Meguiar's Email
Website: GR\_GCSL - Local Meguiar's Website

#### 1.4. Emergency telephone number

GR\_GCSL - Local Meguiar's Emergency Telephone

### **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

### **CLASSIFICATION:**

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements CLP REGULATION (EC) No 1272/2008 Not applicable

G10, Smooth Surface Clay Bar Replacement: G1001				

### 2.3. Other hazards

None known

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	EC No.	REACH	% by Wt	Classification
			Registration		
			No.		
Calcium Carbonate	471-34-1	207-439-9		40 - 60	Substance with a Community
					level exposure limit in the
					workplace
Butyl Rubber	9010-85-9			20 - 30	Substance not classified as
					hazardous
Silica	7631-86-9	231-545-4		10 - 30	Substance not classified as
					hazardous

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **Inhalation:**

No need for first aid is anticipated.

#### **Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eve Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

Substance
Carbon monoxide
Carbon dioxide

#### **Condition**

**During Combustion During Combustion** 

### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid eye contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a dry place.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient C.A.S. No. Agency Limit type Additional Comments

Limestone 471-34-1 Greece OELs TWA(Inhalable)(8 hours):10 mg/m3;TWA(respirable)(8

hours):5 mg/m3

Greece OELs: Greece. OELs (Decree No. 90/1999, as amended)

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Not applicable.

### 8.2.2. Personal protective equipment (PPE)

Eye/face protection

C10	Smooth	Surface	Clay	Ror	Donla	acement:	C1001
GIU.	Smooth	Surface	Clav	Bar	Kebia	acement:	CTIVVI

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety Glasses with side shields

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimeNitrile RubberNo data availableNo data available

### **Respiratory protection**

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

### **SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties Physical state**Solid

**Specific Physical Form:** Clay

Appearance/Odor Typical odor; white **Odor threshold** No Data Available Not Applicable Boiling point/boiling range Not Applicable **Melting point** No Data Available Flammability (solid, gas) Not Classified **Explosive properties:** Not Classified Oxidising properties: Not Classified **Flash Point** No flash point **Autoignition temperature** No Data Available

Autoignition temperature

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapor Pressure

No Data Available
No Data Available
No Data Available
No Data Available

**Relative Density** 2 [Ref Std:WATER=1]

Water solubility Nil

**Solubility- non-water** No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableEvaporation rateNot ApplicableVapor DensityNot Applicable

Decomposition temperatureNo Data AvailableViscosityNot Applicable

**Density** 2 g/ml

9.2. Other information

Molecular weight No Data Available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

# 10.6. Hazardous decomposition products **Substance**

**Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

### **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### **Inhalation:**

No health effects are expected.

### **Skin Contact:**

Prolonged or repeated exposure may cause:

Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

### **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

\_\_\_\_\_

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Calcium Carbonate	Dermal	Rat	LD50 > 2,000 mg/kg
Calcium Carbonate	Inhalation- Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Calcium Carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Butyl Rubber	Dermal		LD50 estimated to be > 5,000 mg/kg
Butyl Rubber	Ingestion		LD50 estimated to be > 5,000 mg/kg
Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Silica	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

### **Skin Corrosion/Irritation**

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation
Butyl Rubber	Rabbit	No significant irritation
Silica	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation
Butyl Rubber	Professio	No significant irritation
	nal	
	judgemen	
	t	
Silica	Rabbit	No significant irritation

### **Skin Sensitization**

1	Skin Sensitization		
	Name	Species	Value
	Silica	Human	Not classified
		and	
		animal	

G10.	Smooth	Surface	Clav	Bar	Replacement:	G1001

### **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Silica	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Silica	Not	Mouse	Some positive data exist, but the data are not
	Specified		sufficient for classification

### **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Calcium Carbonate	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	premating & during gestation
Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

### Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.812 mg/l	90 minutes

Specific Target Organ Toxicity - repeated exposure

Route Target Organ(s)	Value	Species	Test Result	Exposure Duration
-----------------------	-------	---------	-------------	----------------------

Calcium Carbonate	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

### **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available

Material	Cas #	Organism	Type	Exposure	Test Endpoint	Test Result
Silica	7631-86-9		Data not available or insufficient for classification			
Butyl Rubber	9010-85-9		Data not available or insufficient for classification			
Calcium Carbonate	471-34-1	Rainbow Trout	Experimental	21 days	No obs Effect Conc	>100 mg/l
Calcium Carbonate	471-34-1	Western Mosquitofish	Experimental	96 hours	Lethal Concentration 50%	>100 mg/l
Calcium Carbonate	471-34-1	Rainbow Trout	Experimental	42 days	No obs Effect Conc	>100 mg/l

### 12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	<b>Test Result</b>	Protocol
Calcium	471-34-1	Data not	N/A	N/A	N/A	N/A
Carbonate		available or				
		insufficient for				
		classification				
Silica	7631-86-9	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				
Butyl Rubber	9010-85-9	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				

### 12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Calcium	471-34-1	Data not	N/A	N/A	N/A	N/A
Carbonate		available or				
		insufficient for				
		classification				
Silica	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Butyl Rubber	9010-85-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

### 12.6. Other adverse effects

No information available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

120199 Wastes not otherwise specified

### **SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

IngredientC.A.S. No.ClassificationRegulationSilica7631-86-9Gr. 3: Not classifiableInternational Agency<br/>for Research on Cancer

#### Global inventory status

Contact manufacturer for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

#### 15.2. Chemical Safety Assessment

Not applicable

### **SECTION 16: Other information**

G10, Smooth Surface Clay Bar Replacement: G1001
Revision information:  Section 03: Composition/ Information of ingredients table information was added.  Section 03: Composition/ Information of ingredients table information was deleted.
Section 09: Relative density information information was modified.  Section 11: Acute Toxicity table information was modified.  Section 11: Reproductive Toxicity Table information was modified.  Section 11: Skin Sensitization Table information was modified.  Section 11: Target Organs - Repeated Table information was modified.  Section 11: Target Organs - Single Table information was modified.
DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR\_GCSL - Local Meguiar's Website