



Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document Group: | 33-8734-7 | Version Number: | 1.01 |
| Revision Date: | 07/07/2017 | Supercedes Date: | 11/02/2016 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G365, 4 Season Paint Protector (27-37A)

Product Identification Numbers

14-1000-9728-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive

1.3. Details of the supplier of the safety data sheet

ADDRESS: GR_GCSL - Local CUNO Address
Telephone: GR_GCSL - Local Meguiar's Telephone
E Mail: GR_GCSL - Local Meguiar's Email
Website: GR_GCSL - Local Meguiar's Website

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

SECTION 2: Hazard identification**2.1. Classification of the substance or mixture**

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H336

Specific Target Organ Toxicity-Repeated Exposure, Category 2 - STOT RE 2; H373

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

Warning

Symbols:

GHS07 (Exclamation mark) | GHS08 (Health Hazard) |GHS09 (Environment) |

Pictograms**Ingredients:**

| Ingredient | C.A.S. No. | EC No. | % by Wt |
|--|------------|-----------|---------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | 265-149-8 | 50 - 70 |
| Stoddard Solvent | 8052-41-3 | 232-489-3 | 0.1 - 3 |

HAZARD STATEMENTS:

| | |
|------|---|
| H336 | May cause drowsiness or dizziness. |
| H373 | May cause damage to organs through prolonged or repeated exposure: nervous system |
| H411 | Toxic to aquatic life with long lasting effects. |

PRECAUTIONARY STATEMENTS**General:**

P102 Keep out of reach of children.

Prevention:

P260E Do not breathe vapor or spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH066 Repeated exposure may cause skin dryness or cracking.

2% of the mixture consists of components of unknown acute dermal toxicity.
86% of the mixture consists of components of unknown acute inhalation toxicity.
Contains 3% of components with unknown hazards to the aquatic environment.

Notes on labelling:

H304 is not required on the label due to the product's viscosity
Nota P applied to CAS #s 64742-48-9 and 8052-41-3.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | EC No. | REACH Registration No. | % by Wt | Classification |
|--|------------|-----------|------------------------|---------|---|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | 265-149-8 | | 50 - 70 | **Asp. Tox. 1**, H304 **Aquatic Chronic 2**, H411 **Flam. Liq. 3**, H226; **STOT SE 3**, H336; **EUH066**, EUH066 |
| Siloxanes and Silicones, di-Me | 63148-62-9 | | | 20 - 40 | Substance not classified as hazardous |
| Naphthol Spirits (C10-C12) | 64742-48-9 | 265-150-3 | | 10 - 20 | **Asp. Tox. 1**, H304 - Nota P **Aquatic Chronic 2**, H411 **Flam. Liq. 3**, H226; **STOT SE 3**, H336; **EUH066**, EUH066 |
| SILOXANES AND SILICONES, DI-ME, [[[3-[(2-AMINOETHYL)AMINO]PROPYL]DIMETHOXY]SILYL]OXY]-TERMINATED | 71750-80-6 | | | 1 - 5 | **Acute Tox. 4**, H302 |
| Stoddard Solvent | 8052-41-3 | 232-489-3 | | 0.1 - 3 | **Asp. Tox. 1**, H304; **STOT RE 1**, H372 - Nota P **Skin Irrit. 2**, H315 |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on

the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from acids. Store away from oxidizing agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------------------|------------|-------------------------|---|---------------------|
| Naphthol Spirits (C10-C12) | 64742-48-9 | Manufacturer determined | TWA:100 ppm | |
| Stoddard Solvent | 8052-41-3 | Greece OELs | TWA(8 hours):575 mg/m3(100 ppm);STEL(15 minutes):720 mg/m3(125 ppm) | |

Greece OELs : Greece. OELs (Decree No. 90/1999, as amended)

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|-----------------|-----------------------|--------------------------|
| Neoprene | No data available | No data available |

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|------------------------------------|
| Physical state | Liquid |
| Appearance/Odor | Characteristic chemical odor clear |
| Odor threshold | <i>No Data Available</i> |
| pH | <i>Not Applicable</i> |
| Boiling point/boiling range | 232.2 °C |
| Melting point | <i>No Data Available</i> |
| Flammability (solid, gas) | Not Applicable |
| Explosive properties: | Not Classified |
| Oxidising properties: | Not Classified |
| Flash Point | 150 °C |
| Autoignition temperature | <i>No Data Available</i> |
| Flammable Limits(LEL) | <i>No Data Available</i> |
| Flammable Limits(UEL) | <i>No Data Available</i> |
| Vapor Pressure | <i>No Data Available</i> |
| Relative Density | 0.823 - 0.857 |
| Water solubility | <i>No Data Available</i> |
| Solubility- non-water | <i>No Data Available</i> |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i> |
| Evaporation rate | <i>No Data Available</i> |
| Vapor Density | <i>No Data Available</i> |
| Decomposition temperature | <i>No Data Available</i> |
| Viscosity | 100 mPa-s |
| Density | 0.823 - 0.857 g/ml |

9.2. Other information

| | |
|-------------------------------|--------------------------|
| EU Volatile Organic Compounds | <i>No Data Available</i> |
| Molecular weight | <i>No Data Available</i> |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids

Strong oxidizing agents

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May be harmful if inhaled.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Eye Contact:

Sprayed material may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|--------------------------------|---------|---|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapor(4 hr) | | No data available; calculated ATE ₂₀ - 50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 3 mg/l |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Siloxanes and Silicones, di-Me | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Siloxanes and Silicones, di-Me | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Naphthol Spirits (C10-C12) | Inhalation-Vapor (4 hours) | | LC50 estimated to be 20 - 50 mg/l |
| Naphthol Spirits (C10-C12) | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Naphthol Spirits (C10-C12) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Stoddard Solvent | Inhalation-Vapor | | LC50 estimated to be 20 - 50 mg/l |
| Stoddard Solvent | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Stoddard Solvent | Ingestion | Rat | LD50 > 5,000 mg/kg |
| SILOXANES AND SILICONES, DI-ME, [[[3-[(2-AMINOETHYL)AMINO]PROPYL]DIMETHOXSILYL]OXY]-TERMINATED | Ingestion | | LD50 estimated to be 300 - 2,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Rabbit | Mild irritant |
| Siloxanes and Silicones, di-Me | Rabbit | No significant irritation |
| Naphthol Spirits (C10-C12) | Rabbit | Mild irritant |
| Stoddard Solvent | Rabbit | Irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Rabbit | Mild irritant |
| Siloxanes and Silicones, di-Me | Rabbit | No significant irritation |
| Naphthol Spirits (C10-C12) | Rabbit | Mild irritant |
| Stoddard Solvent | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|--|------------|----------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Guinea pig | Not classified |
| Naphthol Spirits (C10-C12) | Guinea pig | Not classified |
| Stoddard Solvent | Guinea pig | Not classified |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | In Vitro | Not mutagenic |
| Naphthol Spirits (C10-C12) | In Vitro | Not mutagenic |
| Naphthol Spirits (C10-C12) | In vivo | Not mutagenic |
| Stoddard Solvent | In vivo | Not mutagenic |
| Stoddard Solvent | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--|---------------|---------------|--|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Naphthol Spirits (C10-C12) | Not Specified | Not available | Not carcinogenic |

G365, 4 Season Paint Protector (27-37A)

| | | | |
|------------------|------------|------------------|--|
| Stoddard Solvent | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Stoddard Solvent | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|----------------------------|---------------|--|---------|---------------------|--------------------------------|
| Naphthol Spirits (C10-C12) | Not Specified | Not classified for female reproduction | Rat | NOAEL Not available | prematuring & during gestation |
| Naphthol Spirits (C10-C12) | Not Specified | Not classified for male reproduction | Rat | NOAEL Not available | 28 days |
| Naphthol Spirits (C10-C12) | Not Specified | Not classified for development | Rat | NOAEL Not available | during gestation |
| Stoddard Solvent | Inhalation | Not classified for development | Rat | NOAEL 2.4 mg/l | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| Naphthol Spirits (C10-C12) | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Naphthol Spirits (C10-C12) | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| Stoddard Solvent | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Stoddard Solvent | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Stoddard Solvent | Inhalation | nervous system | Not classified | Dog | NOAEL 6.5 mg/l | 4 hours |
| Stoddard Solvent | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------|------------|---|----------------|-------------------------|----------------|-------------------|
| Stoddard Solvent | Inhalation | nervous system | Not classified | Rat | LOAEL 4.6 mg/l | 6 months |
| Stoddard Solvent | Inhalation | kidney and/or bladder | Not classified | Rat | LOAEL 1.9 mg/l | 13 weeks |
| Stoddard Solvent | Inhalation | respiratory system | Not classified | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Stoddard Solvent | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | Not classified | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Stoddard Solvent | Inhalation | heart | Not classified | Multiple animal species | NOAEL 1.3 mg/l | 90 days |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | Aspiration hazard |
| Naphthol Spirits (C10-C12) | Aspiration hazard |
| Stoddard Solvent | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

| Material | Cas # | Organism | Type | Exposure | Test Endpoint | Test Result |
|--|------------|------------|-----------|----------|------------------|-------------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Water flea | Estimated | 48 hours | Effect Level 50% | 1.4 mg/l |

G365, 4 Season Paint Protector (27-37A)

| | | | | | | |
|--|------------|---------------|---|----------|--------------------------|-----------|
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Water flea | Estimated | 21 days | No obs Effect Level | 0.48 mg/l |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Rainbow Trout | Estimated | 96 hours | Lethal Level 50% | 2 mg/l |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Green Algae | Estimated | 72 hours | Effect Concentration 50% | 1 mg/l |
| HYDROTREATED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Green Algae | Estimated | 72 hours | No obs Effect Level | 1 mg/l |
| Naphthol Spirits (C10-C12) | 64742-48-9 | Water flea | Unknown | 21 days | No obs Effect Conc | <1 mg/l |
| Siloxanes and Silicones, di-Me | 63148-62-9 | | Data not available or insufficient for classification | | | |
| Stoddard Solvent | 8052-41-3 | | Data not available or insufficient for classification | | | |
| SILOXANES AND SILICONES, DI-ME, [[[3-[(2-AMINOETHYL)AMINO]PROPYL]DIMETHOXY]SILYL]OXY]-TERMINATED | 71750-80-6 | | Data not available or insufficient for classification | | | |

12.2. Persistence and degradability

| Material | CAS No. | Test Type | Duration | Study Type | Test Result | Protocol |
|--|------------|---|----------|-------------------------------|-------------------------------|---------------|
| Stoddard Solvent | 8052-41-3 | Estimated Photolysis | | Photolytic half-life (in air) | 6.49 days (t _{1/2}) | Other methods |
| SILOXANES AND SILICONES, DI-ME, [[[3-[(2-AMINOETHYL)AMINO]PROPYL]DIMETHOXY]SILYL]OXY]-TERMINATED | 71750-80-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

G365, 4 Season Paint Protector (27-37A)

| | | | | | | |
|--|------------|--|---------|-----------------------------|---------------|----------------------------------|
| OPYL]DIMET HOXSILYL] OXY]- TERMINATE D | | | | | | |
| Naphthol Spirits (C10- C12) | 64742-48-9 | Unknown Biodegradation | 28 days | Percent degraded | 31.3 % weight | Other methods |
| Siloxanes and Silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Stoddard Solvent | 8052-41-3 | Experimental Biodegradation | 28 days | Carbon dioxide evolution | 63 % weight | OECD 301B - Mod. Sturm or CO2 |
| HYDROTREA TED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.3. Bioaccumulative potential

| Material | CAS No. | Test Type | Duration | Study Type | Test Result | Protocol |
|---|------------|--|----------|----------------------------|-------------|---------------|
| HYDROTREA TED LIGHT PETROLEUM DISTILLATES | 64742-47-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Naphthol Spirits (C10- C12) | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and Silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| SILOXANES AND SILICONES, DI-ME, [[[3- [(2- AMINOETHY L)AMINO]PR OPYL]DIMET HOXSILYL] OXY]- TERMINATE D | 71750-80-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Stoddard Solvent | 8052-41-3 | Experimental BCF - Other | | Bioaccumulatio n Factor | 1944 | Other methods |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

080111* Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transportation information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt

from on China IECSC inventory.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

| | |
|--------|--|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| H226 | Flammable liquid and vapor. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Revision information:

Section 02: CLP Ingredient table information was modified.
Section 02: Label Elements: CLP Classification information was modified.
Section 02: Label Elements: CLP Environmental Hazard Statements information was modified.
Section 02: Label Elements: CLP Percent Unknown information was modified.
Section 02: Label Elements: CLP Precautionary - General information was modified.
Section 02: Label Elements: CLP Precautionary - Prevention information was modified.
Section 02: Label Elements: Graphic information was modified.
Section 03: Composition/ Information of ingredients table information was added.
Section 03: Composition/ Information of ingredients table information was deleted.
Section 08: Occupational exposure limit table information was modified.
Section 09: Property description for optional properties information was modified.
Section 09: Relative density information information was modified.
Section 11: Acute Toxicity table information was modified.
Section 11: Aspiration Hazard Table information was modified.
Section 11: Carcinogenicity Table information was modified.
Section 11: Germ Cell Mutagenicity Table information was modified.
Section 11: Reproductive Toxicity Table information was modified.
Section 11: Serious Eye Damage/Irritation Table information was modified.
Section 11: Skin Corrosion/Irritation Table information was modified.
Section 11: Skin Sensitization Table information was modified.
Section 11: Target Organs - Repeated Table information was modified.
Section 11: Target Organs - Single Table information was modified.
Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Biocumulative potential information information was modified.

Section 15: Regulations - Inventories information was modified.

Section 16: Two-column table displaying the unique list of H Codes and statements (std phrses) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at [GR_GCSL](#) - Local Meguiar's Website