



Safety Data Sheet

Copyright, 2024, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 28-9056-4 | Version number: | 6.00 |
| Revision date: | 09/09/2024 | Supersedes date: | 02/08/2024 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultimate Black Plastic Restorer G158 [G15812]

Product Identification Numbers

14-1001-5547-3

7100315534

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------|---|
| Address: | 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18. |
| Telephone: | +353 1 280 3555 |
| E Mail: | tox.uk@mmm.com |
| Website: | www.3M.com |

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Skin Sensitization, Category 1 - Skin Sens. 1; H317
 Specific Target Organ Toxicity-Repeated Exposure, Category 2 - STOT RE 2; H373
 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) | GHS08 (Health Hazard) |

Pictograms



Ingredients:

| Ingredient | CAS Nbr | EC No. | % by Wt |
|---|------------|-----------|----------|
| stoddard solvent | 8052-41-3 | 232-489-3 | 1 - 3 |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy-Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l sebacate | 41556-26-7 | 400-830-7 | < 1 |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)l sebacate | 82919-37-7 | 255-437-1 | < 0.1 |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | 280-060-4 | < 0.03 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 250-863-4 | < 0.013 |
| | | 911-418-6 | < 0.0015 |

HAZARD STATEMENTS:

| | |
|------|--|
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs through prolonged or repeated exposure: nervous system. |
| H412 | Harmful to aquatic life with long lasting effects. |

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P260A Do not breathe vapours.
 P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure: nervous system.

H412 Harmful to aquatic life with long lasting effects.

<=125 ml Precautionary statements
General:

P102 Keep out of reach of children.

Prevention:

P260A Do not breathe vapours.

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2% of the mixture consists of components of unknown acute oral toxicity.

Contains 4% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Nota P applied.

2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII

| |
|--|
| SECTION 3: Composition/information on ingredients |
|--|

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------|----------------------|---------|---|
| Non-Hazardous Ingredients | Mixture | 60 - 90 | Substance not classified as hazardous |
| Poly(dimethylsiloxane) | (CAS-No.) 63148-62-9 | 15 - 20 | Substance not classified as hazardous |

| | | | |
|--|---|-----------|--|
| White mineral oil (petroleum) | (CAS-No.) 8042-47-5 (EC-No.) 232-455-8 (REACH-No.) 01-2119487078-27 | 5 - 10 | Asp. Tox. 1, H304 |
| Siloxanes and silicones, Di-Me, [[[3-[(2-aminoethyl)amino]propyl]dimethoxysilyl]oxy]-terminated | (CAS-No.) 71750-80-6 | 1 - 3 | Acute Tox. 4, H302 |
| stoddard solvent | (CAS-No.) 8052-41-3 (EC-No.) 232-489-3 (REACH-No.) 01-2120261965-45 | 1 - 3 | Asp. Tox. 1, H304 STOT RE 1, H372 Nota P Skin Irrit. 2, H315 Aquatic Chronic 3, H412 |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | (EC-No.) 400-830-7 | < 1 | Skin Sens. 1A, H317 Aquatic Chronic 2, H411 |
| 2-amino-2-methylpropanol | (CAS-No.) 124-68-5 (EC-No.) 204-709-8 | 0.1 - 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | (CAS-No.) 41556-26-7 (EC-No.) 255-437-1 | < 0.1 | Skin Sens. 1A, H317 Repr. 2, H361f Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1 |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | (CAS-No.) 82919-37-7 (EC-No.) 280-060-4 | < 0.03 | Skin Sens. 1A, H317 Repr. 2, H361f Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1 |
| octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 (EC-No.) 209-136-7 (REACH-No.) 01-2119529238-36 | < 0.015 | Repr. 2, H361f Aquatic Chronic 1, H410,M=10 Flam. Liq. 3, H226 |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | (CAS-No.) 31906-04-4 (EC-No.) 250-863-4 | < 0.013 | Skin Sens. 1A, H317 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-No.) 55965-84-9 (EC-No.) 911-418-6 | < 0.0015 | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.
Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|--|----------------------|---------------------------------|
| reaction mass of: 5-chloro-2-methyl-4- | (CAS-No.) 55965-84-9 | (C >= 0.6%) Skin Corr. 1C, H314 |

| | | |
|--|--------------------|---|
| isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (EC-No.) 911-418-6 | (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317 |
|--|--------------------|---|

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Allergic skin reaction (redness, swelling, blistering, and itching). Target organ effects. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

formaldehyde
Carbon monoxide
Carbon dioxide.
Irritant vapours or gases.

Condition

During combustion.
During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|-----------------------------------|-----------|--------------|--|---------------------|
| Mineral oils, highly-refined oils | 8042-47-5 | Ireland OELs | TWA(inhalable fraction)(8 hours):5 mg/m ³ | |
| stoddard solvent | 8052-41-3 | Ireland OELs | TWA(8 hours):573 mg/m ³ (100 ppm) | |

Ireland OELs : Ireland. OELs

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

Applicable Norms/Standards

Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------------|--------------------|
| Physical state | Liquid. |
| Colour | Off-White |
| Odor | Weak Citrus |
| Odour threshold | No data available. |
| Melting point/freezing point | No data available. |
| Boiling point/boiling range | No data available. |
| Flammability | Not applicable. |
| Flammable Limits(LEL) | No data available. |

| | |
|--|--|
| Flammable Limits(UEL) | <i>No data available.</i> |
| Flash point | Flash point > 93 °C (200 °F) |
| Autoignition temperature | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| pH | 9 - 9.5 Units not available or not applicable. |
| Kinematic Viscosity | 6,224 mm ² /sec |
| Water solubility | Moderate |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Density | 0.964 g/cm ³ |
| Relative density | 0.964 [Ref Std: WATER=1] |
| Relative Vapour Density | <i>No data available.</i> |
| Particle Characteristics | <i>Not applicable.</i> |

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

No data available.

Evaporation rate

No data available.

Molecular weight

Not applicable.

Percent volatile

68.6 % weight

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from

internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|--------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Poly(dimethylsiloxane) | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Poly(dimethylsiloxane) | Ingestion | Rat | LD50 > 17,000 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Siloxanes and silicones, Di-Me, [[[3-[(2-aminoethyl)amino]propyl]dimethoxysilyl]oxy]-terminated | Ingestion | | LD50 estimated to be 300 - 2,000 mg/kg |
| stoddard solvent | Inhalation-Vapour | | LC50 estimated to be 20 - 50 mg/l |
| stoddard solvent | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| stoddard solvent | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2-amino-2-methylpropanol | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| 2-amino-2-methylpropanol | Ingestion | Rat | LD50 2,900 mg/kg |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Dermal | Rat | LD50 > 2,000 mg/kg |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.8 mg/l |

| | | | |
|--|--------------------------------|------------------------|--|
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Dermal | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Ingestion | Rat | LD50 3,125 mg/kg |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)l)sebacate | Dermal | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)l)sebacate | Ingestion | Rat | LD50 3,125 mg/kg |
| octamethylcyclotetrasiloxane | Dermal | Rat | LD50 > 2,400 mg/kg |
| octamethylcyclotetrasiloxane | Inhalation-Dust/Mist (4 hours) | Rat | LC50 36 mg/l |
| octamethylcyclotetrasiloxane | Ingestion | Rat | LD50 > 4,800 mg/kg |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Ingestion | Rat | LD50 > 5,000 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Rabbit | LD50 87 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| Poly(dimethylsiloxane) | Rabbit | No significant irritation |
| White mineral oil (petroleum) | Rabbit | No significant irritation |
| stoddard solvent | Rabbit | Irritant |
| 2-amino-2-methylpropanol | Rabbit | Irritant |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Rabbit | No significant irritation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Rabbit | Minimal irritation |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)l)sebacate | Rabbit | Minimal irritation |
| octamethylcyclotetrasiloxane | Rabbit | No significant irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Rabbit | Corrosive |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| Poly(dimethylsiloxane) | Rabbit | No significant irritation |
| White mineral oil (petroleum) | Rabbit | Mild irritant |
| stoddard solvent | Rabbit | No significant irritation |
| 2-amino-2-methylpropanol | Rabbit | Corrosive |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Rabbit | No significant irritation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Rabbit | Mild irritant |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)l)sebacate | Rabbit | Mild irritant |
| octamethylcyclotetrasiloxane | Rabbit | No significant irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Rabbit | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|--|------------------|----------------|
| White mineral oil (petroleum) | Guinea pig | Not classified |
| stoddard solvent | Guinea pig | Not classified |
| 2-amino-2-methylpropanol | Guinea pig | Not classified |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Guinea pig | Sensitising |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Guinea pig | Sensitising |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | Guinea pig | Sensitising |
| octamethylcyclotetrasiloxane | Human and animal | Not classified |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Human and animal | Sensitising |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Human and animal | Sensitising |

Photosensitisation

| Name | Species | Value |
|--|------------------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Human and animal | Not sensitising |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| White mineral oil (petroleum) | In Vitro | Not mutagenic |
| stoddard solvent | In vivo | Not mutagenic |
| stoddard solvent | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2-amino-2-methylpropanol | In Vitro | Not mutagenic |
| 2-amino-2-methylpropanol | In vivo | Not mutagenic |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | In Vitro | Not mutagenic |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | In vivo | Not mutagenic |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | In vivo | Not mutagenic |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | In vivo | Not mutagenic |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| octamethylcyclotetrasiloxane | In vivo | Not mutagenic |
| octamethylcyclotetrasiloxane | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|------------|-------------------------|--|
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple animal species | Not carcinogenic |
| stoddard solvent | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| stoddard solvent | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification |
| octamethylcyclotetrasiloxane | Inhalation | Rat | Some positive data exist, but the data are not sufficient for classification |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Mouse | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|--|------------|--|---------|-----------------------|--------------------------|
| White mineral oil (petroleum) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| stoddard solvent | Inhalation | Not classified for development | Rat | NOAEL 2.4 mg/l | during organogenesis |
| 2-amino-2-methylpropanol | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| 2-amino-2-methylpropanol | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 37 days |
| 2-amino-2-methylpropanol | Dermal | Not classified for development | Rat | NOAEL 300 mg/kg/day | during gestation |
| 2-amino-2-methylpropanol | Ingestion | Toxic to development | Rat | NOAEL 100 mg/kg/day | premating into lactation |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for female reproduction | Rat | NOAEL 100 mg/kg/day | premating into lactation |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for male reproduction | Rat | NOAEL 100 mg/kg/day | 115 days |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | Not classified for development | Rat | NOAEL 2 mg/kg/day | premating into lactation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) | Ingestion | Not classified for development | Rat | NOAEL 209 | premating |

| | | | | | |
|--|------------|--|--------|-----------------------|--------------------------|
| sebacate | | | | mg/kg/day | into lactation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | Ingestion | Toxic to female reproduction | Rat | NOAEL 804 mg/kg/day | premating into lactation |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | Ingestion | Not classified for development | Rat | NOAEL 209 mg/kg/day | premating into lactation |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | Ingestion | Toxic to female reproduction | Rat | NOAEL 804 mg/kg/day | premating into lactation |
| octamethylcyclotetrasiloxane | Inhalation | Not classified for male reproduction | Rat | NOAEL 8.5 mg/l | 2 generation |
| octamethylcyclotetrasiloxane | Inhalation | Not classified for development | Rabbit | NOAEL 6 mg/l | during organogenesis |
| octamethylcyclotetrasiloxane | Ingestion | Not classified for development | Rabbit | NOAEL 100 mg/kg | during organogenesis |
| octamethylcyclotetrasiloxane | Inhalation | Toxic to female reproduction | Rat | NOAEL 3.6 mg/l | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| stoddard solvent | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| stoddard solvent | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| stoddard solvent | Inhalation | nervous system | Not classified | Dog | NOAEL 6.5 mg/l | 4 hours |
| stoddard solvent | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| 2-amino-2-methylpropanol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL Not available | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|-----------|-----------------------|----------------|---------|-----------------------|-------------------|
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 | 90 days |

| | | | | | mg/kg/day | |
|--|------------|---|--|-------------------------|-----------------------|--------------|
| stoddard solvent | Inhalation | nervous system | Not classified | Rat | LOAEL 4.6 mg/l | 6 months |
| stoddard solvent | Inhalation | kidney and/or bladder | Not classified | Rat | LOAEL 1.9 mg/l | 13 weeks |
| stoddard solvent | Inhalation | respiratory system | Not classified | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| stoddard solvent | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | Not classified | Rat | NOAEL 5.6 mg/l | 12 weeks |
| stoddard solvent | Inhalation | heart | Not classified | Multiple animal species | NOAEL 1.3 mg/l | 90 days |
| 2-amino-2-methylpropanol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 23 mg/kg/day | 90 days |
| 2-amino-2-methylpropanol | Ingestion | blood eyes kidney and/or bladder | Not classified | Dog | NOAEL 2.8 mg/kg/day | 1 years |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | Ingestion | liver endocrine system hematopoietic system eyes kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 50 mg/kg/day | 90 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | Ingestion | eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300 mg/kg/day | 28 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | Ingestion | gastrointestinal tract liver immune system heart endocrine system hematopoietic system nervous system kidney and/or bladder | Not classified | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | Ingestion | eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300 mg/kg/day | 28 days |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate | Ingestion | gastrointestinal tract liver immune system heart endocrine system hematopoietic system nervous system kidney and/or bladder | Not classified | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| octamethylcyclotetrasiloxane | Dermal | hematopoietic system | Not classified | Rabbit | NOAEL 960 mg/kg/day | 3 weeks |
| octamethylcyclotetrasiloxane | Inhalation | liver | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| octamethylcyclotetrasiloxane | Inhalation | endocrine system immune system kidney and/or bladder | Not classified | Rat | NOAEL 8.5 mg/l | 2 generation |
| octamethylcyclotetrasiloxane | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| octamethylcyclotetrasiloxane | Ingestion | liver | Not classified | Rat | NOAEL 1,600 mg/kg/day | 2 weeks |

Aspiration Hazard

| Name | Value |
|-------------------------------|-------------------|
| White mineral oil (petroleum) | Aspiration hazard |

stoddard solvent

Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|--|------------|------------------|---|----------|---------------|-------------|
| Poly(dimethylsiloxane) | 63148-62-9 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Analogous Compound | 48 hours | EL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Bluegill | Experimental | 96 hours | LL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Green algae | Analogous Compound | 72 hours | NOEL | 100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Analogous Compound | 21 days | NOEL | >100 mg/l |
| Siloxanes and silicones, Di-Me, [[[3-[(2-aminoethyl)amino]propyl]dimethoxysilyl]oxy]-terminated | 71750-80-6 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| stoddard solvent | 8052-41-3 | Green algae | Estimated | 96 hours | EL50 | 2.5 mg/l |
| stoddard solvent | 8052-41-3 | Invertebrate | Estimated | 96 hours | LC50 | 3.5 mg/l |
| stoddard solvent | 8052-41-3 | Rainbow trout | Estimated | 96 hours | LL50 | 41.4 mg/l |
| stoddard solvent | 8052-41-3 | Green algae | Estimated | 96 hours | NOEL | 0.76 mg/l |
| stoddard solvent | 8052-41-3 | Water flea | Estimated | 21 days | NOEC | 0.28 mg/l |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Activated sludge | Experimental | 3 hours | EC50 | >1,000 mg/l |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3- | 400-830-7 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |

| | | | | | | |
|--|-----------|------------------|--------------|----------|-------|------------|
| [3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | | | | | | |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Rainbow trout | Experimental | 96 hours | LC50 | 2.8 mg/l |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Water flea | Experimental | 48 hours | EC50 | 4 mg/l |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Green algae | Experimental | 72 hours | ErC10 | 10 mg/l |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Water flea | Experimental | 21 days | NOEC | 0.78 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Bluegill | Experimental | 96 hours | LC50 | 180 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Common shrimp | Experimental | 96 hours | LC50 | 170 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Diatom | Experimental | 72 hours | ErC50 | >103 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Fish | Experimental | 96 hours | LC50 | 175 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Green algae | Experimental | 72 hours | ErC50 | >103 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Water flea | Experimental | 24 hours | EC50 | 59 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Diatom | Experimental | 72 hours | ErC10 | >103 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Green algae | Experimental | 72 hours | ErC10 | 68.8 mg/l |
| 2-amino-2-methylpropanol | 124-68-5 | Activated sludge | Experimental | 3 hours | EC50 | 342.9 mg/l |

| | | | | | | |
|--|------------|-------------------------------|--------------------|----------|-------|-------------------------|
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Green algae | Analogous Compound | 72 hours | ErC50 | 1.68 mg/l |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Water flea | Analogous Compound | 24 hours | EC50 | 20 mg/l |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Zebra Fish | Analogous Compound | 96 hours | LC50 | 0.9 mg/l |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Green algae | Analogous Compound | 72 hours | ErC10 | 0.34 mg/l |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Water flea | Analogous Compound | 21 days | NOEC | 1 mg/l |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Activated sludge | Analogous Compound | 3 hours | IC50 | >=100 mg/l |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Activated sludge | Estimated | 3 hours | EC50 | >100 mg/l |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Algae or other aquatic plants | Estimated | 72 hours | EC50 | 1.68 mg/l |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Water flea | Estimated | 24 hours | EC50 | 20 mg/l |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Zebra Fish | Estimated | 96 hours | LC50 | 0.9 mg/l |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Water flea | Estimated | 21 days | NOEC | 1 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Blackworm | Experimental | 28 days | NOEC | 0.73 mg/kg (Dry Weight) |
| octamethylcyclotetrasil oxane | 556-67-2 | Midge | Experimental | 14 days | LC50 | >170 mg/kg (Dry Weight) |
| octamethylcyclotetrasil oxane | 556-67-2 | Mysid Shrimp | Experimental | 96 hours | LC50 | >0.0091 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Rainbow trout | Experimental | 96 hours | LC50 | >0.022 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Water flea | Experimental | 48 hours | EC50 | >0.015 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Rainbow trout | Experimental | 93 days | NOEC | 0.0044 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Water flea | Experimental | 21 days | NOEC | 0.015 mg/l |
| octamethylcyclotetrasil oxane | 556-67-2 | Activated sludge | Experimental | 3 hours | EC50 | >10,000 mg/l |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Fathead minnow | Estimated | 96 hours | LC50 | 11.8 mg/l |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Green algae | Estimated | 72 hours | EC50 | 25.4 mg/l |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Water flea | Estimated | 48 hours | EC50 | 76 mg/l |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Green algae | Estimated | 72 hours | NOEC | 5.95 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |

| | | | | | | |
|--|------------|-------------------|--------------|----------|-------|--------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Copepod | Experimental | 48 hours | EC50 | 0.007 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Diatom | Experimental | 72 hours | ErC50 | 0.0199 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | ErC50 | 0.027 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | NOEC | 0.004 mg/l |

| | | | | | | |
|---|------------|------------|--------------|---------|------|------------|
| 6] (3:1) | | | | | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|--------------------------------------|----------|-------------------------------|--|-------------------------------------|
| Poly(dimethylsiloxane) | 63148-62-9 | Data not available - insufficient | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| Siloxanes and silicones, Di-Me, [[3-[(2-aminoethyl)amino]propyl]dimethoxysilyl]oxy-terminated | 71750-80-6 | Data not available - insufficient | N/A | N/A | N/A | N/A |
| stoddard solvent | 8052-41-3 | Experimental Biodegradation | 28 days | CO2 evolution | >63 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| stoddard solvent | 8052-41-3 | Experimental Photolysis | | Photolytic half-life (in air) | 6.49 days (t 1/2) | |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Experimental Biodegradation | 28 days | CO2 evolution | 12-24 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| 2-amino-2-methylpropanol | 124-68-5 | Experimental Biodegradation | 28 days | BOD | 89.3 %BOD/ThOD | OECD 301F - Manometric respirometry |
| 2-amino-2-methylpropanol | 124-68-5 | Experimental Photolysis | | Photolytic half-life (in air) | 1.1 days (t 1/2) | |
| 2-amino-2-methylpropanol | 124-68-5 | Experimental Soil Metabolism Aerobic | 30 days | CO2 evolution | 50 %CO2 evolution/THC O2 evolution | |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Modeled Biodegradation | 28 days | BOD | 27 %BOD/ThOD | Catalogic™ |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Analogous Compound Hydrolysis | | Hydrolytic half-life (pH 7) | 68 days (t 1/2) | OECD 111 Hydrolysis func of pH |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Estimated Biodegradation | 28 days | BOD | 51 %BOD/ThOD | |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Biodegradation | 29 days | CO2 evolution | 3.7 %CO2 evolution/THC O2 evolution | OECD 310 CO2 Headspace |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Photolysis | | Photolytic half-life (in air) | 31 days (t 1/2) | |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 69.3-144 hours (t 1/2) | OECD 111 Hydrolysis func of pH |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Experimental Biodegradation | 28 days | BOD | 61 %BOD/ThOD | OECD 301C - MITI test (I) |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |

| | | | | | | |
|---|------------|-------------------------|--|-----------------------------|-------------------|--|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | > 60 days (t 1/2) | |
|---|------------|-------------------------|--|-----------------------------|-------------------|--|

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|---|----------|------------------------|-------------|---------------------------------|
| Poly(dimethylsiloxane) | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, Di-Me, [[[3-[(2-aminoethyl)amino]propyl]dimethoxysilyl]oxy]-terminated | 71750-80-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| stoddard solvent | 8052-41-3 | Estimated Bioconcentration | | Log Kow | 6.4 | |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy- | 400-830-7 | Experimental BCF - Fish | 21 days | Bioaccumulation factor | 34 | OECD305-Bioconcentration |
| 2-amino-2-methylpropanol | 124-68-5 | Experimental Bioconcentration | | Log Kow | -0.63 | OECD 107 log Kow shke flask mtd |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Experimental BCF - Fish | 56 days | Bioaccumulation factor | <31.4 | |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Experimental Bioconcentration | | Log Kow | 0.37 | OECD 107 log Kow shke flask mtd |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate | 82919-37-7 | Estimated Bioconcentration | | Bioaccumulation factor | 11 | |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental BCF - Fish | 28 days | Bioaccumulation factor | 12400 | 40CFR 797.1520-Fish Bioaccumm |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Bioconcentration | | Log Kow | 6.49 | OECD 123 log Kow slow stir |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Estimated Bioconcentration | | Log Kow | 2.1 | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound BCF - Fish | 28 days | Bioaccumulation factor | 54 | OECD305-Bioconcentration |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound Bioconcentration | | Log Kow | 0.4 | |

12.4. Mobility in soil

| Material | Cas No. | Test type | Study Type | Test result | Protocol |
|--------------------------|----------|--------------------------|------------|-------------|----------------------|
| 2-amino-2-methylpropanol | 124-68-5 | Modeled Mobility in Soil | Koc | 1 l/kg | ACD/Labs ChemSketch™ |

| | | | | | |
|---|------------|-------------------------------|-----|-------------|--------------------------------|
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | Modeled Mobility in Soil | Koc | 30 l/kg | ACD/Labs ChemSketch™ |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Mobility in Soil | Koc | 16,600 l/kg | OECD 106 Adsp-Desb Batch Equil |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | 31906-04-4 | Estimated Mobility in Soil | Koc | 30 l/kg | Episuite™ |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Mobility in Soil | Koc | 10 l/kg | OECD 106 Adsp-Desb Batch Equil |

12.5. Results of the PBT and vPvB assessment

| Ingredient | CAS Nbr | PBT/vPvB status |
|------------------------------|----------------|---------------------------|
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH PBT criteria |
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH vPvB criteria |

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|------------------------------------|-------------------------------|-----------------------------|--------------------------------|
| 14.1 UN number or ID number | No data available. | No data available. | No data available. |

| | | | |
|---|--|--|--|
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Marine Transport in bulk according to IMO instruments | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

Ingredient

CAS Nbr

octamethylcyclotetrasiloxane

556-67-2

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-

55965-84-9

3-one [EC no. 247-500-7] and 2-methyl-2H-

isothiazol-3-one [EC no. 220-239-6] (3:1)

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

Authorization status under REACH:

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

Ingredient

octamethylcyclotetrasiloxane

CAS Nbr

556-67-2

Authorization status: listed in the Candidate List of Substances of Very High Concern for Authorization

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

Regulation (EU) No 649/2012

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information**List of relevant H statements**

| | |
|--------|--|
| EUH071 | Corrosive to the respiratory tract. |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H361f | Suspected of damaging fertility. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure: nervous system. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

Section 2: <125ml Hazard - Cat 2 Repeated Target Organ information was added.

Section 2: <125ml Hazard - Environmental information was added.

Section 2: <125ml Hazard - Health information was added.

Section 2: <125ml Precautionary - Disposal information was added.

Section 2: <125ml Precautionary - General information was added.

Section 2: <125ml Precautionary - Prevention information was added.

Section 2: <125ml Precautionary - Response information was added.

Section 12: PBT/vPvB table row information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.3M.com