

Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	28-9056-4	Version Number:	1.02
Revision Date:	19/06/2017	Supercedes Date:	15/04/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G158, Ultimate Black (28-25B): G15812, G15800

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive

1.3. Details of the supplier of the safety data sheet

- ADDRESS:GR_GCSL Local CUNO AddressTelephone:GR_GCSL Local Meguiar's TelephoneE Mail:GR_GCSL Local Meguiar's Email
- Website: GR_GCSL Local Meguiar's Website

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Specific Target Organ Toxicity-Repeated Exposure, Category 2 - STOT RE 2; H373

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD Warning

Symbols: GHS08 (Health Hazard) |

Pictograms



Ingredients: Ingredient	C.A.S. No.	EC No.	% by Wt
Stoddard Solvent	8052-41-3	232-489-3	1 - 3

HAZARD STATEMENTS: H373

May cause damage to organs through prolonged or repeated exposure: nervous system |

PRECAUTIONARY STATEMENTS

Prevention:

P260A

Do not breathe vapors.

Disposal:

P501

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH208

Contains Polymeric Benzotriazole. | Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy-. | 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone. May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products: Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

Notes on labelling:

Nota P applied to CAS 8052-41-3.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	EC No.	REACH Registration No.	% by Wt	Classification
NON-HAZARDOUS INGREDIENTS	Mixture			60 - 80	Substance not classified as hazardous
Siloxanes and Silicones, di-Me	63148- 62-9			10 - 30	Substance not classified as hazardous
WHITE MINERAL OIL (PETROLEUM)	8042- 47-5	232- 455-8		5 - 10	**Asp. Tox. 1**, H304
ACRYLIC POLYMER	None			1 - 5	Substance not classified as hazardous
SILOXANES AND SILICONES, DI-ME, [[[3-[(2- AMINOETHYL)AMINO]PROPYL]DIMETHOXYSILYL]OXY]- TERMINATED	71750- 80-6			1 - 3	**Acute Tox. 4**, H302
Stoddard Solvent	8052- 41-3	232- 489-3		1 - 3	**Asp. Tox. 1**, H304; **STOT RE 1**, H372 - Nota P **Skin Irrit. 2**, H315
Isopropyl Alcohol	67-63-0	200- 661-7		0.5 - 1.5	**Flam. Liq. 2**, H225; **Eye Irrit. 2**, H319; **STOT SE 3**, H336
Polymeric Benzotriazole	104810- 47-1			< 0.15	**Skin Sens. 1**, H317
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omega hydroxy-	104810- 48-2			< 0.15	**Skin Sens. 1**, H317
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	82919- 37-7	280- 060-4		< 0.1	**Skin Sens. 1A**, H317; **Aquatic Acute 1**, H400,M=1; **Aquatic Chronic 1**, H410,M=1
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	41556- 26-7	255- 437-1		< 0.1	**Skin Sens. 1A**, H317; **Aquatic Acute 1**, H400,M=1; **Aquatic Chronic 1**, H410,M=1
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	55965- 84-9			< 0.0015	**Acute Tox. 3**, H331; **Acute Tox.

		3**, H311;
		**Acute Tox.
		3**, H301;
		**Skin Corr.
		1B**, H314;
		**Skin Sens.
		1A**, H317;
		**Aquatic Acute
		1**, H400,M=1;
		**Aquatic
		Chronic 1**,
		H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Formaldehyde <u>Condition</u> During Combustion Carbon monoxide Carbon dioxide Irritant Vapors or Gases During Combustion During Combustion During Combustion

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
-				

Isopropyl Alcohol	67-63-0	Greece OELs	TWA(8 hours):980 mg/m3(400 ppm);STEL(15 minutes):1225 mg/m3(500 ppm)
Paraffin oil	8042-47-5	Greece OELs	TWA(as mist)(8 hours):5 mg/m3
Stoddard Solvent	8052-41-3	Greece OELs	TWA(8 hours):575 mg/m3(100 ppm);STEL(15 minutes):720 mg/m3(125 ppm)

Greece OELs : Greece. OELs (Decree No. 90/1999, as amended) TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. No chemical protective gloves are required. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

Material Polymer laminate Thickness (mm) No data available **Breakthrough Time** No data available If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid

Appearance/Odor	Pleasant, sweet smell; Off-white liquid
Odor threshold	No Data Available
рН	9 - 9.5
Boiling point/boiling range	No Data Available
Melting point	No Data Available
Flammability (solid, gas)	Not Applicable
Explosive properties:	Not Classified
Oxidising properties:	Not Classified
Flash Point	Flash point > 93 °C (200 °F)
Autoignition temperature	No Data Available
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Relative Density	0.964 [<i>Ref Std</i> :WATER=1]

gel

Water solubility	Moderate
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	No Data Available
Evaporation rate	No Data Available
Vapor Density	<i>No Data Available</i>
Decomposition temperature	<i>No Data Available</i>
Viscosity	5,000 - 7,000 mPa-s
Density	0.964 g/cm3
9.2. Other information Percent volatile	68.6 % weight

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid None known.

10.5. Incompatible materials None known.

10.6. Hazardous decomposition products <u>Substance</u> None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes and Silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and Silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Dermal	Rabbit	LD50 > 2,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Rat	LD50 > 5,000 mg/kg
Stoddard Solvent	Inhalation- Vapor		LC50 estimated to be 20 - 50 mg/l
Stoddard Solvent	Dermal	Rabbit	LD50 > 3,000 mg/kg
Stoddard Solvent	Ingestion	Rat	LD50 > 5,000 mg/kg
SILOXANES AND SILICONES, DI-ME, [[[3-[(2- AMINOETHYL)AMINO]PROPYL]DIMETHOXYSILYL]OXY]-TERMINATED	Ingestion		LD50 estimated to be 300 - 2,000 mg/kg
Isopropyl Alcohol	Dermal	Rabbit	LD50 12,870 mg/kg
Isopropyl Alcohol	Inhalation- Vapor (4 hours)	Rat	LC50 72.6 mg/l
Isopropyl Alcohol	Ingestion	Rat	LD50 4,710 mg/kg
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omega hydroxy-	Dermal	Rat	LD50 > 2,000 mg/kg
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omega hydroxy-	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.8 mg/l
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omega hydroxy-	Ingestion	Rat	LD50 > 5,000 mg/kg
Polymeric Benzotriazole	Dermal	Rat	LD50 > 2,000 mg/kg
Polymeric Benzotriazole	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.8 mg/l
Polymeric Benzotriazole	Ingestion	Rat	LD50 > 5,000 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Ingestion	Rat	LD50 3,125 mg/kg
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	Ingestion	Rat	LD50 3,125 mg/kg
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	Dermal	Rabbit	LD50 87 mg/kg
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
WHITE MINERAL OIL (PETROLEUM)	Rabbit	No significant irritation
Stoddard Solvent	Rabbit	Irritant
Isopropyl Alcohol	Multiple	No significant irritation
	animal	
	species	
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-	Rabbit	No significant irritation
dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy-		
Polymeric Benzotriazole	Rabbit	No significant irritation
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Rabbit	No significant irritation

METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	Rabbit	No significant irritation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Rabbit	Corrosive
isothiazolone		

Serious Eye Damage/Irritation

Name	Species	Value
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
WHITE MINERAL OIL (PETROLEUM)	Rabbit	Mild irritant
Stoddard Solvent	Rabbit	No significant irritation
Isopropyl Alcohol	Rabbit	Severe irritant
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-	Rabbit	No significant irritation
dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy-		
Polymeric Benzotriazole	Rabbit	No significant irritation
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Rabbit	No significant irritation
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	Rabbit	No significant irritation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Rabbit	Corrosive
isothiazolone		

Skin Sensitization

Name	Species	Value
WHITE MINERAL OIL (PETROLEUM)	Guinea	Not classified
	pig	
Stoddard Solvent	Guinea	Not classified
	pig	
Isopropyl Alcohol	Guinea	Not classified
	pig	
Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-	Guinea	Sensitizing
dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy-	pig	
Polymeric Benzotriazole	Guinea	Sensitizing
	pig	
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Guinea	Sensitizing
	pig	
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	Guinea	Sensitizing
	pig	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Human	Sensitizing
isothiazolone	and	-
	animal	

Photosensitization

Name	Species	Value
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Human	Not sensitizing
isothiazolone	and	
	animal	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value

WHITE MINERAL OIL (PETROLEUM)	In Vitro	Not mutagenic
Stoddard Solvent	In vivo	Not mutagenic
Stoddard Solvent	In Vitro	Some positive data exist, but the data are not sufficient for classification
Isopropyl Alcohol	In Vitro	Not mutagenic
Isopropyl Alcohol	In vivo	Not mutagenic
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	In Vitro	Not mutagenic
METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE	In Vitro	Not mutagenic
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)- isothiazolone	In vivo	Not mutagenic
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)- isothiazolone	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
WHITE MINERAL OIL (PETROLEUM)	Dermal	Mouse	Not carcinogenic
WHITE MINERAL OIL (PETROLEUM)	Inhalation	Multiple animal species	Not carcinogenic
Stoddard Solvent	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Stoddard Solvent	Inhalation	Human and animal	Some positive data exist, but the data are not sufficient for classification
Isopropyl Alcohol	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	Dermal	Mouse	Not carcinogenic
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl- 3(2H)-isothiazolone	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation
Stoddard Solvent	Inhalation	Not classified for development	Rat	NOAEL 2.4 mg/l	during organogenesis
Isopropyl Alcohol	Ingestion	Not classified for development	Rat	NOAEL 400 mg/kg/day	during organogenesis
Isopropyl Alcohol	Inhalation	Not classified for development	Rat	LOAEL 9 mg/l	during gestation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Stoddard Solvent	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Stoddard Solvent	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Stoddard Solvent	Inhalation	nervous system	Not classified	Dog	NOAEL 6.5 mg/l	4 hours
Stoddard Solvent	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Professio nal judgeme nt	NOAEL Not available	
Isopropyl Alcohol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
Isopropyl Alcohol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	
Isopropyl Alcohol	Inhalation	auditory system	Not classified	Guinea pig	NOAEL 13.4 mg/l	24 hours
Isopropyl Alcohol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	poisoning and/or abuse
3(2H)-Isothiazolone, 5- chloro-2-methyl-, mixt. with 2-methyl-3(2H)- isothiazolone	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
WHITE MINERAL OIL (PETROLEUM)	Ingestion	liver immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
Stoddard Solvent	Inhalation	nervous system	Not classified	Rat	LOAEL 4.6 mg/l	6 months
Stoddard Solvent	Inhalation	kidney and/or bladder	Not classified	Rat	LOAEL 1.9 mg/l	13 weeks
Stoddard Solvent	Inhalation	respiratory system	Not classified	Multiple animal species	NOAEL 0.6 mg/l	90 days
Stoddard Solvent	Inhalation	bone, teeth, nails, and/or hair blood liver muscles	Not classified	Rat	NOAEL 5.6 mg/l	12 weeks
Stoddard Solvent	Inhalation	heart	Not classified	Multiple animal species	NOAEL 1.3 mg/l	90 days
Isopropyl Alcohol	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 12.3 mg/l	24 months
Isopropyl Alcohol	Inhalation	nervous system	Not classified	Rat	NOAEL 12 mg/l	13 weeks
Isopropyl Alcohol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 400 mg/kg/day	12 weeks

Aspiration Hazard

Name	Value
WHITE MINERAL OIL (PETROLEUM)	Aspiration hazard
Stoddard Solvent	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

Material	Cas #	Organism	Туре	Exposure	Test Endpoint	Test Result
SILOXANES	71750-80-6		Data not			
AND			available or			
SILICONES,			insufficient for			
DI-ME, [[[3-			classification			
[(2-						
AMINOETHY						
L)AMINO]PR						
OPYL]DIMET						
HOXYSILYL]						
OXY]-						
TERMINATE						
D						
Stoddard	8052-41-3		Data not			
Solvent			available or			
			insufficient for			
			classification			
3(2H)-	55965-84-9	Diatom	Experimental	72 hours	Effect	0.021 mg/l
Isothiazolone,					Concentration	
5-chloro-2-					50%	

						1
methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone						
3(2H)-	55965-84-9	Water flea	Experimental	48 hours	Effect	0.18 mg/l
Isothiazolone,					Concentration	
5-chloro-2-					50%	
methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone						
3(2H)-	55965-84-9	Diatom	Experimental	72 hours	No obs Effect	0.01 mg/l
Isothiazolone,			-		Conc	_
5-chloro-2-						
methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone						
METHYL	82919-37-7	Water flea	Experimental	24 hours	Effect	20 mg/l
1,2,2,6,6-			F		Concentration	- 6
PENTAMETH					50%	
YL-4-					/ -	
PIPERIDINYL						
SEBACATE						
METHYL	82919-37-7	Zebra Fish	Experimental	96 hours	Lethal	0.57 mg/l
1,2,2,6,6-	02919 57 7	200101100	Experimental	90 nouis	Concentration	0.57 mg/i
PENTAMETH					50%	
YL-4-					5070	
PIPERIDINYL						
SEBACATE						
	82919-37-7	Fathead	Estimated	96 hours	Lethal	0.82 mg/l
1,2,2,6,6-	02717 57 7	Minnow	Listimated	50 nours	Concentration	0.02 mg/1
PENTAMETH		IVIIIIIO W			50%	
YL-4-					5070	
PIPERIDINYL						
SEBACATE						
Polymeric	104810-47-1	Water flea	Experimental	48 hours	Effect	4 mg/l
Benzotriazole	104010-47-1	water nea	Experimental	40 110013	Concentration	- 111g/1
Delizotitazote					50%	
Polymeric	104810-47-1	Rainbow Trout	Exporimontal	96 hours	Lethal	2.8 mg/l
Benzotriazole	104010-47-1	Kallibow 110ut	Experimental	90 HOUIS	Concentration	2.8 mg/1
Delizourazoie					50%	
Polymeric	104810-47-1		Data not		3070	
	104810-47-1		available or			
Benzotriazole			insufficient for			
D 1 (12	104010 40 2	XX7 (C	classification	40.1		4 /1
Poly(oxy-1,2-	104810-48-2	Water flea	Experimental	48 hours	Effect	4 mg/l
ethanediyl),					Concentration	
.alpha[3-[3-					50%	
(2H-						
benzotriazol-2-						
yl)-5-(1,1-						
dimethylethyl)-						
4- hydroxyphenyl						

]-1-oxopropyl]-						
.omega						
hydroxy-						
Poly(oxy-1,2-	104810-48-2	Rainbow Trout	Exporimontal	96 hours	Lethal	2.8 mg/l
ethanediyl), .alpha[3-[3- (2H- benzotriazol-2-	104010-40-2	Rambow Hou	Experimental	Jonours	Concentration 50%	2.0 mg 1
yl)-5-(1,1- dimethylethyl)- 4- hydroxyphenyl						
]-1-oxopropyl]- .omega hydroxy-						
Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H- benzotriazol-2- yl)-5-(1,1- dimethylethyl)- 4-	104810-48-2		Data not available or insufficient for classification			
hydroxyphenyl]-1-oxopropyl]- .omega hydroxy-			_			
Siloxanes and Silicones, di- Me	63148-62-9		Data not available or insufficient for classification			
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level 50%	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Water flea	Estimated	21 days	No obs Effect Level	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)		Green algae	Estimated	72 hours	No obs Effect Level	>100 mg/l
Bis(1,2,2,6,6- pentamethyl-4- piperidinyl) sebacate	41556-26-7	Fathead Minnow	Estimated	96 hours	Lethal Concentration 50%	0.36 mg/l

Isopropyl Alcohol	67-63-0	Ricefish	Experimental	96 hours	Lethal Concentration 50%	>100 mg/l
Isopropyl Alcohol	67-63-0	Green Algae	Experimental	72 hours	Effect Concentration 50%	>1,000 mg/l
Isopropyl Alcohol	67-63-0	Crustacea	Experimental	24 hours	Effect Concentration 50%	>10,000 mg/l
Isopropyl Alcohol	67-63-0	Water flea	Experimental	21 days	No obs Effect Conc	>=100 mg/l
Isopropyl Alcohol	67-63-0	Green algae	Experimental	72 hours	No obs Effect Conc	1,000 mg/l
Isopropyl Alcohol	67-63-0	Water flea	Experimental	48 hours	Effect Concentration 50%	>1,000 mg/l

12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
NON- HAZARDOUS INGREDIENT S	Mixture	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polymeric Benzotriazole	104810-47-1	Experimental Biodegradation	28 days	Carbon dioxide evolution	24 % weight	OECD 301B - Mod. Sturm or CO2
Polymeric Benzotriazole	104810-47-1	Estimated Biodegradation	28 days	Biological Oxygen Demand	33 % weight	OECD 301F - Manometric Respiro
Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H- benzotriazol-2- yl)-5-(1,1- dimethylethyl)- 4- hydroxyphenyl]-1-oxopropyl]- .omega hydroxy-	104810-48-2	Experimental Biodegradation	28 days	Carbon dioxide evolution		OECD 301B - Mod. Sturm or CO2
Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H- benzotriazol-2- yl)-5-(1,1- dimethylethyl)- 4- hydroxyphenyl]-1-oxopropyl]- .omega	104810-48-2	Estimated Biodegradation	28 days	Biological Oxygen Demand	43 % weight	OECD 301F - Manometric Respiro

hydroxy-						
Bis(1,2,2,6,6- pentamethyl-4- piperidinyl) sebacate	41556-26-7	Estimated Biodegradation	28 days	Biological Oxygen Demand	32.8 % weight	OECD 301C - MITI (I)
3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2-methyl- 3(2H)- isothiazolone	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and Silicones, di- Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Isopropyl Alcohol	67-63-0	Experimental Biodegradation	14 days	Biological Oxygen Demand	86 % weight	OECD 301C - MITI (I)
SILOXANES AND SILICONES, DI-ME, [[[3- [(2- AMINOETHY L)AMINO]PR OPYL]DIMET HOXYSILYL] OXY]- TERMINATE D	71750-80-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Experimental Biodegradation	28 days	Carbon dioxide evolution	0 % weight	OECD 301B - Mod. Sturm or CO2
Stoddard	8052-41-3	Experimental	28 days	Carbon dioxide	63 % weight	OECD 301B - Mod.
Solvent		Biodegradation		evolution		Sturm or CO2
Stoddard Solvent	8052-41-3	Estimated Photolysis		Photolytic half- life (in air)	6.49 days (t 1/2)	Other methods
METHYL 1,2,2,6,6- PENTAMETH YL-4- PIPERIDINYL SEBACATE	82919-37-7	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	38 % weight	OECD 301E - Modified OECD Scre
METHYL 1,2,2,6,6- PENTAMETH YL-4- PIPERIDINYL SEBACATE	82919-37-7	Estimated Biodegradation	28 days	Biological Oxygen Demand	51 % weight	OECD 301C - MITI (I)

12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
NON- HAZARDOUS INGREDIENT S	Mixture	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polymeric Benzotriazole	104810-47-1	Experimental BCF - Rainbow Tr		Bioaccumulatio n Factor	34	Other methods
Polymeric Benzotriazole	104810-47-1	Estimated Bioconcentrati on		Bioaccumulatio n Factor	7.4	Other methods
Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H- benzotriazol-2- yl)-5-(1,1- dimethylethyl)- 4- hydroxyphenyl]-1-oxopropyl]- .omega hydroxy-	104810-48-2	Experimental BCF - Rainbow Tr		Bioaccumulatio n Factor	34	Other methods
Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H- benzotriazol-2- yl)-5-(1,1- dimethylethyl)- 4- hydroxyphenyl]-1-oxopropyl]- .omega hydroxy-	104810-48-2	Estimated Bioconcentrati on		Bioaccumulatio n Factor	3.8	Est: Bioconcentration factor
Bis(1,2,2,6,6- pentamethyl-4- piperidinyl) sebacate	41556-26-7	Estimated Bioconcentrati on		Bioaccumulatio n Factor	5.96	Est: Bioconcentration factor
Bis(1,2,2,6,6- pentamethyl-4- piperidinyl) sebacate	41556-26-7	Experimental BCF-Carp	56 days	Bioaccumulatio n Factor		Other methods
3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2-methyl- 3(2H)- isothiazolone	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and Silicones, di-	63148-62-9	Data not available or	N/A	N/A	N/A	N/A

Ме		insufficient for classification				
Isopropyl Alcohol	67-63-0	Experimental Bioconcentrati on		Log of Octanol/H2O part. coeff	0.05	Other methods
SILOXANES AND SILICONES, DI-ME, [[[3- [(2- AMINOETHY L)AMINO]PR OPYL]DIMET HOXYSILYL] OXY]- TERMINATE D	71750-80-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Stoddard Solvent	8052-41-3	Estimated Bioconcentrati on		Bioaccumulatio n Factor	1944	Est: Bioconcentration factor
METHYL 1,2,2,6,6- PENTAMETH YL-4- PIPERIDINYL SEBACATE	82919-37-7	Experimental Bioconcentrati on	56 days	Bioaccumulatio n Factor	31	Other methods
METHYL 1,2,2,6,6- PENTAMETH YL-4- PIPERIDINYL SEBACATE	82919-37-7	Estimated Bioconcentrati on		Bioaccumulatio n Factor	11	Est: Bioconcentration factor

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

Material	CAS No.	Ozone Depletion Potential	Global Warming Potential
non-hazardous ingredients	Mixture	0	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200128 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment Not applicable

SECTION 16: Other information

List of relevant H statements

H301 Toxic if swallowed.	
H302 Harmful if swallowed.	
H304 May be fatal if swallowed and enters airways.	
H311 Toxic in contact with skin.	
H314 Causes severe skin burns and eye damage.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H319 Causes serious eye irritation.	
H331 Toxic if inhaled.	
H336 May cause drowsiness or dizziness.	
H372 Causes damage to organs through prolonged or repeated exposure.	
H373 May cause damage to organs through prolonged or repeated expos	ure.
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	

Revision information:

Section 01: Product identification numbers information was deleted.

Section 01: Product name information was modified.

Section 02: CLP Ingredient table information was added.

Section 02: H phrase reference information was added.

Section 02: Label Elements: CLP Classification information was modified.

Section 02: Label Elements: CLP Precautionary - Disposal information was added.

Section 02: Label Elements: CLP Precautionary - Prevention information was added.

Section 02: Label Elements: CLP Target Organ Hazard Statement information was added.

Section 02: Label Elements: Graphic information was added.

Section 02: Label Elements: Signal Word information was added.

Section 02: List of sensitizers information was added.

Section 03: Composition/ Information of ingredients table information was added.

Section 03: Composition/ Information of ingredients table information was deleted.

Section 04: First aid for skin contact information information was modified.

Section 07: Precautions safe handling information information was modified.

Section 08: glove data value information was added.

Section 08: Occupational exposure limit table information was modified.

Section 08: Personal Protection - Skin/body information information was added.

Section 08: Personal Protection - Skin/hand information information was modified.

Section 08: Skin protection - protective clothing information information was added.

Section 08: Skin protection - recommended gloves text information was added.

Section 09: Relative density information information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Aspiration Hazard Table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Skin information information was modified.

Section 11: Photosensitization Table information was added.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Specific Target Organ Toxicity - single exposure text information was deleted.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was added.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

Section 14: Transportation classification information was added.

Section 15: Label remarks and EU Detergent information was added.

Section 16: Two-column table displaying the unique list of H Codes and statements (std phrses) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR_GCSL - Local Meguiar's Website