

### Safety Data Sheet

Copyright,2024, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 41-3312-0 **Version number:** 4.00

**Revision date:** 26/08/2024 **Supersedes date:** 11/03/2024

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

Natural Shine Protectant Spray G41 [G4116]

#### **Product Identification Numbers**

14-1000-0700-5 14-1001-4450-1

7012610112 7100283407

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive

#### 1.3. Details of the supplier of the safety data sheet

Address: 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.

Telephone: +353 1 280 3555 E Mail: tox.uk@mmm.com Website: www.3M.com

#### 1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

#### **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

#### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Skin Sensitization, Category 1 - Skin Sens. 1; H317 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### SIGNAL WORD

WARNING.

#### **Symbols**

GHS07 (Exclamation mark) |

#### **Pictograms**



#### **Ingredients:**

| Ingredient   | CAS Nbr    | EC No.    | % by Wt  |
|--|------------|-----------|----------|
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- |            | 400-830-7 | < 0.25   |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | 41556-26-7 | 255-437-1 | < 0.09   |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate  | 82919-37-7 | 280-060-4 | < 0.05   |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                                       | 55965-84-9 | 911-418-6 | < 0.0015 |

#### **HAZARD STATEMENTS:**

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

**Prevention:** 

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

#### Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

#### Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004. Contains: Perfumes, Linalool, Citronellol, Hexyl cinnam-aldehyde, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1).

#### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Ingredient   | Identifier(s)                              | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|--|-----------|---|
| Non-Hazardous Ingredients  | Mixture                                    | 70 - 100  | Substance not classified as hazardous   |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | (CAS-No.) 78330-21-9                       | 0.5 - 1.5 | Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1   |
| 2-amino-2-methylpropanol   | (CAS-No.) 124-68-5<br>(EC-No.) 204-709-8   | < 0.5     | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Aquatic Chronic 3, H412  |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | (EC-No.) 400-830-7                         | < 0.25    | Skin Sens. 1A, H317<br>Aquatic Chronic 2, H411  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | (CAS-No.) 41556-26-7<br>(EC-No.) 255-437-1 | < 0.09    | Skin Sens. 1A, H317<br>Repr. 2, H361f<br>Aquatic Acute 1, H400,M=1<br>Aquatic Chronic 1, H410,M=1   |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate  | (CAS-No.) 82919-37-7<br>(EC-No.) 280-060-4 | < 0.05    | Skin Sens. 1A, H317<br>Repr. 2, H361f<br>Aquatic Acute 1, H400,M=1<br>Aquatic Chronic 1, H410,M=1   |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                                       | (CAS-No.) 55965-84-9<br>(EC-No.) 911-418-6 | < 0.0015  | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B |

Page: 3 of 20

|  | Acute Tox. 2, H330 |
|--|--------------------|
|  | Acute Tox. 2, H310 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

#### **Specific Concentration Limits**

| Ingredient   | Identifier(s)      | Specific Concentration Limits  |
|--|--------------------|--|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (EC-No.) 911-418-6 | (C >= 0.6%) Skin Corr. 1C, H314<br>(0.06% =< C < 0.6%) Skin Irrit. 2, H315<br>(C >= 0.6%) Eye Dam. 1, H318<br>(0.06% =< C < 0.6%) Eye Irrit. 2, H319<br>(C >= 0.0015%) Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

**Substance Condition** 

formaldehyde Carbon monoxide Carbon dioxide. Irritant vapours or gases. During combustion.
During combustion.
During combustion.
During combustion.

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

#### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### **8.2.1.** Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

| Material         | Thickness (mm)    | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

Applicable Norms/Standards
Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Physical state  | Liquid.            |  |  |
|-----------------|--------------------|--|--|
| Colour          | Milky White        |  |  |
| Odor            | Sweet Odour        |  |  |
| Odour threshold | No data available. |  |  |

| Melting point/freezing point           | Not applicable.                                  |
|--|--|
| Boiling point/boiling range            | 100 °C   |
| Flammability                           | Not applicable.                                  |
|  |  |
| Flammable Limits(LEL)                  | Not applicable.                                  |
| Flammable Limits(UEL)                  | Not applicable.                                  |
| Flash point                            | 215.6 °C [Test Method:Pensky-Martens Closed Cup] |
|  | [Details: ASTM D93-90]                           |
| Autoignition temperature               | Not applicable.                                  |
| Decomposition temperature              | No data available.                               |
| pH                                     | 9 - 9.8  |
| Kinematic Viscosity                    | 2,000 mm <sup>2</sup> /sec                       |
| Water solubility                       | Complete   |
| Solubility- non-water                  | No data available.                               |
| Partition coefficient: n-octanol/water | No data available.                               |
| Vapour pressure                        | No data available.                               |
| Density                                | 1 g/cm3  |
| Relative density                       | 1 [Ref Std:WATER=1]                              |
| Relative Vapour Density                | > 1 [ <i>Ref Std</i> :AIR=1]                     |
| Particle Characteristics               | Not applicable.                                  |
|  |  |

#### 9.2. Other information

#### 9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.Percent volatileNo data available.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

Light.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

**Substance** Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

### **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### **Additional Health Effects:**

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

| Name   | Route                                 | Species | Value  |
|--|---------------------------------------|---------|--|
| Overall product  | Dermal                                |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product  | Ingestion                             |         | No data available; calculated ATE >5,000 mg/kg |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | Dermal                                | Rat     | LD50 > 2,000 mg/kg                             |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | Ingestion                             | Rat     | LD50 500-2000 mg/kg                            |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | Dermal                                | Rat     | LD50 > 2,000 mg/kg                             |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat     | LC50 > 5.8 mg/l                                |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | Ingestion                             | Rat     | LD50 > 5,000 mg/kg                             |

| 2-amino-2-methylpropanol   | Dermal      | Rabbit    | LD50 > 2,000 mg/kg                       |
|--|-------------|-----------|--|
| 2-amino-2-methylpropanol   | Ingestion   | Rat       | LD50 2,900 mg/kg                         |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate                | Dermal      | Professio | LD50 estimated to be 2,000 - 5,000 mg/kg |
|  |             | nal       |  |
|  |             | judgeme   |  |
|  |             | nt        |  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate                | Ingestion   | Rat       | LD50 3,125 mg/kg                         |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate              | Dermal      | Professio | LD50 estimated to be 2,000 - 5,000 mg/kg |
|  |             | nal       |  |
|  |             | judgeme   |  |
|  |             | nt        |  |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate              | Ingestion   | Rat       | LD50 3,125 mg/kg                         |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Dermal      | Rabbit    | LD50 87 mg/kg                            |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]    |             |           |  |
| (3:1)  |             |           |  |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Inhalation- | Rat       | LC50 0.171 mg/l                          |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]    | Dust/Mist   |           |  |
| (3:1)  | (4 hours)   |           |  |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Ingestion   | Rat       | LD50 40 mg/kg                            |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]    |             |           |  |
| (3:1)  |             |           |  |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name   | Species | Value                     |
|--|---------|---------------------------|
|  |         |                           |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | Rabbit  | Mild irritant             |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | Rabbit  | No significant irritation |
| 2-amino-2-methylpropanol   | Rabbit  | Irritant                  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | Rabbit  | Minimal irritation        |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate  | Rabbit  | Minimal irritation        |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                                       | Rabbit  | Corrosive                 |

**Serious Eye Damage/Irritation** 

| Name   | Species | Value                     |
|--|---------|---------------------------|
|  |         |                           |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | Rabbit  | Corrosive                 |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha<br>[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-<br>oxopropyl]omegahydroxy- | Rabbit  | No significant irritation |
| 2-amino-2-methylpropanol   | Rabbit  | Corrosive                 |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | Rabbit  | Mild irritant             |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate  | Rabbit  | Mild irritant             |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)   | Rabbit  | Corrosive                 |

#### **Skin Sensitisation**

| Name   | Species       | Value          |
|--|---------------|----------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated   | Human         | Not classified |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy- | Guinea<br>pig | Sensitising    |
| 2-amino-2-methylpropanol   | Guinea<br>pig | Not classified |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | Guinea<br>pig | Sensitising    |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate  | Guinea<br>pig | Sensitising    |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                                       | Human<br>and  | Sensitising    |

Page: 9 of 20

| animal |  |
|--------|--|

#### **Photosensitisation**

| Name  | Species | Value           |
|---|---------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Human   | Not sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                           | and     |                 |
|   | animal  |                 |

### **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name   | Route    | Value  |
|--|----------|--|
| Name   | Route    | value  |
|  |          |  |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha  | In Vitro | Not mutagenic                                  |
| [3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-         |          |  |
| oxopropyl]omegahydroxy-  |          |  |
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2-ethanediyl), .alpha  | In vivo  | Not mutagenic                                  |
| [3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-         |          |  |
| oxopropyl]omegahydroxy-  |          |  |
| 2-amino-2-methylpropanol   | In Vitro | Not mutagenic                                  |
| 2-amino-2-methylpropanol   | In vivo  | Not mutagenic                                  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate                              | In vivo  | Not mutagenic                                  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate                              | In Vitro | Some positive data exist, but the data are not |
|  |          | sufficient for classification                  |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate                            | In vivo  | Not mutagenic                                  |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate                            | In Vitro | Some positive data exist, but the data are not |
|  |          | sufficient for classification                  |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In vivo  | Not mutagenic                                  |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                          |          |  |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In Vitro | Some positive data exist, but the data are not |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)                          |          | sufficient for classification                  |

Carcinogenicity

| caremogenienty   |           |         |                  |
|--|-----------|---------|------------------|
| Name   | Route     | Species | Value            |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal    | Mouse   | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat     | Not carcinogenic |

#### Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name  | Route     | Value                                  | Species | Test result            | Exposure<br>Duration     |
|---|-----------|--|---------|------------------------|--------------------------|
| Reaction mass of Polymeric benzotriazole<br>and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-<br>(2H-benzotriazol-2-yl)-5-(1,1-<br>dimethylethyl)-4-hydroxyphenyl]-1-<br>oxopropyl]omegahydroxy- | Ingestion | Not classified for female reproduction | Rat     | NOAEL 100<br>mg/kg/day | premating into lactation |
| Reaction mass of Polymeric benzotriazole<br>and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-<br>(2H-benzotriazol-2-yl)-5-(1,1-<br>dimethylethyl)-4-hydroxyphenyl]-1-<br>oxopropyl]omegahydroxy- | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 100<br>mg/kg/day | 115 days                 |
| Reaction mass of Polymeric benzotriazole<br>and Poly(oxy-1,2-ethanediyl), .alpha[3-[3-<br>(2H-benzotriazol-2-yl)-5-(1,1-<br>dimethylethyl)-4-hydroxyphenyl]-1-<br>oxopropyl]omegahydroxy- | Ingestion | Not classified for development         | Rat     | NOAEL 2<br>mg/kg/day   | premating into lactation |

| 2-amino-2-methylpropanol  | Ingestion | Not classified for female reproduction | Rat | NOAEL<br>1,000<br>mg/kg/day | premating into lactation |
|---|-----------|--|-----|-----------------------------|--------------------------|
| 2-amino-2-methylpropanol  | Ingestion | Not classified for male reproduction   | Rat | NOAEL<br>1,000<br>mg/kg/day | 37 days                  |
| 2-amino-2-methylpropanol  | Dermal    | Not classified for development         | Rat | NOAEL 300<br>mg/kg/day      | during<br>gestation      |
| 2-amino-2-methylpropanol  | Ingestion | Toxic to development                   | Rat | NOAEL 100<br>mg/kg/day      | premating into lactation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate   | Ingestion | Not classified for male reproduction   | Rat | NOAEL<br>1,493<br>mg/kg/day | 29 days                  |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate   | Ingestion | Not classified for development         | Rat | NOAEL 209<br>mg/kg/day      | premating into lactation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate   | Ingestion | Toxic to female reproduction           | Rat | NOAEL 804<br>mg/kg/day      | premating into lactation |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate   | Ingestion | Not classified for male reproduction   | Rat | NOAEL<br>1,493<br>mg/kg/day | 29 days                  |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate   | Ingestion | Not classified for development         | Rat | NOAEL 209<br>mg/kg/day      | premating into lactation |
| Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate   | Ingestion | Toxic to female reproduction           | Rat | NOAEL 804<br>mg/kg/day      | premating into lactation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10<br>mg/kg/day       | 2 generation             |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction   | Rat | NOAEL 10<br>mg/kg/day       | 2 generation             |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for development         | Rat | NOAEL 15<br>mg/kg/day       | during<br>organogenesis  |

### Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name   | Route      | Target Organ(s)        | Value  | Species                      | Test result            | Exposure<br>Duration |
|--|------------|------------------------|--|------------------------------|------------------------|----------------------|
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated  | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar<br>health<br>hazards | NOAEL Not available    |                      |
| 2-amino-2-methylpropanol   | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Mouse                        | NOAEL Not<br>available |                      |
| reaction mass of: 5-chloro-<br>2-methyl-4-isothiazolin-3-<br>one [EC no. 247-500-7]and<br>2-methyl-2H-isothiazol-3-<br>one [EC no. 220-239-6]<br>(3:1) | Inhalation | respiratory irritation | May cause respiratory irritation   | similar<br>health<br>hazards | NOAEL Not<br>available |                      |

**Specific Target Organ Toxicity - repeated exposure** 

| Name   | Route     | Target Organ(s)   | Value          | Species | Test result           | Exposure<br>Duration |
|--|-----------|---|----------------|---------|-----------------------|----------------------|
| Reaction mass of Polymeric benzotriazole and Poly(oxy-1,2- ethanediyl), .alpha[3-[3- (2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]omega hydroxy- | Ingestion | liver   endocrine<br>system  <br>hematopoietic<br>system   eyes  <br>kidney and/or<br>bladder   respiratory<br>system | Not classified | Rat     | NOAEL 50<br>mg/kg/day | 90 days              |

Page: 11 of 20

| 2-amino-2-methylpropanol                                    | Ingestion | liver   | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 23<br>mg/kg/day       | 90 days |
|---|-----------|---|--|-----|-----------------------------|---------|
| 2-amino-2-methylpropanol                                    | Ingestion | blood   eyes   kidney<br>and/or bladder   | Not classified   | Dog | NOAEL 2.8<br>mg/kg/day      | 1 years |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate           | Ingestion | eyes  | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300<br>mg/kg/day      | 28 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate           | Ingestion | gastrointestinal tract   liver   immune system   heart   endocrine system   hematopoietic system   nervous system   kidney and/or bladder | Not classified   | Rat | NOAEL<br>1,493<br>mg/kg/day | 29 days |
| Methyl(1,2,2,6,6-<br>pentamethyl-4-<br>piperidinyl)sebacate | Ingestion | eyes  | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300<br>mg/kg/day      | 28 days |
| Methyl(1,2,2,6,6-<br>pentamethyl-4-<br>piperidinyl)sebacate | Ingestion | gastrointestinal tract   liver   immune system   heart   endocrine system   hematopoietic system   nervous system   kidney and/or bladder | Not classified   | Rat | NOAEL<br>1,493<br>mg/kg/day | 29 days |

#### **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

### **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 12.1. Toxicity

No product test data available.

| Material  | CAS#       | Organism                      | Type                  | Exposure | Test endpoint | Test result |
|---|------------|-------------------------------|-----------------------|----------|---------------|-------------|
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated | 78330-21-9 | Fathead minnow                | Analogous<br>Compound | 96 hours | LC50          | 4.5 mg/l    |
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated | 78330-21-9 | Green algae                   | Analogous<br>Compound | 72 hours | EC50          | 0.5 mg/l    |
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated | 78330-21-9 | Water flea                    | Analogous<br>Compound | 48 hours | EC50          | 0.5 mg/l    |
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated | 78330-21-9 | Algae or other aquatic plants | Analogous<br>Compound | 72 hours | EC10          | >0.1 mg/l   |
| 2-amino-2-<br>methylpropanol                    | 124-68-5   | Bluegill                      | Experimental          | 96 hours | LC50          | 180 mg/l    |
| 2-amino-2-<br>methylpropanol                    | 124-68-5   | Common shrimp                 | Experimental          | 96 hours | LC50          | 170 mg/l    |

\_\_\_\_\_

| 2-amino-2-  | 124-68-5  | Diatom           | Experimental | 72 hours | ErC50 | >103 mg/l   |
|---|-----------|------------------|--------------|----------|-------|-------------|
| methylpropanol  |           |                  | •            |          |       |             |
| 2-amino-2-  | 124-68-5  | Fish             | Experimental | 96 hours | LC50  | 175 mg/l    |
| methylpropanol<br>2-amino-2-  | 124-68-5  | Green algae      | Experimental | 72 hours | ErC50 | >103 mg/l   |
| methylpropanol  | 124-06-3  | Green aigae      | Experimental | /2 Hours | EICSU | -103 mg/1   |
| 2-amino-2-  | 124-68-5  | Water flea       | Experimental | 24 hours | EC50  | 59 mg/l     |
| methylpropanol  |           |                  |              |          |       |             |
| 2-amino-2-  | 124-68-5  | Diatom           | Experimental | 72 hours | ErC10 | >103 mg/l   |
| methylpropanol<br>2-amino-2-  | 124-68-5  | Green algae      | Experimental | 72 hours | ErC10 | 68.8 mg/l   |
| methylpropanol  | 124 00 3  | Green argue      | Experimental | /2 nours | Licio | 00.0 mg/1   |
| 2-amino-2-  | 124-68-5  | Activated sludge | Experimental | 3 hours  | EC50  | 342.9 mg/l  |
| methylpropanol  | 400-830-7 |                  |              |          | 7.050 | 1 000 "     |
| Reaction mass of<br>Polymeric<br>benzotriazole and<br>Poly(oxy-1,2-<br>ethanediyl), .alpha[3-   | 400-830-7 | Activated sludge | Experimental | 3 hours  | EC50  | >1,000 mg/l |
| [3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]omegahydroxy-  |           |                  |              |          |       |             |
| Reaction mass of<br>Polymeric<br>benzotriazole and  | 400-830-7 | Green algae      | Experimental | 72 hours | EC50  | >100 mg/l   |
| Poly(oxy-1,2-<br>ethanediyl), .alpha[3-<br>[3-(2H-benzotriazol-2-<br>yl)-5-(1,1-<br>dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy-   |           |                  |              |          |       |             |
| Reaction mass of  | 400-830-7 | Rainbow trout    | Experimental | 96 hours | LC50  | 2.8 mg/l    |
| Polymeric<br>benzotriazole and<br>Poly(oxy-1,2-<br>ethanediyl), alpha[3-<br>[3-(2H-benzotriazol-2-<br>yl)-5-(1,1-<br>dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy-                      |           |                  |              |          |       |             |
| Reaction mass of<br>Polymeric<br>benzotriazole and<br>Poly(oxy-1,2-<br>ethanediyl), .alpha[3-<br>[3-(2H-benzotriazol-2-<br>yl)-5-(1,1-<br>dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy- | 400-830-7 | Water flea       | Experimental | 48 hours | EC50  | 4 mg/l      |
| Reaction mass of<br>Polymeric<br>benzotriazole and<br>Poly(oxy-1,2-<br>ethanediyl), .alpha[3-<br>[3-(2H-benzotriazol-2-<br>yl)-5-(1,1-<br>dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy- | 400-830-7 | Green algae      | Experimental | 72 hours | ErC10 | 10 mg/l     |

Page: 13 of 20

| _   | ,          |                  | •            |           |                |             |
|---|------------|------------------|--------------|-----------|----------------|-------------|
| Reaction mass of                                | 400-830-7  | Water flea       | Experimental | 21 days   | NOEC           | 0.78 mg/l   |
| Polymeric                                       |            |                  |              |           |                |             |
| benzotriazole and                               |            |                  |              |           |                |             |
| Poly(oxy-1,2-                                   |            | 1                |              |           |                |             |
| ethanediyl), .alpha[3-                          |            | 1                |              |           |                |             |
| [3-(2H-benzotriazol-2-yl)-5-(1,1-               |            |                  |              |           |                |             |
| dimethylethyl)-4-                               |            |                  |              |           |                |             |
| hydroxyphenyl]-1-                               |            |                  |              |           |                |             |
| oxopropyl]omega                                 |            |                  |              |           |                |             |
| hydroxy-  |            |                  |              |           |                |             |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Green algae      | Analogous    | 72 hours  | ErC50          | 1.68 mg/l   |
| pentamethyl-4-                                  | 11330 20 7 | Green uigue      | Compound     | 72 110415 | Licso          | 1.00 mg/1   |
| piperidinyl) sebacate                           |            |                  |              |           |                |             |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Water flea       | Analogous    | 24 hours  | EC50           | 20 mg/l     |
| pentamethyl-4-                                  |            |                  | Compound     |           |                |             |
| piperidinyl) sebacate                           |            |                  | 1            |           |                |             |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Zebra Fish       | Analogous    | 96 hours  | LC50           | 0.9 mg/l    |
| pentamethyl-4-                                  |            |                  | Compound     |           |                |             |
| piperidinyl) sebacate                           |            |                  |              |           |                |             |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Green algae      | Analogous    | 72 hours  | ErC10          | 0.34 mg/l   |
| pentamethyl-4-                                  |            |                  | Compound     |           |                |             |
| piperidinyl) sebacate                           |            | 1                | 1            |           | 1              |             |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Water flea       | Analogous    | 21 days   | NOEC           | 1 mg/l      |
| pentamethyl-4-                                  |            |                  | Compound     |           |                |             |
| piperidinyl) sebacate                           | 11177676   | 1                | <del> </del> | 1         | 1,000          | 100 "       |
| Bis(1,2,2,6,6-                                  | 41556-26-7 | Activated sludge | Analogous    | 3 hours   | IC50           | >=100 mg/l  |
| pentamethyl-4-                                  |            |                  | Compound     |           |                |             |
| piperidinyl) sebacate                           | 02010 27 7 |                  | P            |           | Ingso          | 100 7       |
| Methyl(1,2,2,6,6-                               | 82919-37-7 | Activated sludge | Estimated    | 3 hours   | EC50           | >100 mg/l   |
| pentamethyl-4-                                  |            |                  |              |           |                |             |
| piperidinyl)sebacate                            | 02010 27 7 | A1 (1            | P.C. 4.1     | 72.1      | ECCO           | 1.60 //     |
| Methyl(1,2,2,6,6-                               | 82919-37-7 | Algae or other   | Estimated    | 72 hours  | EC50           | 1.68 mg/l   |
| pentamethyl-4-<br>piperidinyl)sebacate          |            | aquatic plants   |              |           |                |             |
| Methyl(1,2,2,6,6-                               | 82919-37-7 | Water flea       | Estimated    | 24 hours  | EC50           | 20 mg/l     |
| pentamethyl-4-                                  | 02919-37-7 | water rica       | Estimated    | 24 110013 | EC30           | 20 Hig/1    |
| piperidinyl)sebacate                            |            |                  |              |           |                |             |
| Methyl(1,2,2,6,6-                               | 82919-37-7 | Zebra Fish       | Estimated    | 96 hours  | LC50           | 0.9 mg/l    |
| pentamethyl-4-                                  | 02313 37 7 | 2014 1 1511      | Estimated    | ) o nours | Less           | ( ) mg/     |
| piperidinyl)sebacate                            |            |                  |              |           |                |             |
| Methyl(1,2,2,6,6-                               | 82919-37-7 | Water flea       | Estimated    | 21 days   | NOEC           | 1 mg/l      |
| pentamethyl-4-                                  |            |                  |              |           | 1.020          |             |
| piperidinyl)sebacate                            |            |                  |              |           |                |             |
| reaction mass of: 5-                            | 55965-84-9 | Activated sludge | Experimental | 3 hours   | NOEC           | 0.91 mg/l   |
| chloro-2-methyl-4-                              |            |                  | *            |           |                |             |
| isothiazolin-3-one [EC                          |            |                  |              |           |                |             |
| no. 247-500-7]and 2-                            |            | 1                |              |           |                |             |
| methyl-2H-isothiazol-                           |            | 1                |              |           |                |             |
| 3-one [EC no. 220-239-                          |            | 1                |              |           |                |             |
| 6] (3:1)  |            | <u> </u>         |              | 1         |                |             |
| reaction mass of: 5-                            | 55965-84-9 | Bacteria         | Experimental | 16 hours  | EC50           | 5.7 mg/l    |
| chloro-2-methyl-4-                              |            |                  |              |           |                |             |
| isothiazolin-3-one [EC                          |            |                  |              |           |                |             |
| no. 247-500-7]and 2-                            |            | 1                |              |           |                |             |
| methyl-2H-isothiazol-<br>3-one [EC no. 220-239- |            |                  |              |           |                |             |
| 3-one [EC no. 220-239-6] (3:1)                  |            | 1                |              |           |                |             |
| reaction mass of: 5-                            | 55965-84-9 | Copepod          | Experimental | 48 hours  | EC50           | 0.007 mg/l  |
| chloro-2-methyl-4-                              | 33703-04-7 | Сорероц          | Experimental | 40 HOULS  | ECSU           | 0.007 mg/1  |
| isothiazolin-3-one [EC                          |            |                  |              |           |                |             |
| no. 247-500-7]and 2-                            |            |                  |              |           |                |             |
| methyl-2H-isothiazol-                           |            | 1                |              |           |                |             |
| 3-one [EC no. 220-239-                          |            | 1                |              |           |                |             |
| 6] (3:1)  |            | 1                |              |           |                |             |
| reaction mass of: 5-                            | 55965-84-9 | Diatom           | Experimental | 72 hours  | ErC50          | 0.0199 mg/l |
| chloro-2-methyl-4-                              |            |                  | F            |           |                |             |
| isothiazolin-3-one [EC                          |            |                  |              |           |                |             |
| no. 247-500-7]and 2-                            |            | 1                |              |           |                |             |
|   | •          | -                | -            | •         | _ <del>-</del> |             |

| methyl-2H-isothiazol-                           |            |                |              |          | 1     |              |
|---|------------|----------------|--------------|----------|-------|--------------|
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-<br>chloro-2-methyl-4-      | 55965-84-9 | Green algae    | Experimental | 72 hours | ErC50 | 0.027 mg/l   |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-                            |            |                |              |          |       |              |
| methyl-2H-isothiazol-                           |            |                |              |          |       |              |
| 3-one [EC no. 220-239-6] (3:1)                  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Rainbow trout  | Experimental | 96 hours | LC50  | 0.19 mg/l    |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-methyl-2H-isothiazol-       |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Sheepshead     | Experimental | 96 hours | LC50  | 0.3 mg/l     |
| chloro-2-methyl-4-                              |            | Minnow         |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-                            |            |                |              |          |       |              |
| methyl-2H-isothiazol-<br>3-one [EC no. 220-239- |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Water flea     | Experimental | 48 hours | EC50  | 0.099 mg/l   |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-<br>methyl-2H-isothiazol-   |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Diatom         | Experimental | 48 hours | NOEC  | 0.00049 mg/l |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-methyl-2H-isothiazol-       |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Fathead minnow | Experimental | 36 days  | NOEL  | 0.02 mg/l    |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-<br>methyl-2H-isothiazol-   |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Green algae    | Experimental | 72 hours | NOEC  | 0.004 mg/l   |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-<br>methyl-2H-isothiazol-   |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| reaction mass of: 5-                            | 55965-84-9 | Water flea     | Experimental | 21 days  | NOEC  | 0.004 mg/l   |
| chloro-2-methyl-4-                              |            |                |              |          |       |              |
| isothiazolin-3-one [EC                          |            |                |              |          |       |              |
| no. 247-500-7]and 2-<br>methyl-2H-isothiazol-   |            |                |              |          |       |              |
| 3-one [EC no. 220-239-                          |            |                |              |          |       |              |
| 6] (3:1)  |            |                |              |          |       |              |
| -1 (=)  |            |                |              |          |       |              |

### 12.2. Persistence and degradability

| Material                                     | CAS Nbr  | Test type                      | Duration | Study Type | Test result                               | Protocol                             |
|--|----------|--------------------------------|----------|------------|---|--------------------------------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated |          | Experimental<br>Biodegradation | 28 days  |            | ≥50 %CO2<br>evolution/THC<br>O2 evolution | OECD 301B - Modified<br>sturm or CO2 |
| 2-amino-2-methylpropanol                     | 124-68-5 | Experimental Biodegradation    | 28 days  | BOD        |   | OECD 301F - Manometric respirometry  |

Page: 15 of 20

| 2-amino-2-methylpropanol  | 124-68-5   | Experimental<br>Photolysis              |         | Photolytic half-life (in air)  | 1.1 days (t 1/2)  |                                      |
|---|------------|---|---------|--------------------------------|---|--------------------------------------|
| 2-amino-2-methylpropanol  | 124-68-5   | Experimental Soil<br>Metabolism Aerobic | 30 days | CO2 evolution                  | 50 %CO2<br>evolution/THC<br>O2 evolution  |                                      |
| Reaction mass of Polymeric<br>benzotriazole and Poly(oxy-<br>1,2-ethanediyl), .alpha[3-<br>[3-(2H-benzotriazol-2-yl)-5-<br>(1,1-dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy- | 400-830-7  | Experimental<br>Biodegradation          | 28 days | CO2 evolution                  | 12-24 %CO2<br>evolution/THC<br>O2 evolution                                     | OECD 301B - Modified<br>sturm or CO2 |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate   | 41556-26-7 | Modeled<br>Biodegradation               | 28 days | BOD                            | 27 %BOD/ThO<br>D  | Catalogic <sup>TM</sup>              |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate   | 41556-26-7 | Analogous<br>Compound<br>Hydrolysis     |         | Hydrolytic half-life (pH 7)    | 68 days (t 1/2)   | OECD 111 Hydrolysis func<br>of pH    |
| Methyl(1,2,2,6,6-<br>pentamethyl-4-<br>piperidinyl)sebacate   | 82919-37-7 | Estimated<br>Biodegradation             | 28 days | BOD                            | 51 %BOD/ThO<br>D  |                                      |
| reaction mass of: 5-chloro-<br>2-methyl-4-isothiazolin-3-<br>one [EC no. 247-500-7]and<br>2-methyl-2H-isothiazol-3-<br>one [EC no. 220-239-6]<br>(3:1)  | 55965-84-9 | Analogous<br>Compound<br>Biodegradation | 29 days | CO2 evolution                  | 62 %CO2<br>evolution/THC<br>O2 evolution<br>(does not pass<br>10-day<br>window) | OECD 301B - Modified<br>sturm or CO2 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  | 55965-84-9 | Experimental<br>Hydrolysis              |         | Hydrolytic half-life<br>(pH 7) | > 60 days (t<br>1/2)  |                                      |

### 12.3 : Bioaccumulative potential

| Material   | Cas No.    | Test type                                 | Duration | Study Type             | Test result | Protocol                       |
|--|------------|---|----------|------------------------|-------------|--------------------------------|
| Alcohols, C11-14-iso-,<br>C13-rich, ethoxylated  | 78330-21-9 | Experimental BCF -<br>Fish                | 54 hours | Bioaccumulation factor | 232         |                                |
| 2-amino-2-methylpropanol   | 124-68-5   | Experimental Bioconcentration             |          | Log Kow                | -0.63       | OECD 107 log Kow shke flsk mtd |
| Reaction mass of<br>Polymeric benzotriazole<br>and Poly(oxy-1,2-<br>ethanediyl), .alpha[3-[3-<br>(2H-benzotriazol-2-yl)-5-<br>(1,1-dimethylethyl)-4-<br>hydroxyphenyl]-1-<br>oxopropyl]omega<br>hydroxy- | 400-830-7  | Experimental BCF - Fish                   | 21 days  | Bioaccumulation factor | 34          | OECD305-Bioconcentration       |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | 41556-26-7 | Experimental BCF - Fish                   | 56 days  | Bioaccumulation factor | <31.4       |                                |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | 41556-26-7 | Experimental Bioconcentration             |          | Log Kow                | 0.37        | OECD 107 log Kow shke flsk mtd |
| Methyl(1,2,2,6,6-<br>pentamethyl-4-<br>piperidinyl)sebacate  | 82919-37-7 | Estimated<br>Bioconcentration             |          | Bioaccumulation factor | 11          |                                |
| reaction mass of: 5-chloro-<br>2-methyl-4-isothiazolin-3-<br>one [EC no. 247-500-7] and<br>2-methyl-2H-isothiazol-3-<br>one [EC no. 220-239-6]<br>(3:1)  | 55965-84-9 | Analogous<br>Compound BCF -<br>Fish       | 28 days  | Bioaccumulation factor | 54          | OECD305-Bioconcentration       |
| reaction mass of: 5-chloro-<br>2-methyl-4-isothiazolin-3-<br>one [EC no. 247-500-7]and<br>2-methyl-2H-isothiazol-3-  | 55965-84-9 | Analogous<br>Compound<br>Bioconcentration |          | Log Kow                | 0.4         |                                |

Page: 16 of 20

| one [EC no. 220-239-6] |  |  |  |
|------------------------|--|--|--|
| (3:1)                  |  |  |  |

#### 12.4. Mobility in soil

| Material   | Cas No.    | Test type                        | Study Type | Test result | Protocol                          |
|--|------------|----------------------------------|------------|-------------|-----------------------------------|
| 2-amino-2-methylpropanol   | 124-68-5   | Modeled Mobility in Soil         | Koc        | 1 l/kg      | ACD/Labs ChemSketch <sup>TM</sup> |
| Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate  | 41556-26-7 | Modeled Mobility in Soil         | Koc        | 30 l/kg     | ACD/Labs ChemSketch™              |
| reaction mass of: 5-chloro-<br>2-methyl-4-isothiazolin-3-<br>one [EC no. 247-500-7]and<br>2-methyl-2H-isothiazol-3-<br>one [EC no. 220-239-6]<br>(3:1) |            | Experimental<br>Mobility in Soil | Koc        | 10 l/kg     | OECD 106 Adsp-Desb Batch<br>Equil |

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

161001\* Aqueous liquid wastes containing dangerous substances

### **SECTION 14: Transportation information**

Not hazardous for transportation.

|  | Ground Transport<br>(ADR)  | Air Transport (IATA)   | Marine Transport (IMDG)  |
|--|--|--|--|
| 14.1 UN number or ID<br>number                             | No data available.   | No data available.   | No data available.   |
| 14.2 UN proper shipping name                               | No data available.   | No data available.   | No data available.   |
| 14.3 Transport hazard class(es)                            | No data available.   | No data available.   | No data available.   |
| 14.4 Packing group   | No data available.   | No data available.   | No data available.   |
| 14.5 Environmental hazards                                 | No data available.   | No data available.   | No data available.   |
| 14.6 Special precautions for user                          | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Marine Transport in bulk according to IMO instruments | No data available.   | No data available.   | No data available.   |
| Control Temperature  | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>                               | No data available.   | No data available.   | No data available.   |
| ADR Classification Code                                    | No data available.   | No data available.   | No data available.   |
| IMDG Segregation Code                                      | No data available.   | No data available.   | No data available.   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

#### **Ingredient**

CAS Nbr

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9

3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

#### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

#### **DIRECTIVE 2012/18/EU**

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

None

EUH071

#### Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

#### **SECTION 16: Other information**

#### List of relevant H statements

| H301  | Toxic if swallowed.                                   |
|-------|---|
| H302  | Harmful if swallowed.                                 |
| H310  | Fatal in contact with skin.                           |
| H314  | Causes severe skin burns and eye damage.              |
| H315  | Causes skin irritation.                               |
| H317  | May cause an allergic skin reaction.                  |
| H318  | Causes serious eye damage.                            |
| H319  | Causes serious eye irritation.                        |
| H330  | Fatal if inhaled.                                     |
| H361f | Suspected of damaging fertility.                      |
| H400  | Very toxic to aquatic life.                           |
| H410  | Very toxic to aquatic life with long lasting effects. |
| H411  | Toxic to aquatic life with long lasting effects.      |
| H412  | Harmful to aquatic life with long lasting effects.    |
|       |   |

Corrosive to the respiratory tract.

#### **Revision information:**

Section 3: Composition/Information of ingredients table information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Odor information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Mobility in soil information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 15: Seveso Substance Text information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our

| <b>Natural Shine</b> | Protectant S | prav G41 | [G4116] |
|----------------------|--------------|----------|---------|
|----------------------|--------------|----------|---------|

knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.3M.com