

Safety Data Sheet

Copyright, 2019, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	27-9266-1	Version number:	6.03
Revision date:	05/07/2019	Supersedes date:	19/06/2017
Transportation version	number: 1.00 (14/04/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G40, Supreme Shine Protectant (21-115A): G4016, G4024, G4024SP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements CLP REGULATION (EC) No 1272/2008 Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208

Contains Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate. | Polymeric benzotriazole. | Poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]- ω -hydroxy-. | Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate. | Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products: Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			60 - 80	Substance not classified as hazardous
Siloxanes and silicones, di-Me	63148-62-9			10 - 30	Substance not classified as hazardous
Siloxanes and silicones, Di-Me, hydroxy-terminated	70131-67-8			1 - 5	Substance not classified as hazardous
White mineral oil (petroleum)	8042-47-5	232-455-8		1 - 5	Asp. Tox. 1, H304
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9			< 3	Acute Tox. 4, H302; Eye Dam. 1, H318
Polymeric benzotriazole	104810-47- 1			< 0.2	Skin Sens. 1, H317; Aquatic Chronic 2, H411
Poly(oxy-1,2-ethanediyl), α-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]-ω-hydroxy-	104810-48- 2			< 0.2	Skin Sens. 1, H317; Aquatic Chronic 2, H411
Bis(1,2,2,6,6-pentamethyl-4- piperidinyl) sebacate	41556-26-7	255-437-1		< 0.1	Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Methyl(1,2,2,6,6-pentamethyl-4- piperidinyl)sebacate	82919-37-7	280-060-4		< 0.05	Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one and 2-methyl-4- isothiazolin-3-one (3:1)	55965-84-9	911-418-6		< 0.001	EUH071; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100 - Nota B Acute Tox. 2, H330; Acute Tox. 2, H310

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.
	-

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or

bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect vented goggles.

Applicable Norms/Standards Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material Polymer laminate Thickness (mm) No data available **Breakthrough Time** No data available

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet smell; Milky emulsion.
Odour threshold	No data available.
рН	8.2 - 8.9
Boiling point/boiling range	No data available.
Melting point	No data available.
Flammability (solid, gas)	Not applicable.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	No flash point
Autoignition temperature	No data available.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Relative density	1 [<i>Ref Std</i> :WATER=1]
Water solubility	Complete
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Evaporation rate	No data available.
Vapour density	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Density	1 g/ml
9.2. Other information	
EU Volatile Organic Compounds	No data available.
Molecular weight	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid Heat. Sparks and/or flames.

10.5 Incompatible materials None known.

10.6 Hazardous decomposition products

<u>Substance</u>

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg

Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Siloxanes and silicones, Di-Me, hydroxy-terminated	Dermal	Rabbit	LD50 > 16,000 mg/kg
Siloxanes and silicones, Di-Me, hydroxy-terminated	Ingestion	Rat	LD50 > 64,000 mg/kg
White mineral oil (petroleum)	Dermal	Rabbit	LD50 > 2,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Ingestion	Rat	LD50 1,350 mg/kg
White mineral oil (petroleum)	Ingestion	Rat	LD50 > 5,000 mg/kg
Poly(oxy-1,2-ethanediyl), α -[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]- ω -hydroxy-	Dermal	Rat	LD50 > 2,000 mg/kg
Poly(oxy-1,2-ethanediyl), α -[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]- ω -hydroxy-	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.8 mg/l
Poly(oxy-1,2-ethanediyl), α -[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]- ω -hydroxy-	Ingestion	Rat	LD50 > 5,000 mg/kg
Polymeric benzotriazole	Dermal	Rat	LD50 > 2,000 mg/kg
Polymeric benzotriazole	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.8 mg/l
Polymeric benzotriazole	Ingestion	Rat	LD50 > 5,000 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Ingestion	Rat	LD50 3,125 mg/kg
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	Ingestion	Rat	LD50 3,125 mg/kg
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2- methyl-4-isothiazolin-3-one (3:1)	Dermal	Rabbit	LD50 87 mg/kg
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2- methyl-4-isothiazolin-3-one (3:1)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2- methyl-4-isothiazolin-3-one (3:1)	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Mild irritant
White mineral oil (petroleum)	Rabbit	No significant irritation
Poly(oxy-1,2-ethanediyl), α-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-	Rabbit	No significant irritation
4- hydroxyphenyl]-1-oxopropyl]-ω-hydroxy-		
Polymeric benzotriazole	Rabbit	No significant irritation
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Rabbit	No significant irritation
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	Rabbit	No significant irritation
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-	Rabbit	Corrosive
isothiazolin-3-one (3:1)		

Serious Eye Damage/Irritation

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Corrosive
White mineral oil (petroleum)	Rabbit	Mild irritant
Poly(oxy-1,2-ethanediyl), α-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-	Rabbit	No significant irritation
4- hydroxyphenyl]-1-oxopropyl]-ω-hydroxy-		-
Polymeric benzotriazole	Rabbit	No significant irritation
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Rabbit	No significant irritation
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	Rabbit	No significant irritation
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-	Rabbit	Corrosive
isothiazolin-3-one (3:1)		

Skin Sensitisation

Name	Species	Value

Alcohols, C11-14-iso-, C13-rich, ethoxylated	Human	Not classified
White mineral oil (petroleum)	Guinea	Not classified
	pig	
Poly(oxy-1,2-ethanediyl), α-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-	Guinea	Sensitising
4- hydroxyphenyl]-1-oxopropyl]-ω-hydroxy-	pig	
Polymeric benzotriazole	Guinea	Sensitising
	pig	
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Guinea	Sensitising
	pig	
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	Guinea	Sensitising
	pig	
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-	Human	Sensitising
isothiazolin-3-one (3:1)	and	
	animal	

Photosensitisation

Name	Species	Value
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-	Human	Not sensitising
isothiazolin-3-one (3:1)	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Siloxanes and silicones, Di-Me, hydroxy-terminated	In Vitro	Not mutagenic
White mineral oil (petroleum)	In Vitro	Not mutagenic
Bis(1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	In Vitro	Not mutagenic
Methyl(1,2,2,6,6-pentamethyl-4-piperidinyl)sebacate	In Vitro	Not mutagenic
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1)	In vivo	Not mutagenic
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4- isothiazolin-3-one (3:1)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
White mineral oil (petroleum)	Dermal	Mouse	Not carcinogenic
White mineral oil (petroleum)	Inhalation	Multiple	Not carcinogenic
		animal	
		species	
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-	Dermal	Mouse	Not carcinogenic
methyl-4-isothiazolin-3-one (3:1)			
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-	Ingestion	Rat	Not carcinogenic
methyl-4-isothiazolin-3-one (3:1)			

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
White mineral oil (petroleum)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White mineral oil (petroleum)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White mineral oil (petroleum)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation
Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-4-	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation

isothiazolin-3-one (3:1)					
Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-4- isothiazolin-3-one (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-4- isothiazolin-3-one (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one and 2-methyl-4-	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
isothiazolin-3-one (3:1)						

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
White mineral oil (petroleum)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
White mineral oil (petroleum)	Ingestion	liver immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days

Aspiration Hazard

Name	Value
White mineral oil (petroleum)	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Туре	Exposure	Test endpoint	Test result
Siloxanes and silicones,	63148-62-9		Data not available			
di-Me			or insufficient for			
			classification			
Siloxanes and silicones,	70131-67-8		Data not available			
Di-Me, hydroxy-			or insufficient for			
terminated			classification			
White mineral oil	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level 50%	>100 mg/l
(petroleum)			-			_
White mineral oil	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
(petroleum)						_
White mineral oil	8042-47-5	Water flea	Estimated	21 days	No obs Effect	>100 mg/l
(petroleum)					Level	-
White mineral oil	8042-47-5	Green algae	Estimated	72 hours	No obs Effect	>100 mg/l
(petroleum)		-			Level	_

Alcohols, C11-14-iso-,	78330-21-9		Data not available			
C13-rich, ethoxylated			or insufficient for			
			classification			
Poly(oxy-1,2-	104810-48-2		Data not available			
ethanediyl), α-[3-[3-			or insufficient for			
(2H- benzotriazol-2-			classification			
vl)-5-(1,1-						
dimethylethyl)-4-						
hydroxyphenyl]-1-						
oxopropyl]-w-hydroxy-						
Polymeric	104810-47-1		Data not available			
benzotriazole	104010-47-1		or insufficient for			
belizotriazote			classification			
Bis(1,2,2,6,6-	41556-26-7	Fathead minnow	Estimated	96 hours	LC50	0.27 mg/l
pentamethyl-4-	41550-20-7	rameau miniow	Estimated	90 110015	LC30	0.27 mg/1
piperidinyl) sebacate						
	02010 27 7	P (1 1 1	D (1)	0.01	1.050	0.02 //
Methyl(1,2,2,6,6-	82919-37-7	Fathead minnow	Estimated	96 hours	LC50	0.82 mg/l
pentamethyl-4-						
piperidinyl)sebacate						
Reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4-		Minnow				
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Copepods	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
chloro-2-methyl-4-			1			Ũ
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-	55705 01 7	Water fieu	Experimental	10 nours	1000	0.077 mg/i
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Green Algae	Experimental	72 hours	EC50	0.027 mg/l
chloro-2-methyl-4-	55905-04-9	Gitteri Aigat	Experimental	72 110015	LC30	0.027 mg/i
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
	550(5.94.0	D' (70.1	EC50	0.0100 //
Reaction mass of: 5-	55965-84-9	Diatom	Experimental	72 hours	EC50	0.0199 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Green Algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4-			-			-
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	No obs Effect	0.02 mg/l
chloro-2-methyl-4-			r ·		Level	5
isothiazolin-3-one and					1	
2-methyl-4-						
isothiazolin-3-one (3:1)						
Reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4-	55905-04-9	water nea	Experimental	21 uays	TOEC	0.004 Ilig/1
isothiazolin-3-one and						
2-methyl-4-						
isothiazolin-3-one (3:1)	<u> </u>	1				1

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and silicones, di- Me	63148-62-9	Data not availbl- insufficient			N/A	
Siloxanes and silicones, Di- Me, hydroxy-terminated	70131-67-8	Data not availbl- insufficient			N/A	
White mineral oil (petroleum)	8042-47-5	Experimental Biodegradation	28 days	CO2 evolution	0 % weight	OECD 301B - Modified sturm or CO2
Alcohols, C11-14-iso-, C13- rich, ethoxylated	78330-21-9	Experimental Biodegradation	28 days	CO2 evolution	=>40 % weight	OECD 301B - Modified sturm or CO2
Poly(oxy-1,2-ethanediyl), α- [3-[3-(2H- benzotriazol-2- yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]-ω-hydroxy-	104810-48-2	Estimated Biodegradation	28 days	BOD	43 % weight	OECD 301F - Manometric respirometry
Polymeric benzotriazole	104810-47-1	Estimated Biodegradation	28 days	BOD	33 % weight	OECD 301F - Manometric respirometry
Bis(1,2,2,6,6-pentamethyl- 4-piperidinyl) sebacate	41556-26-7	Estimated Biodegradation	28 days	BOD	27 % weight	OECD 301F - Manometric respirometry
Methyl(1,2,2,6,6- pentamethyl-4- piperidinyl)sebacate	82919-37-7	Estimated Biodegradation	28 days	BOD	51 % weight	OECD 301C - MITI test (I)
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one (3:1)	55965-84-9	Estimated Photolysis		Photolytic half-life (in air)	1.2 days (t 1/2)	Other methods
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life	> 60 days (t 1/2)	Other methods
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one (3:1)	55965-84-9	Estimated Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and silicones, di- Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, Di- Me, hydroxy-terminated	70131-67-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
White mineral oil (petroleum)	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental BCF - Fathead Mi	72 hours		232	
Poly(oxy-1,2-ethanediyl), α-[3-[3-(2H- benzotriazol- 2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]-ω-hydroxy-	104810-48-2	Estimated Bioconcentration		Bioaccumulation factor	3.8	Estimated: Bioconcentration factor
Polymeric benzotriazole	104810-47-1	Estimated Bioconcentration		Bioaccumulation factor	7.4	Other methods
Bis(1,2,2,6,6-pentamethyl- 4-piperidinyl) sebacate	41556-26-7	Experimental BCF- Carp	56 days	Bioaccumulation factor	<31.4	Other methods
Methyl(1,2,2,6,6- pentamethyl-4- piperidinyl)sebacate	82919-37-7	Estimated Bioconcentration		Bioaccumulation factor	11	Estimated: Bioconcentration factor

Reaction mass of: 5-chloro-	55965-84-9	Estimated BCF -	28 days	Bioaccumulation	54	OECD 305E -
2-methyl-4-isothiazolin-3-		Bluegill	-	factor		Bioaccumulation flow-
one and 2-methyl-4-						through fish test
isothiazolin-3-one (3:1)						

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Revision information:

Section 1: Product name information was modified.

List of sensitizers information was modified.

Section 3: Composition/ Information of ingredients table information was modified.

Section 4: First aid for skin contact information information was modified.

Section 6: Accidental release environmental information information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: Eye/face protection information information was modified.

Section 8: glove data value information was added.

Section 8: Personal Protection - Skin/body information information was added.

Section 8: Personal Protection - Skin/hand information information was modified.

Section 8: Skin protection - protective clothing information information was added.

Section 8: Skin protection - recommended gloves text information was added.

Section 9: Property description for optional properties information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Eye information information was modified.

Section 11: Health Effects - Skin information information was modified.

Photosensitisation Table information was modified.

Section 11: Reproductive and/or Developmental Effects text information was deleted.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: No PBT/vPvB information available warning information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: 13.1. Waste disposal note information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

Section 15: Chemical Safety Assessment information was modified.

Section 15: Regulations - Inventories information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

Section 16: Web address information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the

product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk