

Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	28-7579-7	Version Number:	1.02
Revision Date:	29/06/2017	Supercedes Date:	11/02/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G185, Gold Class[™] Leather & Vinyl Cleaner (24-01C): G18516

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive

1.3. Details of the supplier of the safety data sheet

- ADDRESS:GR_GCSL Local CUNO AddressTelephone:GR_GCSL Local Meguiar's TelephoneE Mail:GR_GCSL Local Meguiar's Email
- Website: GR_GCSL Local Meguiar's Website

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD Warning

Symbols: GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:	
H319	Causes serious eye irritation.
H315	Causes skin irritation.

PRECAUTIONARY STATEMENTS

General:P102Keep out of reach of children.P101If medical advice is needed, have product container or label at hand.

Response: P305 + P351 + P338

P332 + P313

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

G185, Gold Class[™] Leather & Vinyl Cleaner (24-01C): G18516

Notes on labelling:

Updated per Regulation (EC) No. 648/2004 on detergents. Ingredients required per 648/2004: <5%: Anionic surfactant. Contains: Perfumes, Hexyl cinnamal. Test data showed no corrosivity, so H314 not applied.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients					
Ingredient	C.A.S. No.	EC No	REACH	0/ hr W/t	Classification
Ingreutent	C.A.5. NO.	EC NO.	KLAUI	70 DY WL	Classification

G185, Gold Class[™] Leather & Vinyl Cleaner (24-01C): G18516

			Registration No.		
NON HAZARDOUS INGREDIENTS	Mixture			89 - 99	Substance not classified as hazardous
Sodium Metasilicate	6834-92-0	229-912-9		0.1 - 1	**Skin Corr. 1B**, H314; **STOT SE 3**, H335 **Met. Corr. 1**, H290
SULFONIC ACIDS, C14-16- ALKANE HYDROXY AND C14- 16ALKENE, SODIUM SALTS	68439-57-6	270-407-8		0.1 - 1	**Acute Tox. 4**, H302; **Eye Dam. 1**, H318; **Aquatic Chronic 3**, H412
ETHYLENE GLYCOL MONOPROPYL ETHER	2807-30-9	220-548-6		0.1 - 1	**Acute Tox. 4**, H312; **Eye Irrit. 2**, H319

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u> Carbon monoxide Carbon dioxide Irritant Vapors or Gases

<u>Condition</u> During Combustion During Combustion During Combustion

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidizing agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material Butyl Rubber **Thickness (mm)** No data available **Breakthrough Time** No data available

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of

a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid

Appearance/Odor	Sweet odor; Clear liquid			
Odor threshold	No Data Available			
рН	11.5 - 12.4			
Boiling point/boiling range	100 °C			
Melting point	Not Applicable			
Flammability (solid, gas)	Not Applicable			
Explosive properties:	Not Classified			
Oxidising properties:	Not Classified			
Flash Point	No flash point			
Autoignition temperature	Not Applicable			
Flammable Limits(LEL)	Not Applicable			
Flammable Limits(UEL)	Not Applicable			
Vapor Pressure	No Data Available			
Relative Density	1 [<i>Ref Std</i> :WATER=1] [<i>Details</i> : Approximately]			
Water solubility	Complete			
Solubility- non-water	No Data Available			
Partition coefficient: n-octanol/ water	No Data Available			
Evaporation rate	No Data Available			
Vapor Density	No Data Available			
Decomposition temperature	No Data Available			
Viscosity	No Data Available			
Density	1 g/cm3			

9.2. Other information

EU Volatile Organic Compounds Molecular weight No Data Available No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous reactions Hazardous polymerization will not occur.

10.4. Conditions to avoid None known.

10.5. Incompatible materials Strong acids Strong oxidizing agents

10.6. Hazardous decomposition products <u>Substance</u> None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose

G185, Gold Class[™] Leather & Vinyl Cleaner (24-01C): G18516

and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute	Toxicity
Name	

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sodium Metasilicate	Dermal	Rabbit	LD50 > 4,640 mg/kg
Sodium Metasilicate	Ingestion	Rat	LD50 500 mg/kg
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14- 16ALKENE, SODIUM SALTS	Dermal	Rat	LD50 > 2,000 mg/kg
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14- 16ALKENE, SODIUM SALTS	Ingestion	Rat	LD50 578 mg/kg
ETHYLENE GLYCOL MONOPROPYL ETHER	Dermal	Rabbit	LD50 1,337 mg/kg
ETHYLENE GLYCOL MONOPROPYL ETHER	Inhalation-	Rat	LC50 > 11.1 mg/l

G185, Gold ClassTM Leather & Vinyl Cleaner (24-01C): G18516

	Vapor (4 hours)		
ETHYLENE GLYCOL MONOPROPYL ETHER	Ingestion	Rat	LD50 3,089 mg/kg
ATE = acute toxicity estimate			

Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro	Irritant
	data	
Sodium Metasilicate	Rabbit	Corrosive
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE,	Rabbit	Mild irritant
SODIUM SALTS		

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro	No significant irritation
	data	
Sodium Metasilicate	Rabbit	Corrosive
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE,	Rabbit	Corrosive
SODIUM SALTS		

Skin Sensitization

Name	Species	Value
Sodium Metasilicate	Mouse	Not classified
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Guinea pig	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Sodium Metasilicate	In Vitro	Not mutagenic
Sodium Metasilicate	In vivo	Not mutagenic
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-	Dermal	Rat	Not carcinogenic
16ALKENE, SODIUM SALTS			
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-	Ingestion	Rat	Not carcinogenic

G185, Gold ClassTM Leather & Vinyl Cleaner (24-01C): G18516

16ALKENE, SODIUM SALTS		

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Sodium Metasilicate	Ingestion	Not classified for development	Mouse	NOAEL 200 mg/kg/day	during gestation
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Ingestion	Not classified for female reproduction	Rat	NOAEL 871 mg/kg	2 generation
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Ingestion	Not classified for male reproduction	Rat	NOAEL 891 mg/kg	2 generation
SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Ingestion	Not classified for development	Rabbit	NOAEL 600 mg/kg	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Sodium Metasilicate	Inhalation	respiratory irritation	May cause respiratory irritation	official classifica	NOAEL Not available	
				tion		

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Sodium Metasilicate	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	LOAEL 2,400 mg/kg/day	4 weeks
Sodium Metasilicate	Ingestion	endocrine system blood	Not classified	Rat	NOAEL 804 mg/kg/day	3 months
Sodium Metasilicate	Ingestion	heart liver	Not classified	Rat	NOAEL 1,259 mg/kg/day	8 weeks
SULFONIC ACIDS, C14- 16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	6 months
SULFONIC ACIDS, C14- 16-ALKANE HYDROXY AND C14-16ALKENE, SODIUM SALTS	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg	6 months

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

Material	Cas #	Organism	Туре	Exposure	Test Endpoint	Test Result
ETHYLENE GLYCOL MONOPROPY	2807-30-9	Green Algae	Estimated	72 hours	No obs Effect Conc	130 mg/l
L ETHER ETHYLENE	2807-30-9	Crustacea	Estimated	96 hours	Effect	89.4 mg/l
GLYCOL MONOPROPY L ETHER		Crustuccu	Listillated		Concentration 50%	05.1 mg/1
ETHYLENE GLYCOL MONOPROPY L ETHER	2807-30-9	Green Algae	Estimated	72 hours	Effect Concentration 50%	>1,000 mg/l
ETHYLENE GLYCOL MONOPROPY L ETHER	2807-30-9	Rainbow Trout	Estimated	96 hours	Lethal Concentration 50%	1,474 mg/l
ETHYLENE GLYCOL MONOPROPY L ETHER	2807-30-9	Water flea	Estimated	48 hours	Effect Concentration 50%	1,550 mg/l
ETHYLENE GLYCOL MONOPROPY L ETHER	2807-30-9	Water flea	Estimated	21 days	No obs Effect Conc	100 mg/l
SULFONIC ACIDS, C14- 16-ALKANE HYDROXY	68439-57-6		Data not available or insufficient for classification			

AND C14-						
16ALKENE,						
SODIUM						
SALTS						
ETHYLENE	2807-30-9	Water flea	Estimated	48 hours	Effect	1,550 mg/l
GLYCOL					Concentration	_
MONOPROPY					50%	
L ETHER						
SULFONIC	68439-57-6	Zebra Fish	Experimental	96 hours	Lethal	2.6 mg/l
ACIDS, C14-			•		Concentration	C
16-ALKANE					50%	
HYDROXY						
AND C14-						
16ALKENE,						
SODIUM						
SALTS						
SULFONIC	68439-57-6	Water flea	Estimated	21 days	No obs Effect	0.37 mg/l
ACIDS, C14-				-	Conc	_
16-ALKANE						
HYDROXY						
AND C14-						
16ALKENE,						
SODIUM						
SALTS						
SULFONIC	68439-57-6	Water flea	Experimental	48 hours	Effect	3.48 mg/l
ACIDS, C14-					Concentration	
16-ALKANE					50%	
HYDROXY						
AND C14-						
16ALKENE,						
SODIUM						
SALTS						
Sodium	6834-92-0	Rainbow Trout	Estimated	96 hours	Lethal	281 mg/l
Metasilicate					Concentration	
					50%	
Sodium	6834-92-0	Water flea	Estimated	48 hours	Effect	1,700 mg/l
Metasilicate					Concentration	
					50%	

12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
SULFONIC	68439-57-6	Data not	N/A	N/A	N/A	N/A
ACIDS, C14-		available or				
16-ALKANE		insufficient for				
HYDROXY		classification				
AND C14-						
16ALKENE,						
SODIUM						
SALTS						
Sodium	6834-92-0	Data not	N/A	N/A	N/A	N/A
Metasilicate		available or				

G185, Gold ClassTM Leather & Vinyl Cleaner (24-01C): G18516

		insufficient for classification				
SULFONIC ACIDS, C14- 16-ALKANE HYDROXY AND C14- 16ALKENE, SODIUM SALTS	68439-57-6	Experimental Biodegradation	28 days	Carbon dioxide evolution	70 % weight	OECD 301B - Mod. Sturm or CO2
ETHYLENE GLYCOL MONOPROPY L ETHER	2807-30-9	Experimental Biodegradation	20 days	Biological Oxygen Demand	100 % weight	Other methods

12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Sodium	6834-92-0	Data not	N/A	N/A	N/A	N/A
Metasilicate		available or				
		insufficient for				
		classification				
SULFONIC	68439-57-6	Data not	N/A	N/A	N/A	N/A
ACIDS, C14-		available or				
16-ALKANE		insufficient for				
HYDROXY		classification				
AND C14-						
16ALKENE,						
SODIUM						
SALTS						
ETHYLENE	2807-30-9	Estimated		Log of	0.08	Est: Octanol-water part.
GLYCOL		Bioconcentrati		Octanol/H2O		coeff
MONOPROPY		on		part. coeff		
L ETHER						
SULFONIC	68439-57-6	Estimated		Log of	0.7	Est: Octanol-water part.
ACIDS, C14-		Bioconcentrati		Octanol/H2O		coeff
16-ALKANE		on		part. coeff		
HYDROXY						
AND C14-						
16ALKENE,						
SODIUM						
SALTS						

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200129* Detergents containing dangerous substances

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of CEPA. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

15.2. Chemical Safety Assessment Not applicable

SECTION 16: Other information

List of relevant H statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

- Section 01: Product identification numbers information was deleted.
- Section 02: Label Elements: CLP Precautionary General information was modified.
- Section 03: Composition/ Information of ingredients table information was added.
- Section 03: Composition/ Information of ingredients table information was deleted.
- Section 06: Accidental release personal information information was modified.
- Section 09: Flash point information information was modified.
- Section 09: Property description for optional properties information was modified.
- Section 09: Relative density information information was modified.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Carcinogenicity Table information was modified.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Repeated Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 14: Transportation classification information was added.
- Section 15: Label remarks and EU Detergent information was modified.
- Section 15: Regulations Inventories information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR_GCSL - Local Meguiar's Website