

Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 28-7754-6
 Version Number:
 2.01

 Revision Date:
 16/06/2017
 Supercedes Date:
 27/09/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G186, Gold ClassTM Leather Conditioner (24-09B): G18616

Product Identification Numbers

LB-K100-0857-9 14-1000-6329-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive

1.3. Details of the supplier of the safety data sheet

ADDRESS: GR_GCSL - Local CUNO Address
Telephone: GR_GCSL - Local Meguiar's Telephone
E Mail: GR_GCSL - Local Meguiar's Email
Website: GR_GCSL - Local Meguiar's Website

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

G186, Gold Class™ Leather Conditioner (24-09B): G18616
SECTION 2: Hazard identification
2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008
CLASSIFICATION: This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.
2.2. Label elements CLP REGULATION (EC) No 1272/2008 Not applicable

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH208	Contains 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone. May produce an allergic reaction.
Information required per Regulat Contains a biocidal product: Contain	ion (EU) No 528/2012 on Biocidal Products: as C(M)IT/MIT (3:1). May produce an allergic reaction.
2.3. Other hazards None known	

SECTION 3: Composition/information on ingredients

G186, Gold ClassTM Leather Conditioner (24-09B): G18616

Ingredient	C.A.S. No.	EC No.	REACH Registration No.	% by Wt	Classification
NON-HAZARDOUS INGREDIENTS	Mixture			40 - 70	Substance not classified as hazardous
Siloxanes and Silicones, di-Me	63148-62-9			10 - 30	Substance not classified as hazardous
Propylene Glycol	57-55-6	200-338-0		10 - 30	Substance not classified as hazardous
Triethanolamine	102-71-6	203-049-8		1 - 5	Substance not classified as hazardous

Isothymol	499-75-2	207-889-6	< 1	Substance not classified as
				hazardous
CINNAMALDEHYDE, .ALPHA	122-40-7	204-541-5	< 0.15	**Aquatic Acute 1**,
PENTYL-				H400,M=1; **Aquatic
				Chronic 2**, H411
3(2H)-Isothiazolone, 5-chloro-2-	55965-84-9		< 0.001	**Acute Tox. 3**, H331;
methyl-, mixt. with 2-methyl-3(2H)-				**Acute Tox. 3**, H311;
isothiazolone.				**Acute Tox. 3**, H301;
				Skin Corr. 1B, H314;
				Skin Sens. 1A, H317;
				Aquatic Acute 1,
				H400,M=1; **Aquatic
				Chronic 1**, H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Aldehydes During Combustion

Condition

Formaldehyde During Combustion
Carbon monoxide During Combustion
Carbon dioxide During Combustion
Irritant Vapors or Gases During Combustion
Oxides of Nitrogen During Combustion

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from acids. Store away from oxidizing agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

G186, Gold Class TM Leather Conditioner (24-09B): G18616
8.2. Exposure controls
9.2.1 Engineering controls
8.2.1. Engineering controls Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure
Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.
Elimis and of condot dust funct gas/finst/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.
8.2.2. Personal protective equipment (PPE)
01-1-1 2 0100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Eye/face protection
Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face
protection(s) are recommended:
Safety Glasses with side shields
Chin/hand nuctaction
Skin/hand protection No chemical protective gloves are required.
No chemical protective gloves are required.
Respiratory protection
An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of
a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator
type(s) to reduce inhalation exposure: Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates
Trail racepiece of run racepiece an-purnying respirator surfacie for organic vapors and particulates
For questions about suitability for a specific application, consult with your respirator manufacturer.
To questions about suitability for a specific application, consult with your respirator manufacturer.

G186, Gold Cla	ass TM Leather	Conditioner	(24-09B):	G18616
----------------	---------------------------	-------------	-----------	--------

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance/Odor Pleasant odor; Translucent, light yellow gel

Odor threshold No Data Available

pH 8.2 - 9
Boiling point/boiling range 100 °C
Melting point Not Applicable

Flammability (solid, gas)

Not Applicable
Explosive properties:

Oxidising properties:

Not Classified

Not Classified

Flash Point >= 93.3 °C [Test Method:Pensky-Martens Closed Cup]

Autoignition temperatureNo Data AvailableFlammable Limits(LEL)No Data AvailableFlammable Limits(UEL)No Data AvailableVapor PressureNo Data AvailableRelative Density1 [Ref Std:WATER=1]

Water solubility Complete

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableEvaporation rateNo Data AvailableVapor DensityNo Data Available

Decomposition temperatureNo Data Available**Viscosity**2,000 - 4,000 mPa-s

Density 1 g/cm3

9.2. Other information

Molecular weight No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Temperatures above the boiling point

10.5. Incompatible materials

Strong acids Strong oxidizing agents

10.6. Hazardous decomposition products **Substance**

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

Skin Contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Propylene Glycol	Dermal	Rabbit	LD50 20,800 mg/kg
Propylene Glycol	Ingestion	Rat	LD50 22,000 mg/kg
Siloxanes and Silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and Silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Triethanolamine	Dermal	Rabbit	LD50 > 2,000 mg/kg
Triethanolamine	Ingestion	Rat	LD50 9,000 mg/kg
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Dermal	Rabbit	LD50 87 mg/kg
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-	Inhalation-	Rat	LC50 0.33 mg/l
3(2H)-isothiazolone.	Dust/Mist		
	(4 hours)		
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Ingestion	Rat	LD50 40 mg/kg

G186, Gold Class™ Leather Conditioner (24-09B): G18616

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Propylene Glycol	Rabbit	No significant irritation
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
Triethanolamine	Rabbit	Minimal irritation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Rabbit	Corrosive
isothiazolone.		

Serious Eye Damage/Irritation

Scribus Lyc Damage/IIIItation	I a .	T7 1
Name	Species	Value
Propylene Glycol	Rabbit	No significant irritation
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
Triethanolamine	Rabbit	Mild irritant
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Rabbit	Corrosive
isothiazolone.		

Skin Sensitization

Name	Species	Value
Propylene Glycol	Human	Not classified
Triethanolamine 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Human Human	Not classified Sensitizing
isothiazolone.	and animal	Sensuzing

Photosensitization

Name	Species	Value
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	Human	Not sensitizing
isothiazolone.	and	
	animal	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Germ Cen Mutagementy		
Name	Route	Value
Propylene Glycol	In Vitro	Not mutagenic
Propylene Glycol	In vivo	Not mutagenic
Triethanolamine	In Vitro	Not mutagenic
Triethanolamine	In vivo	Not mutagenic
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	In vivo	Not mutagenic
isothiazolone.		
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-	In Vitro	Some positive data exist, but the data are not
isothiazolone.		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Propylene Glycol	Dermal	Mouse	Not carcinogenic
Propylene Glycol	Ingestion	Multiple animal species	Not carcinogenic
Triethanolamine	Dermal	Multiple animal species	Not carcinogenic
Triethanolamine	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Dermal	Mouse	Not carcinogenic
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Propylene Glycol	Ingestion	Not classified for female reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propylene Glycol	Ingestion	Not classified for male reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propylene Glycol	Ingestion	Not classified for development	Multiple animal species	NOAEL 1,230 mg/kg/day	during organogenesis
Triethanolamine	Ingestion	Not classified for development	Mouse	NOAEL 1,125 mg/kg/day	during organogenesis
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone.	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

N Turget organ		T 10	¥7.1	G •	T 4 D 14	10
Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure
						Duration
Propylene Glycol	Ingestion	central nervous	Not classified	Human	NOAEL Not	
		system depression		and	available	
				animal		
3(2H)-Isothiazolone, 5-	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	
chloro-2-methyl-, mixt.			data are not sufficient for	health	available	
with 2-methyl-3(2H)-			classification	hazards		
isothiazolone.						

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Propylene Glycol	Ingestion	hematopoietic system	Not classified	Multiple animal species	NOAEL 1,370 mg/kg/day	117 days
Propylene Glycol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 5,000 mg/kg/day	104 weeks
Triethanolamine	Dermal	kidney and/or bladder	Not classified	Multiple animal species	NOAEL 2,000 mg/kg/day	2 years
Triethanolamine	Dermal	liver	Not classified	Mouse	NOAEL 4,000 mg/kg/day	13 weeks
Triethanolamine	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 1,000 mg/kg/day	2 years
Triethanolamine	Ingestion	liver	Not classified	Guinea pig	NOAEL 1,600 mg/kg/day	24 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

Material	Cas #	Organism	Type	Exposure	Test Endpoint	Test Result
3(2H)-	55965-84-9	Water flea	Experimental	48 hours	Effect	0.18 mg/l
Isothiazolone,					Concentration	
5-chloro-2-					50%	

methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone.						
3(2H)-	55965-84-9	Diatom	Experimental	72	No obs Effect	0.01 mg/l
Isothiazolone,	33703 017	Diutom	Ехрептенц	12	Conc	0.01 mg/1
5-chloro-2-					Conc	
methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone.					T-00	
3(2H)-	55965-84-9	Diatom	Experimental	72 hours	Effect	0.021 mg/l
Isothiazolone,					Concentration	
5-chloro-2-					50%	
methyl-, mixt.						
with 2-methyl-						
3(2H)-						
isothiazolone.						
CINNAMALD	122-40-7	Ricefish	Experimental	96 hours	Lethal	0.91 mg/l
EHYDE,					Concentration	
.ALPHA					50%	
PENTYL-						
CINNAMALD	122-40-7	Green Algae	Experimental	72 hours	Effect	2.3 mg/l
EHYDE,			1		Concentration	
.ALPHA					50%	
PENTYL-						
CINNAMALD	122-40-7	Water flea	Experimental	48 hours	Effect	0.28 mg/l
EHYDE,	122 10 /	Water frea	Ехрептенц	10 Hours	Concentration	0.20 mg/1
.ALPHA					50%	
PENTYL-					3070	
CINNAMALD	122-40-7	Water flea	Experimental	21 days	No obs Effect	0.014 mg/l
EHYDE,	122-40-7	w ater rica	Experimental	21 days	Conc	0.014 mg/1
.ALPHA					Conc	
PENTYL-						
CINNAMALD	122-40-7	Cross Alass	Experimental	72 hours	No obs Effect	0.21 m =/1
	122-40-7	Green Algae	Experimental	72 nours		0.21 mg/l
EHYDE,					Conc	
.ALPHA						
PENTYL-	100.75.2	F (1 1	D. C. L.	061	T 1 1	
Isothymol	499-75-2	Fathead	Estimated	96 hours	Lethal	3.1 mg/l
		Minnow			Concentration	
					50%	
Propylene	57-55-6	Green algae	Experimental	96 hours	Effect	19,000 mg/l
Glycol					Concentration	
					50%	
Propylene	57-55-6	Water flea	Experimental	48 hours	Lethal	4,919 mg/l
Glycol					Concentration	
					50%	
Propylene	57-55-6	Fathead	Experimental	96 hours	Lethal	710 mg/l
Glycol		Minnow			Concentration	
]					50%	
Siloxanes and	63148-62-9		Data not			
Silicones, di-			available or			
Me			insufficient for			
			classification			
Triethanolamin	102-71-6	Goldfish	Experimental	24 hours	Lethal	5,000 mg/l
			r		1	- , - ~ ~ o y -

e					Concentration	
					50%	
Triethanolamin	102-71-6	Water flea	Experimental	48 hours	Effect	609.98 mg/l
e					Concentration	
					50%	
Triethanolamin	102-71-6	Green algae	Experimental	72 hours	Effect	216 mg/l
e					Concentration	
					50%	
Triethanolamin	102-71-6	Water flea	Experimental	21 days	No obs Effect	16 mg/l
e					Conc	

12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
CINNAMALD	122-40-7	Estimated		Photolytic half-	17 days (t 1/2)	Other methods
EHYDE,		Photolysis		life (in air)		
.ALPHA						
PENTYL-						
Isothymol	499-75-2	Estimated		Photolytic half-	3.9 hours (t	Other methods
		Photolysis		life (in air)	1/2)	
Siloxanes and	63148-62-9	Data not	N/A	N/A	N/A	N/A
Silicones, di-		available or				
Me		insufficient for				
		classification				
Isothymol	499-75-2	Estimated	28 days	Biological	11 % weight	OECD 301C - MITI (I)
		Biodegradation		Oxygen		
				Demand		
3(2H)-	55965-84-9	Data not	N/A	N/A	N/A	N/A
Isothiazolone,		available or				
5-chloro-2-		insufficient for				
methyl-, mixt.		classification				
with 2-methyl-						
3(2H)-						
isothiazolone.						

12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
CINNAMALD	122-40-7	Estimated		Bioaccumulatio	705	Est: Bioconcentration
EHYDE,		Bioconcentrati		n Factor		factor
.ALPHA		on				
PENTYL-						
Siloxanes and	63148-62-9	Data not	N/A	N/A	N/A	N/A
Silicones, di-		available or				
Me		insufficient for				
		classification				
3(2H)-	55965-84-9	Data not	N/A	N/A	N/A	N/A
Isothiazolone,		available or				
5-chloro-2-		insufficient for				

methyl-, mixt.		classification			
with 2-methyl-					
3(2H)-					
isothiazolone.					
Isothymol	499-75-2	Experimental	Log of	3.49	Other methods
		Bioconcentrati	Octanol/H2O		
		on	part. coeff		
Propylene	57-55-6	Experimental	Log of	-0.92	Other methods
Glycol		Bioaccumulatio	Octanol/H2O		
		n	part. coeff		
Triethanolamin	102-71-6	Experimental	Log of	-2.3	Est: Octanol-water part.
e		Bioaccumulatio	Octanol/H2O		coeff
		n	part. coeff		

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200130 Detergents other than those mentioned in 20 01 29

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

IngredientC.A.S. No.ClassificationRegulationTriethanolamine102-71-6Gr. 3: Not classifiableInternational Agency
for Research on Cancer

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Revision information:

Section 03: Composition/ Information of ingredients table information was added.

Section 03: Composition/Information of ingredients table information was deleted.

Section 09: Flash point information information was modified.

Section 09: Relative density information information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR_GCSL - Local Meguiar's Website