



## Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document Group:</b>	35-0567-4	<b>Version Number:</b>	2.01
<b>Revision Date:</b>	29/06/2017	<b>Supersedes Date:</b>	19/04/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

G189, Ultimate Leather Balm (26-73A): G18905

#### Product Identification Numbers

14-1001-0416-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive

#### 1.3. Details of the supplier of the safety data sheet

**ADDRESS:** GR\_GCSL - Local CUNO Address  
**Telephone:** GR\_GCSL - Local Meguiar's Telephone  
**E Mail:** GR\_GCSL - Local Meguiar's Email  
**Website:** GR\_GCSL - Local Meguiar's Website

#### 1.4. Emergency telephone number

GR\_GCSL - Local Meguiar's Emergency Telephone

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

#### CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

**Notes on labelling:**

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004: >30%: Aliphatic hydrocarbons. 5-15%: Non-ionic surfactants. <5%: Anionic surfactant, Aromatic hydrocarbons. Contains: Perfumes, Benzyl benzoate.

Nota N applied to CAS 8009-03-8. Nota P applied to CAS 64742-48-9.

H304 is not required on the label due to the product's form.

**2.3. Other hazards**

None known

**SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	EC No.	REACH Registration No.	% by Wt	Classification
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	232-455-8		40 - 70	**Asp. Tox. 1**, H304
Petrolatum	8009-03-8	232-373-2		10 - 20	Nota N
1-Glyceryl Stearate	123-94-4	204-664-4		1 - 10	Substance not classified as hazardous
MONTAN-WAX FATTY ACIDS	68476-03-9	270-664-6		1 - 10	Substance not classified as hazardous

Naphthol Spirits	64742-48-9	265-150-3		1 - 5	** Asp. Tox. 1**, H304 - Nota P ** Aquatic Chronic 2**, H411 ** Skin Irrit. 2**, H315; ** STOT SE 3**, H336
Octadecanoic acid, 2-(1-carboxyethoxy)-1-methyl-2-oxoethyl ester, sodium salt	25383-99-7	246-929-7		1 - 5	Substance not classified as hazardous
Siloxanes and Silicones, di-Me	63148-62-9			1 - 5	Substance not classified as hazardous
Alcohols, C16-18	67762-27-0	267-008-6		1 - 5	Substance not classified as hazardous
Trimethylated Silica	68988-56-7	273-530-5		0.1 - 1.5	Substance not classified as hazardous
Benzyl Benzoate	120-51-4	204-402-9		0.1 - 1.5	** Acute Tox. 4**, H302; ** Aquatic Chronic 2**, H411
Cocoa butter	8002-31-1			0.1 - 1.5	Substance not classified as hazardous

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**5.3. Advice for fire-fighters**

No special protective actions for fire-fighters are anticipated.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

**6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

**7.2. Conditions for safe storage including any incompatibilities**

Store away from heat. Store away from acids.

**7.3. Specific end use(s)**

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

<b>Ingredient</b>	<b>C.A.S. No.</b>	<b>Agency</b>	<b>Limit type</b>	<b>Additional Comments</b>
Naphthol Spirits	64742-48-9	Manufacturer determined	TWA:100 ppm	
Paraffin oil	8009-03-8	Greece OELs	TWA(as mist)(8 hours):5 mg/m3	

Paraffin oil	8042-47-5	Greece OELs	TWA(as mist)(8 hours):5 mg/m3
--------------	-----------	-------------	----------------------------------

Greece OELs : Greece. OELs (Decree No. 90/1999, as amended)

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Nitrile Rubber	No data available	No data available

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Specific Physical Form:	Paste
Appearance/Odor	Sweet, off-white
Odor threshold	No Data Available
pH	No Data Available
Boiling point/boiling range	No Data Available
Melting point	No Data Available
Flammability (solid, gas)	Not Classified
Explosive properties:	Not Classified
Oxidising properties:	Not Classified
Flash Point	180 °C
Autoignition temperature	No Data Available
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Vapor Pressure	No Data Available
Relative Density	0.85 [Ref Std:WATER=1]
Water solubility	No Data Available
 Solubility- non-water	 No Data Available
 Partition coefficient: n-octanol/ water	 No Data Available
Evaporation rate	No Data Available
Vapor Density	No Data Available
 Decomposition temperature	 No Data Available
Viscosity	No Data Available

Density	0.85 g/cm <sup>3</sup>
---------	------------------------

**9.2. Other information**

EU Volatile Organic Compounds	<i>No Data Available</i>
Percent volatile	3.5 % weight

**SECTION 10: Stability and reactivity****10.1. Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

Heat

**10.5. Incompatible materials**

Strong acids

**10.6. Hazardous decomposition products****Substance****Condition**

None known.

**SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**11.1. Information on Toxicological effects****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:



**Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Skin Contact:**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Dermal	Rabbit	LD50 > 2,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Rat	LD50 > 5,000 mg/kg
Petrolatum	Dermal		LD50 estimated to be > 5,000 mg/kg
Petrolatum	Ingestion	Rat	LD50 > 5,000 mg/kg
MONTAN-WAX FATTY ACIDS	Dermal		LD50 estimated to be > 5,000 mg/kg

**G189, Ultimate Leather Balm (26-73A): G18905**

MONTAN-WAX FATTY ACIDS	Ingestion	Rat	LD50 > 15,000 mg/kg
Siloxanes and Silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and Silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Naphthol Spirits	Inhalation-Vapor		LC50 estimated to be 20 - 50 mg/l
Naphthol Spirits	Dermal	Rabbit	LD50 > 3,000 mg/kg
Naphthol Spirits	Ingestion	Rat	LD50 > 5,000 mg/kg
Benzyl Benzoate	Dermal	Rabbit	LD50 4,000 mg/kg
Benzyl Benzoate	Ingestion	Rat	LD50 1,894 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
WHITE MINERAL OIL (PETROLEUM)	Rabbit	No significant irritation
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
Naphthol Spirits	Rabbit	Irritant

**Serious Eye Damage/Irritation**

Name	Species	Value
WHITE MINERAL OIL (PETROLEUM)	Rabbit	Mild irritant
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
Naphthol Spirits	Rabbit	No significant irritation

**Skin Sensitization**

Name	Species	Value
WHITE MINERAL OIL (PETROLEUM)	Guinea pig	Not classified
Naphthol Spirits	Guinea pig	Not classified

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
WHITE MINERAL OIL (PETROLEUM)	In Vitro	Not mutagenic
Naphthol Spirits	In vivo	Not mutagenic
Naphthol Spirits	In Vitro	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
------	-------	---------	-------

WHITE MINERAL OIL (PETROLEUM)	Dermal	Mouse	Not carcinogenic
WHITE MINERAL OIL (PETROLEUM)	Inhalation	Multiple animal species	Not carcinogenic
Naphthol Spirits	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Naphthol Spirits	Inhalation	Human and animal	Some positive data exist, but the data are not sufficient for classification

## Reproductive Toxicity

### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation
Naphthol Spirits	Inhalation	Not classified for development	Rat	NOAEL 2.4 mg/l	during organogenesis

## Target Organ(s)

### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Naphthol Spirits	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Naphthol Spirits	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Naphthol Spirits	Inhalation	nervous system	Not classified	Dog	NOAEL 6.5 mg/l	4 hours
Naphthol Spirits	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Professional judgement	NOAEL Not available	

### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
WHITE MINERAL OIL (PETROLEUM)	Ingestion	liver   immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days

**G189, Ultimate Leather Balm (26-73A): G18905**

Naphthol Spirits	Inhalation	nervous system	Not classified	Rat	LOAEL 4.6 mg/l	6 months
Naphthol Spirits	Inhalation	kidney and/or bladder	Not classified	Rat	LOAEL 1.9 mg/l	13 weeks
Naphthol Spirits	Inhalation	respiratory system	Not classified	Multiple animal species	NOAEL 0.6 mg/l	90 days
Naphthol Spirits	Inhalation	bone, teeth, nails, and/or hair   blood   liver   muscles	Not classified	Rat	NOAEL 5.6 mg/l	12 weeks
Naphthol Spirits	Inhalation	heart	Not classified	Multiple animal species	NOAEL 1.3 mg/l	90 days

**Aspiration Hazard**

Name	Value
WHITE MINERAL OIL (PETROLEUM)	Aspiration hazard
Naphthol Spirits	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available

Material	Cas #	Organism	Type	Exposure	Test Endpoint	Test Result
Naphthol Spirits	64742-48-9		Data not available or insufficient for classification			
Benzyl Benzoate	120-51-4	Green Algae	Experimental	72 hours	No obs Effect Conc	0.247 mg/l
Benzyl Benzoate	120-51-4	Green Algae	Experimental	72 hours	Effect Concentration 50%	0.475 mg/l

Alcohols, C16-18	67762-27-0		Data not available or insufficient for classification			
MONTAN-WAX FATTY ACIDS	68476-03-9	Zebra Fish	Experimental	96 hours	Lethal Concentration 50%	>500 mg/l
Trimethylated Silica	68988-56-7		Data not available or insufficient for classification			
1-Glyceryl Stearate	123-94-4		Data not available or insufficient for classification			
Siloxanes and Silicones, di-Me	63148-62-9		Data not available or insufficient for classification			
Petrolatum	8009-03-8	Rainbow Trout	Estimated	96 hours	Lethal Concentration 50%	>1,000 mg/l
Cocoa butter	8002-31-1		Data not available or insufficient for classification			
Octadecanoic acid, 2-(1-carboxyethoxy)-1-methyl-2-oxoethyl ester, sodium salt	25383-99-7		Data not available or insufficient for classification			
Alcohols, C16-18	67762-27-0	Green algae	Estimated	96 hours	No obs Effect Level	100 mg/l
Alcohols, C16-18	67762-27-0	Green algae	Estimated	96 hours	Effect Level 50%	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Green algae	Estimated	72 hours	No obs Effect Level	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Water flea	Estimated	21 days	No obs Effect Level	>100 mg/l
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level 50%	>100 mg/l

)						
Benzyl Benzoate	120-51-4	Gammarid scud	Experimental	96 hours	Lethal Concentration 50%	4.8 mg/l
Benzyl Benzoate	120-51-4	Rainbow Trout	Experimental	96 hours	Lethal Concentration 50%	1.4 mg/l
Petrolatum	8009-03-8		Data not available or insufficient for classification			

## 12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	Experimental Biodegradation	28 days	Carbon dioxide evolution	0 % weight	OECD 301B - Mod. Sturm or CO2
Benzyl Benzoate	120-51-4	Experimental Biodegradation	28 days	Biological Oxygen Demand	90 % weight	OECD 301C - MITI (I)
Alcohols, C16-18	67762-27-0	Experimental Biodegradation	28 days	Biological Oxygen Demand	67 % weight	Other methods
Trimethylated Silica	68988-56-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Petrolatum	8009-03-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and Silicones, di-Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-Glyceryl Stearate	123-94-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
MONTAN-WAX FATTY ACIDS	68476-03-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Naphthol Spirits	64742-48-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Cocoa butter	8002-31-1	Data not available or	N/A	N/A	N/A	N/A

		insufficient for classification				
Octadecanoic acid, 2-(1-carboxyethoxy)-1-methyl-2-oxoethyl ester, sodium salt	25383-99-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

### 12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Benzyl Benzoate	120-51-4	Estimated Bioconcentration		Bioaccumulation Factor	48	Est: Bioconcentration factor
Alcohols, C16-18	67762-27-0	Estimated Bioconcentration		Bioaccumulation Factor	574	Est: Bioconcentration factor
1-Glyceryl Stearate	123-94-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Trimethylated Silica	68988-56-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Petrolatum	8009-03-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
MONTAN-WAX FATTY ACIDS	68476-03-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Naphthol Spirits	64742-48-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Cocoa butter	8002-31-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Octadecanoic acid, 2-(1-carboxyethoxy)-1-methyl-2-oxoethyl ester, sodium salt	25383-99-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and Silicones, di-Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

WHITE MINERAL OIL (PETROLEUM )	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
--	-----------	--	-----	-----	-----	-----

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

**EU waste code (product as sold)**

200128 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

**SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



#### Global inventory status

Contact manufacturer for more information

#### 15.2. Chemical Safety Assessment

Not applicable

### SECTION 16: Other information

#### List of relevant H statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### Revision information:

Section 01: Product identification numbers information was modified.  
Section 03: Composition/ Information of ingredients table information was added.  
Section 03: Composition/ Information of ingredients table information was deleted.  
Section 09: No Data Available Statement information was deleted.  
Section 09: Property description for optional properties information was added.  
Section 09: Relative density information information was modified.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was modified.  
Section 11: Target Organs - Single Table information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Bioaccumulative potential information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. Greece SDSs are available at [GR\\_GCSL](#) - Local Meguiar's Website**