



Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document Group: | 28-2883-8 | Version Number: | 3.01 |
| Revision Date: | 16/06/2017 | Supersedes Date: | 19/02/2016 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

M82, Swirl-Free Polish (21-101A): M8201, M8232

Product Identification Numbers

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| 14-1000-1301-1 | 14-1000-1302-9 | HB-0041-2779-9 | HB-0041-2781-5 | HB-0041-2782-3 |
| HB-0041-2783-1 | | | | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------|-------------------------------------|
| ADDRESS: | GR_GCSL - Local CUNO Address |
| Telephone: | GR_GCSL - Local Meguiar's Telephone |
| E Mail: | GR_GCSL - Local Meguiar's Email |
| Website: | GR_GCSL - Local Meguiar's Website |

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

Warning

Symbols:

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H315 Causes skin irritation.

PRECAUTIONARY STATEMENTS

General:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

Response:

P332 + P313 If skin irritation occurs: Get medical advice/attention.

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH208 May produce an allergic reaction.

2% of the mixture consists of components of unknown acute oral toxicity.

Contains 17% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

Notes on labelling:

H304 is not required on the label due to the product's viscosity

Nota P applied to CASRN 64742-48-9.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | EC No. | REACH Registration No. | % by Wt | Classification |
|----------------------------------|------------|-----------|------------------------------|---------|--|
| Non-hazardous ingredients | Mixture | | | 50 - 70 | Substance not classified as hazardous |
| Naphthol Spirits | 64742-48-9 | 265-150-3 | | 10 - 30 | **Asp. Tox. 1**, H304 - Nota P **Aquatic Chronic 2**, H411 **Skin Irrit. 2**, H315; **STOT SE 3**, H336 |
| Kaolin, calcined | 92704-41-1 | 296-473-8 | | 3 - 7 | Substance not classified as hazardous |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | 232-455-8 | | 3 - 7 | **Asp. Tox. 1**, H304 |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Hydrocarbons
Carbon monoxide
Carbon dioxide
Irritant Vapors or Gases

Condition

During Combustion
During Combustion
During Combustion
During Combustion

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|-------------------|-------------------|-------------------------|-------------------------------|----------------------------|
| Naphthol Spirits | 64742-48-9 | Manufacturer determined | TWA:100 ppm | |
| Paraffin oil | 8042-47-5 | Greece OELs | TWA(as mist)(8 hours):5 mg/m3 | |

Greece OELs : Greece. OELs (Decree No. 90/1999, as amended)

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls**8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-----------------------|--------------------------|
| Polymer laminate | No data available | No data available |

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|--|
| Physical state | Liquid |
| Appearance/Odor | Sweet hydrocarbon odor; ivory color; liquid |
| Odor threshold | <i>No Data Available</i> |
| pH | 7.9 - 8.5 |
| Boiling point/boiling range | 193 °C |
| Melting point | <i>No Data Available</i> |
| Flammability (solid, gas) | Not Applicable |
| Explosive properties: | Not Classified |
| Oxidising properties: | Not Classified |
| Flash Point | ≥ 93.3 °C [<i>Test Method</i> :Closed Cup] |
| Autoignition temperature | <i>No Data Available</i> |
| Flammable Limits(LEL) | <i>No Data Available</i> |
| Flammable Limits(UEL) | <i>No Data Available</i> |
| Relative Density | 0.995 - 1.015 [<i>Ref Std</i> :WATER=1] |
| Water solubility | Moderate |
| Solubility- non-water | <i>No Data Available</i> |

Partition coefficient: n-octanol/ water
Evaporation rate

No Data Available
No Data Available

Vapor Density
Decomposition temperature
Viscosity
Density

No Data Available
No Data Available
 6,000 - 12,000 mPa-s
 0.995 - 1.015 g/cm³

9.2. Other information

Molecular weight

No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Strong acids
 Strong bases
 Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition,

statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

M82, Swirl-Free Polish (21-101A): M8201, M8232

| | | | |
|-------------------------------|------------------------|--------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapor(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Naphthol Spirits | Inhalation-Vapor | | LC50 estimated to be 20 - 50 mg/l |
| Naphthol Spirits | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Naphthol Spirits | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Kaolin, calcined | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Kaolin, calcined | Ingestion | Rat | LD50 > 2,000 mg/kg |
| WHITE MINERAL OIL (PETROLEUM) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | Rat | LD50 > 5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-------------------------------|---------|---------------------------|
| Naphthol Spirits | Rabbit | Irritant |
| WHITE MINERAL OIL (PETROLEUM) | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|-------------------------------|---------|---------------------------|
| Naphthol Spirits | Rabbit | No significant irritation |
| WHITE MINERAL OIL (PETROLEUM) | Rabbit | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|-------------------------------|------------|----------------|
| Naphthol Spirits | Guinea pig | Not classified |
| WHITE MINERAL OIL (PETROLEUM) | Guinea pig | Not classified |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-------------------------------|----------|--|
| Naphthol Spirits | In vivo | Not mutagenic |
| Naphthol Spirits | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| WHITE MINERAL OIL (PETROLEUM) | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-------------------------------|------------|-------------------------|--|
| Naphthol Spirits | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Naphthol Spirits | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification |
| WHITE MINERAL OIL (PETROLEUM) | Dermal | Mouse | Not carcinogenic |
| WHITE MINERAL OIL (PETROLEUM) | Inhalation | Multiple animal species | Not carcinogenic |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test Result | Exposure Duration |
|-------------------------------|------------|--|---------|-----------------------|----------------------|
| Naphthol Spirits | Inhalation | Not classified for development | Rat | NOAEL 2.4 mg/l | during organogenesis |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Naphthol Spirits | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Naphthol Spirits | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Naphthol Spirits | Inhalation | nervous system | Not classified | Dog | NOAEL 6.5 mg/l | 4 hours |
| Naphthol Spirits | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------|------------|-----------------|----------------|---------|----------------|-------------------|
| Naphthol Spirits | Inhalation | nervous system | Not classified | Rat | LOAEL 4.6 mg/l | 6 months |
| Naphthol Spirits | Inhalation | kidney and/or | Not classified | Rat | LOAEL 1.9 | 13 weeks |

M82, Swirl-Free Polish (21-101A): M8201, M8232

| | | | | | | |
|-------------------------------|------------|---|----------------|-------------------------|-----------------------|----------|
| | | bladder | | | mg/l | |
| Naphthol Spirits | Inhalation | respiratory system | Not classified | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Naphthol Spirits | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | Not classified | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Naphthol Spirits | Inhalation | heart | Not classified | Multiple animal species | NOAEL 1.3 mg/l | 90 days |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| WHITE MINERAL OIL (PETROLEUM) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |

Aspiration Hazard

| Name | Value |
|-------------------------------|-------------------|
| Naphthol Spirits | Aspiration hazard |
| WHITE MINERAL OIL (PETROLEUM) | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

| Material | Cas # | Organism | Type | Exposure | Test Endpoint | Test Result |
|------------------|------------|----------|---|----------|---------------|-------------|
| Kaolin, calcined | 92704-41-1 | | Data not available or insufficient for classification | | | |
| Naphthol Spirits | 64742-48-9 | | Data not available or | | | |

| | | | | | | |
|--------------------------------|------------|---------------|---------------------------------|----------|--------------------------|-----------|
| | | | insufficient for classification | | | |
| Kaolin, calcined | 92704-41-1 | Water flea | Experimental | 48 hours | Effect Concentration 50% | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Green algae | Experimental | 72 hours | Effect Concentration 50% | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Green algae | Experimental | 72 hours | No obs Effect Conc | >100 mg/l |
| Kaolin, calcined | 92704-41-1 | Rainbow Trout | Experimental | 96 hours | Lethal Concentration 50% | >100 mg/l |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Bluegill | Experimental | 96 hours | Lethal Level 50% | >100 mg/l |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Water flea | Estimated | 21 days | No obs Effect Level | >100 mg/l |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Water flea | Estimated | 48 hours | Effect Level 50% | >100 mg/l |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Green algae | Estimated | 72 hours | No obs Effect Level | >100 mg/l |

12.2. Persistence and degradability

| Material | CAS No. | Test Type | Duration | Study Type | Test Result | Protocol |
|--------------------------------|------------|---|----------|--------------------------|-------------|-------------------------------|
| Naphthol Spirits | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Kaolin, calcined | 92704-41-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Experimental Biodegradation | 28 days | Carbon dioxide evolution | 0 % weight | OECD 301B - Mod. Sturm or CO2 |

12.3. Bioaccumulative potential

| Material | CAS No. | Test Type | Duration | Study Type | Test Result | Protocol |
|--------------------------------|------------|---|----------|------------|-------------|----------|
| Kaolin, calcined | 92704-41-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Naphthol Spirits | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| WHITE MINERAL OIL (PETROLEUM) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200113* Solvents

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

| | |
|------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Revision information:

Section 02: Contains statement for sensitizers information was deleted.

Section 02: Label Elements: CLP Percent Unknown information was modified.

Section 02: List of sensitizers information was deleted.

Section 03: Composition/ Information of ingredients table information was added.

Section 03: Composition/ Information of ingredients table information was deleted.

Section 08: glove data value information was modified.

Section 08: Occupational exposure limit table information was modified.

Section 08: Personal Protection - Skin/hand information information was modified.

Section 09: Density information information was modified.

Section 09: Flash point information information was modified.

Section 09: Odor, color, grade information information was modified.

Section 09: Relative density information information was modified.
Section 09: Viscosity information information was modified.
Section 11: Acute Toxicity table information was modified.
Section 11: Carcinogenicity Table information was modified.
Section 11: Germ Cell Mutagenicity Table information was modified.
Section 11: Photosensitization Table information was deleted.
Section 11: Reproductive Toxicity Table information was modified.
Section 11: Serious Eye Damage/Irritation Table information was modified.
Section 11: Skin Corrosion/Irritation Table information was modified.
Section 11: Skin Sensitization Table information was modified.
Section 11: Target Organs - Repeated Table information was modified.
Section 11: Target Organs - Single Table information was modified.
Section 12: Component ecotoxicity information information was modified.
Section 12: Persistence and Degradability information information was modified.
Section 12: Biocumulative potential information information was modified.
Section 15: Carcinogenicity information information was deleted.
Section 15: Regulations - Inventories information was modified.
Section 16: Two-column table displaying the unique list of H Codes and statements (std phrses) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR_GCSL - Local Meguiar's Website