

Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 26-6693-1 **Version Number:** 1.01

Revision Date: 20/06/2017 **Supercedes Date:** 19/02/2016

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) and its modifications

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

M66, Quick Detailer (22-161A): M6601

Product Identification Numbers

14-1000-1282-3 14-1000-1283-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

One-step cleaner/wax

1.3. Details of the supplier of the safety data sheet

ADDRESS: GR_GCSL - Local CUNO Address
Telephone: GR_GCSL - Local Meguiar's Telephone
E Mail: GR_GCSL - Local Meguiar's Email
Website: GR_GCSL - Local Meguiar's Website

1.4. Emergency telephone number

GR_GCSL - Local Meguiar's Emergency Telephone

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Specific Target Organ Toxicity-Repeated Exposure, Category 1 - STOT RE 1; H372 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

Danger

Symbols:

GHS07 (Exclamation mark) | GHS08 (Health Hazard) |

Pictograms





Ingredients:

Ingredient C.A.S. No. EC No. % by Wt

HYDROTREATED LIGHT PETROLEUM DISTILLATES 64742-47-8 265-149-8 5 - 10

HAZARD STATEMENTS:

H315 Causes skin irritation.

H372 Causes damage to organs through prolonged or repeated exposure: nervous system |

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P260A Do not breathe vapors.

Response:

M66, Quick Detailer (22-161A)	: M6601
P332 + P313	If skin irritation occurs: Get medical advice/attention.
Disposal:	
P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
SUPPLEMENTAL INFORM	MATION
Supplemental Hazard Stater	ments:
EUH208	May produce an allergic reaction.
1% of the mixture consists of	components of unknown acute oral toxicity.
Contains 6% of components w	vith unknown hazards to the aquatic environment.
Ingredients required per 648/2	No. 648/2004 on detergents. H304 is not required on the label due to the product's viscosity 004 (not required on industrial label): 5-15%: Aliphatic hydrocarbons. <5%: Non-ionic s, linalool, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1). 48-9 and CAS 8052-41-3.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	7732-18-5	231-791-2		40 - 70	Substance not classified as hazardous
HYDROTREATED LIGHT PETROLEUM DISTILLATES	64742-47-8	265-149-8		5 - 10	**Asp. Tox. 1**, H304 **Aquatic Chronic 2**, H411 **Flam. Liq. 3**, H226; **STOT SE 3**, H336; **EUH066**, EUH066
Conditioners	Trade Secret			< 5	Substance not classified as hazardous
Kaolin, calcined	92704-41-1	296-473-8		1 - 5	Substance not classified as hazardous
Siloxanes and Silicones, di-Me	63148-62-9			1 - 5	Substance not classified as hazardous
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	232-455-8		0.1 - 1	**Asp. Tox. 1**, H304

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get

medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish. In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

O 1141

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance	Condition
Formaldehyde	During Combustion
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion
Irritant Vapors or Gases	During Combustion

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Observe precautions from other sections. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Vapors may travel long distances along the ground or floor to an ignition source and flash back. Do not use in a confined area with minimal air exchange. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from acids. Store away from oxidizing agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient C.A.S. No. Agency Limit type Additional Comments

Paraffin oil 8042-47-5 Greece OELs TWA(as mist)(8 hours):5

mg/m3

Greece OELs: Greece. OELs (Decree No. 90/1999, as amended)

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

M66, Quick Detailer (22-161A): M6601				
Name are suited				
None required.				
Skin/hand protection				
		ant local standards to prevent skin contact based on the se factors such as exposure levels, concentration of the		
substance or mixture, frequency and du	ration, physical challenges	such as temperature extremes, and other use conditions.		
clothing. Note: Nitrile gloves may be v		for selection of appropriate compatible gloves/protective gloves to improve dexterity.		
Gloves made from the following mater	ial(s) are recommended:			
Material	Thickness (mm)	Breakthrough Time		
Polymer laminate	No data available	No data available		
Applicable norms/standards				
Use gloves tested to EN 374				
Respiratory protection				
		exposure assessment may be needed to decide if a respirator		
is required. If a respirator is needed, us the exposure assessment, select from th		Ill respiratory protection program. Based on the results of (s) to reduce inhalation exposure:		
Half facepiece or full facepiece air-puri				
For questions about suitability for a specific application, consult with your respirator manufacturer.				
		•		
Applicable norms/standards				
Use a respirator conforming to EN 140	or EN 136: filter type A			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance/Odor Sweet, pleasant odor; Blue liquid

Odor threshold No Data Available

pH 7 - 8
Boiling point/boiling range 198.9 °C
Melting point Not Applicable
Flammability (solid, gas) Not Applicable
Explosive properties: Not Classified
Oxidising properties: Not Classified

Flash Point >= 93.3 °C [Test Method:Pensky-Martens Closed Cup]

Autoignition temperatureNo Data AvailableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNo Data Available

Relative Density 0.956 - 0.99 [*Ref Std*:WATER=1]

Water solubility Moderate

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableEvaporation rateNo Data AvailableVapor DensityNo Data Available

Decomposition temperatureNo Data AvailableViscosity19,000 - 30,000 mPa-sDensity0.956 - 0.99 g/cm3

9.2. Other information

Molecular weight No Data Available

Percent volatile 83.7 %

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

M66,	Ouick	Detailer	(22-161A)): M6601
------	-------	----------	-----------	----------

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Strong oxidizing agents Strong acids

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

M66, Quick Detailer (22-161A): M66

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Inhalation-		No data available; calculated ATE >50 mg/l
	Vapor(4 hr)		
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Kaolin, calcined	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Kaolin, calcined	Ingestion	Rat	LD50 > 2,000 mg/kg
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Dermal	Rabbit	LD50 > 3,160 mg/kg
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Inhalation-	Rat	LC50 > 3 mg/l
	Dust/Mist		
	(4 hours)		
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Ingestion	Rat	LD50 > 5,000 mg/kg
Siloxanes and Silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and Silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Dermal	Rabbit	LD50 > 2,000 mg/kg
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Rabbit	Mild irritant
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation
WHITE MINERAL OIL (PETROLEUM)	Rabbit	No significant irritation

Serious Eve Damage/Irritation

Schous Lyc Damage/Hittation				
Name	Species	Value		
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Rabbit	Mild irritant		
Siloxanes and Silicones, di-Me	Rabbit	No significant irritation		
WHITE MINERAL OIL (PETROLEUM)	Rabbit	Mild irritant		

M66, Quick Detailer (22-161A): M6601

Skin Sensitization

Name	Species	Value
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Guinea	Not classified
	pig	
WHITE MINERAL OIL (PETROLEUM)	Guinea	Not classified
	pig	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

our constants						
Name	Route	Value				
HYDROTREATED LIGHT PETROLEUM DISTILLATES	In Vitro	Not mutagenic				
WHITE MINERAL OIL (PETROLEUM)	In Vitro	Not mutagenic				

Carcinogenicity

Name	Route	Species	Value
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
WHITE MINERAL OIL (PETROLEUM)	Dermal	Mouse	Not carcinogenic
WHITE MINERAL OIL (PETROLEUM)	Inhalation	Multiple animal species	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
WHITE MINERAL OIL (PETROLEUM)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Professio nal judgeme nt	NOAEL Notavailable	

Specific Target Organ Toxicity - repeated exposure

pecific rarger organ	2 0122023	repeated emposure				
Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL (PETROLEUM)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
WHITE MINERAL OIL (PETROLEUM)	Ingestion	liver immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days

Aspiration Hazard

Name	Value
HYDROTREATED LIGHT PETROLEUM DISTILLATES	Aspiration hazard
WHITE MINERAL OIL (PETROLEUM)	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

Material	Cas #	Organism	Type	Exposure	Test Endpoint	Test Result
Kaolin, calcined	92704-41-1		Data not available or insufficient for classification			
Siloxanes and Silicones, di- Me	63148-62-9		Data not available or insufficient for classification			
WHITE MINERAL OIL (PETROLEUM	8042-47-5	Green algae	Estimated	72 hours	No obs Effect Level	>100 mg/l
WHITE MINERAL OIL (PETROLEUM	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
WHITE MINERAL OIL (PETROLEUM	8042-47-5	Water flea	Estimated	21 days	No obs Effect Level	>100 mg/l
Kaolin, calcined	92704-41-1	Water flea	Experimental	48 hours	Effect Concentration 50%	>100 mg/l
Kaolin, calcined	92704-41-1	Green algae	Experimental	72 hours	Effect Concentration 50%	>100 mg/l
Kaolin, calcined	92704-41-1	Green algae	Experimental	72 hours	No obs Effect Conc	>100 mg/l
Kaolin, calcined	92704-41-1	Rainbow Trout	Experimental	96 hours	Lethal Concentration 50%	>100 mg/l
HYDROTREA TED LIGHT PETROLEUM DISTILLATES	64742-47-8	Green Algae	Estimated	72 hours	No obs Effect Level	1 mg/l
HYDROTREA TED LIGHT PETROLEUM DISTILLATES		Green Algae	Estimated	72 hours	Effect Concentration 50%	1 mg/l
HYDROTREA TED LIGHT PETROLEUM DISTILLATES		Rainbow Trout	Estimated	96 hours	Lethal Level 50%	2 mg/l
HYDROTREA TED LIGHT PETROLEUM DISTILLATES	64742-47-8	Water flea	Estimated	21 days	No obs Effect Level	0.48 mg/l
HYDROTREA TED LIGHT PETROLEUM	64742-47-8	Water flea	Estimated	48 hours	Effect Level 50%	1.4 mg/l

DISTILLATES						
WHITE	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level	>100 mg/l
MINERAL					50%	
OIL						
(PETROLEUM						
)						

12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Kaolin,	92704-41-1	Data not	N/A	N/A	N/A	N/A
calcined		available or				
		insufficient for				
		classification				
Siloxanes and	63148-62-9	Data not	N/A	N/A	N/A	N/A
Silicones, di-		available or				
Me		insufficient for				
		classification				
WHITE	8042-47-5	Experimental	28 days	Carbon dioxide	0 % weight	OECD 301B - Mod.
MINERAL		Biodegradation		evolution		Sturm or CO2
OIL						
(PETROLEUM						
)						
HYDROTREA	64742-47-8	Data not	N/A	N/A	N/A	N/A
TED LIGHT		available or				
PETROLEUM		insufficient for				
DISTILLATES		classification				

12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
WHITE	8042-47-5	Data not	N/A	N/A	N/A	N/A
MINERAL		available or				
OIL		insufficient for				
(PETROLEUM		classification				
)						
Kaolin,	92704-41-1	Data not	N/A	N/A	N/A	N/A
calcined		available or				
		insufficient for				
		classification				
Siloxanes and	63148-62-9	Data not	N/A	N/A	N/A	N/A
Silicones, di-		available or				
Me		insufficient for				
		classification				
HYDROTREA	64742-47-8	Data not	N/A	N/A	N/A	N/A
TED LIGHT		available or				
PETROLEUM		insufficient for				
DISTILLATES		classification				

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200129* Detergents containing dangerous substances

SECTION 14: Transportation information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

Section 01: Product name information was modified.

Section 02: CLP Ingredient table information was modified.

Section 02: Contains statement for sensitizers information was deleted.

Section 02: Label Elements: CLP Classification information was modified.

Section 02: Label Elements: CLP Environmental Hazard Statements information was added.

Section 02: Label Elements: CLP Percent Unknown information was modified.

Section 02: Label Elements: CLP Precautionary - Prevention information was modified. Section 02: Label Elements: CLP Target Organ Hazard Statement information was added.

Section 02: Label Elements: Graphic information was modified.

Section 02: Label Elements: Signal Word information was modified.

Section 02: List of sensitizers information was deleted.

Section 03: Composition/Information of ingredients table information was added.

Section 03: Composition/Information of ingredients table information was deleted.

Section 05: Fire - Extinguishing media information information was modified.

Section 07: Conditions safe storage information was modified.

Section 07: Precautions safe handling information information was modified.

Section 08: Eve protection information information was added.

Section 08: Eye/face protection information information was deleted.

Section 08: glove data value information was modified.

Section 08: Occupational exposure limit table information was modified.

Section 08: Personal Protection - Eye information information was deleted.

Section 08: Personal Protection - Skin/hand information information was modified.

Section 09: Flash point information information was modified.

Section 09: Property description for optional properties information was modified.

Section 09: Relative density information information was modified.

Section 09: Viscosity information information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Aspiration Hazard Table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Health Effects - Inhalation information information was modified.

Section 11: Photosensitization Table information was deleted.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Single exposure may cause standard phrases information was deleted.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

Section 15: Regulations - Inventories information was modified.

Section 16: Two-column table displaying the unique list of H Codes and statements (std phrses) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. Greece SDSs are available at GR_GCSL - Local Meguiar's Website