

Safety Data Sheet

Copyright,2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 41-3392-2 **Version number:** 1.00

Revision date: 29/09/2023 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Silicone Free Dressing (Detailer) D161 [D1601 D16105]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

Response:

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012, as amended for Great Britain on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)		Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Non-Hazardous Ingredients	Mixture	50 - 70	Substance not classified as hazardous
Glycerol	(CAS-No.) 56-81-5 (EC-No.) 200-289-5		Substance with a national occupational exposure limit
reaction mass of: 5-chloro-2-methyl-4-	(CAS-No.) 55965-84-9	< 0.0015	EUH071

isothiazolin-3-one [EC no. 247-500-7]and	(EC-No.) 911-418-6		Acute Tox. 3, H301
2-methyl-2H-isothiazol-3-one [EC no.			Skin Corr. 1C, H314
220-239-6] (3:1)			Eye Dam. 1, H318
			Skin Sens. 1A, H317
			Aquatic Acute 1, H400,M=100
			Aquatic Chronic 1, H410,M=100
			Nota B
			Acute Tox. 2, H330
			Acute Tox. 2, H310
Propane-1,2-diol, propoxylated	(CAS-No.) 25322-69-4	7 - 13	Acute Tox. 4, H302
2-(propyloxy)ethanol	(CAS-No.) 2807-30-9	< 2	Acute Tox. 4, H312
(f -15 - 5)	(EC-No.) 220-548-6		Eye Irrit. 2, H319
	,		Flam. Liq. 3, H226
Bis(2-ethylhexyl) sodium sulfosuccinate	(CAS-No.) 577-11-7	<= 2	Skin Irrit. 2, H315
	(EC-No.) 209-406-4		Eye Dam. 1, H318

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
1	(EC-No.) 911-418-6	(C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include: Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Aldehydes.	During combustion.
Hydrocarbons.	During combustion.
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and

personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Glycerol 56-81-5 UK HSC TWA(as mist):10 mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColourBright PinkOdorSweet CleanOdour thresholdNo data available.Melting point/freezing pointNot applicable.

Boiling point/boiling range 100 °C

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Not applicable.

Not applicable.

Not applicable.

Flash point >= 93.3 °C [Test Method: Pensky-Martens Closed Cup]

[Details:D93-90]
Autoignition temperature
Not applicable.
Pecomposition temperature
No data available.

pH 6.8 - 7.3

Kinematic Viscosity

No data available.

Water solubilityCompleteSolubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.

Vapour pressure No data available.

Density 1 g/cm³

Relative density1 [Ref Std: WATER=1] **Relative Vapour Density**No data available.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Glycerol	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerol	Ingestion	Rat	LD50 > 5,000 mg/kg
Propane-1,2-diol, propoxylated	Dermal	Rabbit	LD50 > 10,000 mg/kg
Propane-1,2-diol, propoxylated	Ingestion	Rat	LD50 > 1,000 mg/kg
Bis(2-ethylhexyl) sodium sulfosuccinate	Dermal	Rabbit	LD50 > 10,000 mg/kg

Bis(2-ethylhexyl) sodium sulfosuccinate	Ingestion	Rat	LD50 > 2,100 mg/kg
2-(propyloxy)ethanol	Dermal	Rabbit	LD50 1,337 mg/kg
2-(propyloxy)ethanol	Inhalation-	Rat	LC50 > 11.1 mg/l
	Vapour (4		
	hours)		
2-(propyloxy)ethanol	Ingestion	Rat	LD50 3,089 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Dermal	Rabbit	LD50 87 mg/kg
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1)			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Inhalation-	Rat	LC50 0.171 mg/l
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]	Dust/Mist		
(3:1)	(4 hours)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Ingestion	Rat	LD50 40 mg/kg
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1)			

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Glycerol	Rabbit	No significant irritation
Propane-1,2-diol, propoxylated	Not	No significant irritation
	available	
Bis(2-ethylhexyl) sodium sulfosuccinate	Rabbit	Irritant
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Serious Eve Damage/Irritation

Serious Lye Damage III teation		
Name	Species	Value
	_	
Glycerol	Rabbit	No significant irritation
Propane-1,2-diol, propoxylated	Not	Mild irritant
1 / /1 1 3	available	
Bis(2-ethylhexyl) sodium sulfosuccinate	Rabbit	Corrosive
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Skin Sensitisation

Name	Species	Value
Glycerol	Guinea	Not classified
	pig	
Propane-1,2-diol, propoxylated	Human	Not classified
	and	
	animal	
Bis(2-ethylhexyl) sodium sulfosuccinate	Human	Not classified
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

Photosensitisation

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value

Propane-1,2-diol, propoxylated	In Vitro	Not mutagenic
Bis(2-ethylhexyl) sodium sulfosuccinate	In vivo	Not mutagenic
Bis(2-ethylhexyl) sodium sulfosuccinate	In Vitro	Some positive data exist, but the data are not sufficient for classification
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Glycerol	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Glycerol	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerol	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Bis(2-ethylhexyl) sodium sulfosuccinate	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	3 generation
Bis(2-ethylhexyl) sodium sulfosuccinate	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	3 generation
Bis(2-ethylhexyl) sodium sulfosuccinate	Ingestion	Not classified for development	Rat	NOAEL 1,074 mg/kg/day	during organogenesis
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Bis(2-ethylhexyl) sodium sulfosuccinate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
reaction mass of: 5-chloro-	Inhalation	respiratory irritation	May cause respiratory irritation	similar	NOAEL Not	

2-methyl-4-isothiazolin-3-		health	available	
one [EC no. 247-500-7]and		hazards		
2-methyl-2H-isothiazol-3-				
one [EC no. 220-239-6]				
(3:1)				

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Glycerol	Inhalation	respiratory system heart liver kidney and/or bladder	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerol	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
Bis(2-ethylhexyl) sodium sulfosuccinate	Ingestion	liver heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Glycerol	56-81-5	Bacteria	Experimental	16 hours	NOEC	10,000 mg/l
Glycerol	56-81-5	Rainbow trout	Experimental	96 hours	LC50	54,000 mg/l
Glycerol	56-81-5	Water flea	Experimental	48 hours	LC50	1,955 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-	1	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l

7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55065 94 0	Bacteria	Experimental	16 hours	EC50	5.7 mg/l
	33903-04-9	Dacteria	Experimental	10 Hours	EC30	3.7 mg/1
chloro-2-methyl-4-						
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Copepod	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-		1 1	'			
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
	55065.04.0	D: 4	F ' (1	72.1	E 050	0.0100 //
reaction mass of: 5-	22902-84-9	Diatom	Experimental	72 hours	ErC50	0.0199 mg/l
chloro-2-methyl-4-	[
isothiazolin-3-one	1					
[EC no. 247-500-	1					
7]and 2-methyl-	1					
2H-isothiazol-3-	1					
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	ErC50	0.027 mg/l
chloro-2-methyl-4-			•			
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
chloro-2-methyl-4-	33903-04-9	Kambow trout	Experimental	90 Hours	LC30	0.19 mg/1
isothiazolin-3-one						
[EC no. 247-500-						
7]and 2-methyl-						
2H-isothiazol-3-						
one [EC no. 220-						
239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4-	Ī	Minnow				
isothiazolin-3-one	Ī					
[EC no. 247-500-	1					
7]and 2-methyl-	1					
2H-isothiazol-3-	Ī					
one [EC no. 220-	1					
239-6] (3:1)	1					
reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-	[]	.,		.0 110010		
isothiazolin-3-one	1					
[EC no. 247-500-	1					
7]and 2-methyl-	1					
2H-isothiazol-3-	Ī					
	1					
one [EC no. 220-	1					
239-6] (3:1)	55065.04.0	D: (l n	40.1	NOEG	0.00040 //
reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-	1					
isothiazolin-3-one	1					
[EC no. 247-500-	Ī					
7]and 2-methyl-	1					
2H-isothiazol-3-	1					
one [EC no. 220-	1					
239-6] (3:1)						
						-

Entropy Experimental Experimen		1		1	Ta a a	I	1
Experimental	reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
	-						
2H-isothizzol-3-209-61 (3-1) 1							
Treaction mass of 5-							
239-61 (5:1)							
Experimental							
Substituzion Subs							
Southiazoffin-3-one Eff. Cn. 247-500-7 Jand 2-methyl-14-sothiazoffin-3-one Ef. Cn. 247-240-7 Jand 2-methyl-14-sothiazoffin		55965-84-9	Green algae	Experimental	72 hours	NOEC	0.004 mg/l
EC no. 247-500	chloro-2-methyl-4-						
	isothiazolin-3-one						
221-isothizzol-3-one Compound Experimental 21 days NOEC 0.004 mg/l	[EC no. 247-500-						
Description September Description De	7]and 2-methyl-						
	2H-isothiazol-3-						
Experimental 21 days NOEC 0.004 mg/l	one [EC no. 220-						
Propagate 2-diol, propoxylated Propage 2-diol, propoxylated Propage 2-diol, propoxylated Propage 2-diol, propoxylated Social So	239-6] (3:1)						
Compound		55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
Softiazabin-3-one			Tracer frea	Z.iperimentur	21 4495	1,020	0.00 i mg/1
221-isothiazol-3- nore [EC no. 220- 229-6] (3:1) Propane-1_2-diol, propoxylated	L						
2007-20-1-2							
Propane-1,2-diol, propoxylated							
Deproporophysisted Compound Compound Propaner			ļ .				100 0
Propane-1, 2-diol, propoxylated Prop		25322-69-4	Green algae		72 hours	ErC50	>100 mg/l
Propoxylated Compound Compound Propane-1,2-diol, 25322-69-4 Green algae Compound Compound Propane-1,2-diol, 25322-69-4 Green algae Compound Propane-1,2-diol, 25322-69-4 Green algae Compound Propane-1,2-diol, Compound Propane-1,2-diol, 25322-69-4 Water flea Analogous Compound Propane-1,2-diol, Pr							
Propane-1,2-diol, propoxylated Zebra Fish Analogous Gompound Compound Compound Compound Propane-1,2-diol, propoxylated Propane-1,2-diol, propoxylat		25322-69-4	Water flea		48 hours	EC50	105.8 mg/l
Compound Compound Compound Propane 1,2-diol, propoxylated Compound Compound Compound Propane 1,2-diol, propoxylated Compound Compound Compound Compound Propane 1,2-diol, propoxylated Compound C				Compound			
Propane-1,2-diol, propoxylated 25322-69-4 Green algae Analogous Compound Com	Propane-1,2-diol,	25322-69-4	Zebra Fish	Analogous	96 hours	LC50	>100 mg/l
Proposylated Propane-1,2-diol, propoxylated Propoxylated Propane-1,2-diol, propoxylated P	propoxylated			Compound			
Propane-1,2-diol, propoxylated 25322-69-4 Water flea Analogous Compound 21 days NOEC >=10 mg/l	Propane-1,2-diol,	25322-69-4	Green algae	Analogous	72 hours	NOEC	100 mg/l
Proposylated Compound Propane 25322-69-4 Activated sludge Analogous Compound Propane 2-2-40id, propolyolyted Propane 2807-30-9 Eastern oyster Estimated 96 hours LC50 89.4 mg/l	propoxylated			Compound			
Proposylated Compound Propane 25322-69-4 Activated sludge Analogous Compound Propane 2-2-40id, propolyolyted Propane 2807-30-9 Eastern oyster Estimated 96 hours LC50 89.4 mg/l	Propane-1,2-diol,	25322-69-4	Water flea	Analogous	21 days	NOEC	>=10 mg/l
Propane-1,2-diol, propoxylated 25322-69-4 Activated sludge Analogous Compound	propoxylated						
Compound	Propane-1.2-diol.	25322-69-4	Activated sludge		3 hours	EC50	>1.000 mg/l
22- 2807-30-9 Eastern oyster Estimated 96 hours LC50 89.4 mg/l	1 /						, , , ,
Composition	2-	2807-30-9	Eastern ovster	 	96 hours	LC50	89.4 mg/l
22	=	2007 30 9	Lastern oyster	Lottimuteu	y o nours		[]
Composition of the properties of the propertie	2_	2807-30-9	Activated sludge	Evnerimental	16 hours	IC50	>1.000 mg/l
22	(propylovy)othonol	2007-30-9	Activated studge	Experimental	10 Hours	1030	-1,000 mg/1
(propyloxy)ethanol 2- 2807-30-9 Green algae Experimental 72 hours EC50 >100 mg/l (propyloxy)ethanol 2- 2807-30-9 Water flea Experimental 72 hours EC50 >5,000 mg/l (propyloxy)ethanol 2- 2807-30-9 Green algae Experimental 72 hours NOEC 100 mg/l (propyloxy)ethanol 2- 2807-30-9 Green algae Experimental 72 hours NOEC 100 mg/l (propyloxy)ethanol 3- 2- 2807-30-9 Green algae Experimental 72 hours EC50 190 mg/l (propyloxy)ethanol 3- 2- 2807-30-9 Green algae Experimental 72 hours EC50 190 mg/l (propyloxy)ethanol 3- 2- 2807-30-9 Green algae Experimental 72 hours EC50 190 mg/l (propyloxy)ethanol 3- 2- 2807-30-9 Green algae Experimental 72 hours EC50 190 mg/l (propyloxy)ethanol 3- 2- 2807-30-9 Green algae Experimental 3- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2-	(propyroxy)euranor	2007 20 0	E-41 1i	E	06 1	1.050	> 5,000/1
22- 2807-30-9 Green algae Experimental 72 hours EC50 >100 mg/l	Z-	2807-30-9	Fathead minnow	Experimental	96 nours	LC30	>5,000 mg/1
(propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 3-	4 15 57						100 0
2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 2- (propyloxy)ethanol 3- (propyloxy)ethanol	-	2807-30-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
(propyloxy)ethanol 22- (propyloxy)ethanol Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 100 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Rainbow trout Experimental 96 hours LC50 28 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 48 hours EC50 28 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 48 hours EC50 28 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l Sodium Sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l Sodium Sulfosuccinate	(propyloxy)ethanol						
2- (propyloxy)ethanol Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 100 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Rainbow trout Experimental 96 hours LC50 28 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 48 hours EC50 28 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 48 hours EC50 28 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate	2-	2807-30-9	Water flea	Experimental	48 hours	EC50	>5,000 mg/l
Composition of the property							
Company Comp	2-	2807-30-9	Green algae	Experimental	72 hours	NOEC	100 mg/l
sodium sulfosuccinate Bis(2-ethylhexyl) sodium sulfosuccinate	(propyloxy)ethanol						
sodium sulfosuccinate Bis(2-ethylhexyl) sodium sulfosuccinate	Bis(2-ethylhexyl)	577-11-7	Green algae	Experimental	72 hours	EC50	190 mg/l
Bis(2-ethylhexyl) 577-11-7 Rainbow trout Experimental 96 hours LC50 28 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate	sodium			1			
Bis(2-ethylhexyl) 577-11-7 Rainbow trout Experimental 96 hours LC50 28 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate							
sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate		577-11-7	Rainbow trout	Experimental	96 hours	LC50	28 mg/l
sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate		,, 11 ,	Tumoon trout	Z.iperimentur	y o nours		20 mg.1
Bis(2-ethylhexyl) 577-11-7 Water flea Experimental 48 hours EC50 19 mg/l sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate							
sodium sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate		577-11-7	Water flea	Evnerimental	48 hours	EC50	19 mg/l
sulfosuccinate Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate		3//-11-/	water rica	Laperinicitai	TO HOURS	LCJU	171118/1
Bis(2-ethylhexyl) 577-11-7 Green algae Experimental 72 hours NOEC 28 mg/l sodium sulfosuccinate							
sodium sulfosuccinate		 577 11 7	C	Ei	72 1	NOEC	29/1
sulfosuccinate		3//-11-/	Green aigae	Experimental	/2 nours	INUEC	20 mg/1
Dis/2 other/house) 1577-11-7 Wester floo Experimental 121-1 DIOEC 17						21070	
	Bis(2-ethylhexyl)	577-11-7	Water flea	Experimental	21 days	NOEC	7 mg/l
	sodium						
sulfosuccinate	sulfosuccinate						

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol

Glycerol	56-81-5	Experimental Biodegradation	14 days	BOD	63 %BOD/ThOD	OECD 301C - MITI test (I)
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	
Propane-1,2-diol, propoxylated	25322-69-4	Experimental Biodegradation	28 days	BOD	93.6 %BOD/ThOD	OECD 301F - Manometric respirometry
2- (propyloxy)ethanol	2807-30-9	Experimental Biodegradation	20 days	BOD	100 %BOD/ThOD	
Bis(2-ethylhexyl) sodium sulfosuccinate	577-11-7	Experimental Biodegradation	28 days	BOD	66.7 %BOD/ThOD	OECD 301D - Closed bottle test

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Glycerol	56-81-5	Experimental Bioconcentration		Log Kow	-1.76	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	
Propane-1,2-diol, propoxylated	25322-69-4	Experimental Bioconcentration		Log Kow	≤1.13	EC A.8 Partition Coefficient
2- (propyloxy)ethanol	2807-30-9	Experimental Bioconcentration		Log Kow	0.673	
Bis(2-ethylhexyl) sodium sulfosuccinate	577-11-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	<9.3	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Glycerol	56-81-5	Estimated Mobility in Soil	Koc	<1 l/kg	Episuite TM
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-2H- isothiazol-3-one		Experimental Mobility in Soil	Koc	10 l/kg	OECD 106 Adsp-Desb Batch Equil

[EC no. 220-239-6]					
(3:1)					
Propane-1,2-diol,	25322-69-4	Experimental	Koc	<17.8 l/kg	OECD 121 Estim. of Koc by
propoxylated		Mobility in Soil		_	HPLC

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk	No data available.	No data available.	No data available.

according to Annex II of Marpol 73/78 and IBC Code			
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9 3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
reaction mass of: 5-chloro-2-	55965-84-9	50	200

Page: 15 of 1

methyl-4-isothiazolin-3-one	Τ	
[EC no. 247-500-7]and 2-		
methyl-2H-isothiazol-3-one		

Regulation (EU) No 649/2012, as amended for GB

Silicone Free Dressing (Detailer) D161 [D1601 D16105]

No chemicals listed

[EC no. 220-239-6] (3:1)

15.2. Chemical Safety Assessment

SECTION 16: Other information

List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. SDSs for Great Britain are available at www.meguiars.co.uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.

Page: 16 of 16