

### Safety Data Sheet

Copyright, 2024, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 41-6317-6
 Version number:
 4.00

 Revision date:
 28/05/2024
 Supersedes date:
 12/03/2024

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### 1.1. Product identifier

Ultimate Liquid Wax G2105 [G210516]

#### **Product Identification Numbers**

14-1001-3772-9

7012496745

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive

### 1.3. Details of the supplier of the safety data sheet

Address: 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.

Telephone: +353 1 280 3555 E Mail: tox.uk@mmm.com Website: www.3M.com

### 1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

### **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

### **CLASSIFICATION:**

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

### **HAZARD STATEMENTS:**

H412 Harmful to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

### SUPPLEMENTAL INFORMATION:

### **Supplemental Hazard Statements:**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 1% of components with unknown hazards to the aquatic environment.

#### 2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Ingredient	Identifier(s)	0/0	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
Non Hazardous Ingredient	Mixture					
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	(EC-No.) 920-901-0					
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	(EC-No.) 927-676-8	3 - 7	Asp. Tox. 1, H304 EUH066			
Oxidized Polyalkylene	Trade Secret	0.5 - 1.5	Substance not classified as hazardous			
1,2-benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9	< 0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1			
octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2 (EC-No.) 209-136-7	< 0.05	Repr. 2, H361f Aquatic Chronic 1, H410,M=10			

	Flam. Liq. 3, H226
--	--------------------

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

### **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
* /	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9	(C >= 0.05%) Skin Sens. 1, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

### If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

Substance

formaldehyde Carbon monoxide

Carbon dioxide.

Irritant vapours or gases.

### Condition

During combustion.

During combustion.

During combustion.

During combustion.

### 5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### 8.2. Exposure controls

### 8.2.1. Engineering controls

No engineering controls required.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

None required.

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

### Respiratory protection

None required.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Emulsion
Colour	Pale Yellow, Soft White
Odor	Weak Orange
Odour threshold	No data available.
Melting point/freezing point	Not applicable.
Boiling point/boiling range	100 °C
Flammability	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Flash point	>= 93.3 °C [Test Method: Pensky-Martens Closed Cup]
Autoignition temperature	No data available.
Decomposition temperature	No data available.
pH	8.8 - 9.5
Kinematic Viscosity	15,789 mm <sup>2</sup> /sec
Water solubility	Miscible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Vapour pressure	No data available.
Density	0.9 g/cm3 - 1 g/cm3
Relative density	0.9 - 1 [ <i>Ref Std</i> :WATER=1]
Relative Vapour Density	No data available.
Particle Characteristics	Not applicable.

### 9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds 172.8 g/l

**Evaporation rate**Molecular weight
No data available.

No data available.

Percent volatile 92.11 % weight [Test Method: Estimated]

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

**Substance Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

### **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Prolonged or repeated exposure may cause: Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

#### Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

### Ingestion

No known health effects.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	similar compoun ds	LD50 > 2,200 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	similar compoun ds	LD50 > 15,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.4 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	similar compoun ds	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	similar compoun ds	LD50 > 5,000 mg/kg
Oxidized Polyalkylene	Ingestion	Rat	LD50 > 2,500 mg/kg
octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
octamethylcyclotetrasiloxane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 36 mg/l
octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 4,800 mg/kg
1,2-benzisothiazol-3(2H)-one	Dermal	Rat	LD50 > 2,000 mg/kg
1,2-benzisothiazol-3(2H)-one	Ingestion	Rat	LD50 454 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	similar compoun ds	Mild irritant
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar compoun ds	Mild irritant
Oxidized Polyalkylene	Professio nal judgemen t	No significant irritation
octamethylcyclotetrasiloxane	Rabbit	No significant irritation
1,2-benzisothiazol-3(2H)-one	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	similar	No significant irritation
	compoun	
	ds	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar	No significant irritation
	compoun	

Page: 7 of 14

	ds	
Oxidized Polyalkylene	Professio	No significant irritation
	nal	
	judgemen	
	t	
octamethylcyclotetrasiloxane	Rabbit	No significant irritation
1,2-benzisothiazol-3(2H)-one	Rabbit	Corrosive

### **Skin Sensitisation**

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	similar	Not classified
	compoun ds	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar	Not classified
	ds compoun	
octamethylcyclotetrasiloxane	Human	Not classified
	and	
	animal	
1,2-benzisothiazol-3(2H)-one	Guinea	Sensitising
	pig	

### **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Oct in Cent Vittagementy					
Name	Route	Value			
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In Vitro	Not mutagenic			
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic			
octamethylcyclotetrasiloxane	In vivo	Not mutagenic			
octamethylcyclotetrasiloxane	In Vitro	Some positive data exist, but the data are not			
		sufficient for classification			
1,2-benzisothiazol-3(2H)-one	In vivo	Not mutagenic			
1,2-benzisothiazol-3(2H)-one	In Vitro	Some positive data exist, but the data are not			
		sufficient for classification			

Carcinogenicity

Name	Route	Species	Value	
octamethylcyclotetrasiloxane	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification	

### Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Inhalation	Not classified for development	Rabbit	NOAEL 6 mg/l	during organogenesis
octamethylcyclotetrasiloxane	Ingestion	Not classified for development	Rabbit	NOAEL 100 mg/kg	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 112 mg/kg/day	2 generation
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 112 mg/kg/day	2 generation
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for development	Rat	NOAEL 112 mg/kg/day	2 generation

### Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
1,2-benzisothiazol-3(2H)- one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
octamethylcyclotetrasiloxa ne	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
octamethylcyclotetrasiloxa ne	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Inhalation	endocrine system   immune system   kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxa ne	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks
1,2-benzisothiazol-3(2H)- one	Ingestion	liver   hematopoietic system   eyes   kidney and/or bladder   respiratory system	Not classified	Rat	NOAEL 322 mg/kg/day	90 days
1,2-benzisothiazol-3(2H)- one	Ingestion	heart   endocrine system   nervous system	Not classified	Rat	NOAEL 150 mg/kg/day	28 days

**Aspiration Hazard** 

Name	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

### **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result

C13, isoalkanes, <2% aromatics	Hydrocarbons, C11-	920-901-0	Green algae	Estimated	72 hours	EL50	>1,000 mg/l
Hydrocarbons, C11-   C13, boolklames, 2-% aromatics   Hydrocarbons, C11-   C13, boolklames, 2-%   Part   P		)20 )01 0	Green argue	Estimated	72 Hours	LLSV	1,000 mg/1
C13, isos/Ranes, 2%   aromatics   1/3, isos/Ranes, 2%   20-901-0   Water flea   Estimated   48 hours   EL50   >1.000 mg/l							
C13, isos/Ranes, 2%   aromatics   1/3, isos/Ranes, 2%   20-901-0   Water flea   Estimated   48 hours   EL50   >1.000 mg/l	Hydrocarbons, C11-	920-901-0	Rainbow trout	Estimated	96 hours	LL50	>1,000 mg/l
Hydrocarbons, C11-   C13, isolalianes, 229-   292-901-0   Water flea   Estimated   48 hours   EL50   >1,000 mg/l							
Cl.3 soulkanes, 22% aromatics   Hydrocarbons, C11-   Cl.5 soulkanes, 22% aromatics   Hydrocarbons, C12-   Cl.6 soulkanes, 22% aromatics							
Analogous   Papticipathons, C12-   C16, Incompanies   Papticipathons, C12-   Papticipathon		920-901-0	Water flea	Estimated	48 hours	EL50	>1,000 mg/l
Hydrocarbons, C11-   C13, soulkames, 22-   27-676-8   Caren algae   Campound   Campoun							
Ci3, isoalkanes, 2% aromatics   927-676-8   Green algae   Analogous   72 hours   EL50   >1,000 mg/l   Cl6, isoalkanes, 2% aromatics   Hydrocarbons, C12-   927-676-8   Rainbow trout   Experimental   96 hours   LL50   >788,000 mg/l   Cl6, isoalkanes, 2% aromatics   Hydrocarbons, C12-   297-676-8   Scud   Experimental   96 hours   LL50   >788,000 mg/l   Cl6, isoalkanes, 2% aromatics   C12-   297-676-8   Scud   Experimental   96 hours   LL50   >10,000 mg/l   Cl6, isoalkanes, 2% aromatics   C12-   297-676-8   Green algae   Analogous   C12-   Cl6, isoalkanes, 2% aromatics   C12-   C16, isoalkanes, 2% aromatics   C12-   C		020 001 0		To discontinuation	72.1	NOET	1 000 //
Analogous   Anal		920-901-0	Green algae	Estimated	72 hours	NOEL	1,000 mg/l
Hydrocarbons, C12-   C16, isoallames, eyelics, 2% anomatics   Hydrocarbons, C12-   C12-   E16, isoallames, eyelics, 2% anomatics   Hydrocarbons, C12-   C12-   E16, isoallames, eyelics, 2% anomatics   Hydrocarbons, C12-   C16, isoallames, eyelics, 2% anomatics   Hydrocarbons, C12-   E16, isoallames, eyelics,	, ,						
Compound cycles, 2-2% aromatics   P37-676-8   Water flea   Analogous   EL50   21,000 mg/l   Compound   Experimental   96 hours   LL50   2788,000 mg/l   Compound   Experimental   96 hours   LL50   2788,000 mg/l   Compound   Experimental   96 hours   LL50   2788,000 mg/l   Compound   Experimental   96 hours   LL50   210,000 mg/l   Compound   Experimental   21 hours   NOEL   1,000 mg/l   Compound   22 hours   NOEL   1,000 mg/l   Compound   22 hours   NOEL   1,000 mg/l   Compound   22 hours   NOEL   1,000 mg/l   Compound   23 hours   NOEL   1,000 mg/l   Compound   24 hours   NOEL   1,000 mg/l   Compound   25 hours   NOEL   1,000 mg/l   Compound   25 hours   NOEL   1,000 mg/l   Compound   27 hours   NOEL   1,000 mg/l   Compound   27 hours   NOEL   1,000 mg/l   Compound   27 hours   NOEL   1,000 mg/l   Compound   28 hours   1,000 mg/l   Compound   1,000 mg/l   Compound   1,000 mg/l   Compound   1,		027 676 8	Green algae	Analogous	72 hours	EI 50	>1 000 mg/l
cyclics, 2-2% anomatics   Hydrocarbons, C12-   C16, Isoalkanes, cyclics, 2-2% anomatics   Hydrocarbons, C12-   C16, Isoalkan		927-070-0	Green aigae		72 Hours	ELSO	7,000 mg/1
Hydrocarbons, C12-   C16, soalkanes, eyclies, <2% aromatics   Hydrocarbons, C12-   Hydrocarbons, C12-   C16, soalkanes, eyclies, <2% aromatics   Hydrocarbons, C12-   E16, soalkanes, eyclies, <2% aromatics   Hydrocarbons, C12-   E16, soalkanes, eyclies, <2% aromatics   Hydrocarbons, C12-   E16, soalkanes, eyclies, eye aromatics   Hydrocarbons, C12-   E16, soalkanes, eyclies, eye aromatics   Hydrocarbons, C12-   E16, soalkanes, eye aromatics   Hydrocarbons, C12-   E16, soalkanes, eye aromatics   Hydrocarbons, C12-   E16, soalkanes, eye eye aromatics				Compound			
Cide, soalkanes, evelies, 27% aromatics Hydrocarbons, C12- C16, isoalkanes, evelies, 27% aromatics		927-676-8	Water flea	Analogous	48 hours	EL50	>1 000 mg/l
cyclies   2% aromatics   Hydrocarbons   C12		527 070 0	, vater fieu		10 Hours	LLSV	1,000 mg/
Hydrocarbons, C12-   C16, isoalkanes, syclies, <2% aromatics				1			
Cl. 6, isoalkanes, cyclies, <2% aromatics         Bydrocarbons, Cl.2- (Cl.6, isoalkanes, cyclies, <2% aromatics         Scud         Experimental         96 hours         LL50         >10,000 mg/l           Hodrocarbons, Cl.2- (Cl.6, isoalkanes, cyclies, <2% aromatics		927-676-8	Rainbow trout	Experimental	96 hours	LL50	>788,000 mg/l
Hydrocarbons, C12- C16, isoalkanes, eyelies, 2% aromatics				•			
Cl6, isoalkanes, evelies, <2% aromatics Hydrocarbons, Cl2- Cl6, isoalkanes, evelies, <2% aromatics Oxidized Polyalkylene Trade Secret  N/A  Data not available or insufficient for classification 1,2-benzisothiazol- 3(2H)-one 1,2-benzisothiazol- 3(H)-one 1,2-	cyclics, <2% aromatics						
Sequence	Hydrocarbons, C12-	927-676-8	Scud	Experimental	96 hours	LL50	>10,000 mg/l
Hydrocarbons, C12-   C16, isoalkanes, eyclicis, <2% aromatics     Hydrocarbons, C12-   Sycarbonatics     Hydrocarbonatics     Hydrocarbons, C12-   Sycarbonatics     Hydrocarbonatics     Hydrocarbons, C12-   Sycarbonatics     Hydrocarbonatics     Hydroca							
C16, isoalkanes, cyclics, <2% aromatics  Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics  Oxidized Polynlkylene  Trade Secret  N/A  Data not available or insufficient for classification  1,2-benzisothiazol- 3(2H)-one 1,2-benzisothiazol- 3(H)-one 1,2-benzisothiazol- 3(H)-one 1,2-benzisothiazol- 3(H)-one 1,2-benzisothiazol- 3(H)-one 1,2-benzisothiazol- 3(H)-one 1,2-benzisothiazol- 3(							
Severities		927-676-8	Green algae		72 hours	NOEL	1,000 mg/l
Hydrocarbons, C12-   C16, isoalkanes, eyclics, <2% aromatics				Compound			
Cife is sollkanes, eyclics, <2% atomatics         Compound         Compound         N/A				1			
Secondaries		927-676-8	Water flea		21 days	NOEL	>1 mg/l
Data not available or insufficient for elassification   Data not available or insufficient for elassification   Classification   Classificat				Compound			
1,2-benzisothiazol-3(2H)-one   2634-33-5   Sheepshead   Experimental   72 hours   ErC50   0.11 mg/l   1,2-benzisothiazol-3(2H)-one   2634-33-5   Sheepshead   Experimental   96 hours   LC50   1.6 mg/l   1,2-benzisothiazol-3(2H)-one   2634-33-5   Sheepshead   Minnow   Minn		Trodo Coorat	NT/A	Data not available	NT/A	NI/A	NI/A
Classification   Clas	Oxidized Polyalkylene	Trade Secret	IN/A		N/A	IN/A	IN/A
1,2-benzisothiazol-   2634-33-5   Green algae   Experimental   72 hours   ErC50   0.11 mg/l							
Activated sludge	1.2-benzisothiazol-	2634-33-5	Green algae		72 hours	ErC50	0.11 mg/l
1,2-benzisothiazol-3(2H)-one   2634-33-5   Sheepshead   Experimental   96 hours   LC50   1.6 mg/l   1.2-benzisothiazol-3(2H)-one   2634-33-5   Water flea   Experimental   48 hours   EC50   2.9 mg/l   3(2H)-one   1.2-benzisothiazol-3(2H)-one   2634-33-5   Water flea   Experimental   48 hours   EC50   2.9 mg/l   3(2H)-one   1.2-benzisothiazol-3(2H)-one   2634-33-5   Activated sludge   Experimental   3 hours   EC50   12.8 mg/l   3(2H)-one   2634-33-5   Bobwhite quail   Experimental   14 days   LD50   617 mg per kg of bodyweight   1.2-benzisothiazol-3(2H)-one   2634-33-5   Cabbage   Experimental   14 days   EC50   200 mg/kg (Dry Weight)   2634-33-5   Cabbage   Experimental   14 days   EC50   200 mg/kg (Dry Weight)   1.2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   14 days   EC50   200 mg/kg (Dry Weight)   1.2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   14 days   EC50   200 mg/kg (Dry Weight)   2634-33-5   Soil microbes   Experimental   28 days   EC50   >410.6 mg/kg (Dry Weight)   2634-33-5   Soil microbes   Experimental   28 days   EC50   >15.5 mg/kg (Dry Weight)   256-67-2   Midge   Experimental   28 days   EC50   >70.091 mg/kg (Dry Weight)   270.000 mg/kg (Dry Weight)   280.000 mg/kg (Dry Weig	· /	2031 33 3	Green argue	Experimental	72 Hours	Licso	0.11 mg/1
1,2-benzisothiazol-3(2H)-one   2634-33-5   Sheepshead   Experimental   Minnow   Mi		2634-33-5	Rainbow trout	Experimental	96 hours	LC50	1.6 mg/l
1,2-benzisothiazol-   2634-33-5   Green algae   Experimental   48 hours   EC50   2.9 mg/l	· /			F			
1,2-benzisothiazol-3(2H)-one   2634-33-5   Green algae   Experimental   48 hours   EC50   2.9 mg/l     1,2-benzisothiazol-3(2H)-one   2634-33-5   Green algae   Experimental   72 hours   NOEC   0.0403 mg/l     1,2-benzisothiazol-3(2H)-one   2634-33-5   Activated sludge   Experimental   3 hours   EC50   12.8 mg/l     1,2-benzisothiazol-3(2H)-one   2634-33-5   Bobwhite quail   Experimental   14 days   LD50   617 mg per kg of     1,2-benzisothiazol-3(2H)-one   2634-33-5   Cabbage   Experimental   14 days   EC50   200 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   14 days   EC50   200 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   14 days   EC50   2410.6 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   Soil-microbes   Experimental   28 days   EC50   2811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   Soil-microbes   Experimental   28 days   EC50   270 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   Soil-microbes   Experimental   28 days   EC50   270 mg/kg (Dry Weight)     0 ctamethylcyclotetrasil   556-67-2   Midge   Experimental   28 days   NOEC   0.73 mg/kg (Dry Weight)     0 ctamethylcyclotetrasil   556-67-2   Mysid Shrimp   Experimental   28 days   LC50   20.0091 mg/l     0 ctamethylcyclotetrasil   556-67-2   Rainbow trout   Experimental   96 hours   LC50   20.002 mg/l     0 ctamethylcyclotetrasil   556-67-2   Water flea   Experimental   48 hours   EC50   20.015 mg/l     0 ctamethylcyclotetrasil   556-67-2   Water flea   Experimental   48 hours   EC50   0.0044 mg/l     0 ctamethylcyclotetrasil   556-67-2   Water flea   Experimental   21 days   NOEC   0.015 mg/l	1,2-benzisothiazol-	2634-33-5	Sheepshead	Experimental	96 hours	LC50	16.7 mg/l
3(2H)-one   2634-33-5   Green algae   Experimental   72 hours   NOEC   0.0403 mg/l     1,2-benzisothiazol-3(2H)-one   2634-33-5   Activated sludge   Experimental   3 hours   EC50   12.8 mg/l     1,2-benzisothiazol-3(2H)-one   2634-33-5   Bobwhite quail   Experimental   14 days   LD50   617 mg per kg of bodyweight     1,2-benzisothiazol-3(2H)-one   2634-33-5   Cabbage   Experimental   14 days   EC50   200 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Redworm   Experimental   14 days   LC50   Veight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   S811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   Seperimental   S56-67-2   Blackworm   Experimental   28 days   EC50   NOEC   Normalike (Dry Weight)     1,2-benzisothiazol-3(2H)-one   Seperimental   S56-67-2   Midge   Experimental   28 days   EC50   NOEC   Normalike (Dry Weight)     1,2-benzisothiazol-3(2H)-one   S56-67-2   Midge   Experimental   S56-67-2   Mysid Shrimp   Experimental   S56-67-2   Normalie   S56-67-2   Rainbow trout   Experimental   S56-67-2   S66-67-2   Water flea   Experimental   S56-67-2   Normalie   S56-67-2   Rainbow trout   Experimental   S56-67-2   Rainbow trout   Experimental   S56-67-2   S66-67-2   Rainbow trout   Experimental   S56-67-2   S66-67-2   Rainbow trout   Experimental   S66-67-2   S66-67-2   S	3(2H)-one		Minnow	•			
1,2-benzisothiazol-3(2H)-one   2634-33-5   Activated sludge   Experimental   72 hours   NOEC   0.0403 mg/l     1,2-benzisothiazol-3(2H)-one   1,2-benzisothiazol-3(2H)-one   2634-33-5   Bobwhite quail   Experimental   14 days   LD50   617 mg per kg of bodyweight     1,2-benzisothiazol-3(2H)-one   2634-33-5   Cabbage   Experimental   14 days   EC50   200 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Redworm   Experimental   14 days   EC50   200 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   14 days   EC50   ×410.6 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     1,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     2,2-benzisothiazol-3(2H)-one   2634-33-5   Soil microbes   Experimental   28 days   EC50   ×811.5 mg/kg (Dry Weight)     3,2-benzisothiazol-3(2H)-one   28 days   EC50   ×811.5 mg/kg (Dry Weight)     4,4 days   EC50   ×811.5 mg/kg (Dry Weight)     5,5-6-6-7-2   Midge   Experimental   28 days   EC50   ×9.0091 mg/l     5,5-6-6-7-2   Mysid Shrimp   Experimental   29 hours   EC50   ×9.0091 mg/l     5,5-6-6-7-2   Water flea   Experimental   48 hours   EC50   ×9.0015 mg/l     5,6-6-7-2   Rainbow trout   Experimental   48 hours   EC50   ×9.0044 mg/l     5,6-6-7-2   Water flea   Experimental   21 days   NOEC   0.0044 mg/l	1,2-benzisothiazol-	2634-33-5	Water flea	Experimental	48 hours	EC50	2.9 mg/l
3(2H)-one   2634-33-5   Activated sludge   Experimental   3 hours   EC50   12.8 mg/l							
1,2-benzisothiazol-3(2H)-one2634-33-5Bobwhite quailExperimental3 hoursEC5012.8 mg/l1,2-benzisothiazol-3(2H)-one2634-33-5Bobwhite quailExperimental14 daysLD50617 mg per kg of bodyweight1,2-benzisothiazol-3(2H)-one2634-33-5CabbageExperimental14 daysEC50200 mg/kg (Dry Weight)1,2-benzisothiazol-3(2H)-one2634-33-5RedwormExperimental14 daysLC50>410.6 mg/kg (Dry Weight)1,2-benzisothiazol-3(2H)-one2634-33-5Soil microbesExperimental28 daysEC50>811.5 mg/kg (Dry Weight)3(2H)-one556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)octamethyleyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)oxaneoctamethyleyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loxaneoctamethyleyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/loxaneoctamethyleyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.0044 mg/loctamethyleyclotetrasil oxane556-67-2Water fleaExperimental93 daysNOEC0.0044 mg/loctamethyleyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l		2634-33-5	Green algae	Experimental	72 hours	NOEC	0.0403 mg/l
1,2-benzisothiazol- 3(2H)-one 1,2-be							
1,2-benzisothiazol-3(2H)-one2634-33-5Bobwhite quailExperimental14 daysLD50617 mg per kg of bodyweight1,2-benzisothiazol-3(2H)-one2634-33-5CabbageExperimental14 daysEC50200 mg/kg (Dry Weight)1,2-benzisothiazol-3(2H)-one2634-33-5RedwormExperimental14 daysLC50>410.6 mg/kg (Dry Weight)1,2-benzisothiazol-3(2H)-one2634-33-5Soil microbesExperimental28 daysEC50>811.5 mg/kg (Dry Weight)3(2H)-one556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l		2634-33-5	Activated sludge	Experimental	3 hours	EC50	12.8 mg/l
3(2H)-one						·	1.12
1,2-benzisothiazol- 3(2H)-one2634-33-5CabbageExperimental14 daysEC50200 mg/kg (Dry Weight)1,2-benzisothiazol- 3(2H)-one2634-33-5RedwormExperimental14 daysLC50>410.6 mg/kg (Dry Weight)1,2-benzisothiazol- 3(2H)-one2634-33-5Soil microbesExperimental28 daysEC50>811.5 mg/kg (Dry Weight)0ctamethylcyclotetrasil oxane556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)0ctamethylcyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)0ctamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/l0ctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental96 hoursLC50>0.0022 mg/l0ctamethylcyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/l0ctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/l0ctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l		2634-33-5	Bobwhite quail	Experimental	14 days	LD50	
3(2H)-one 1,2-benzisothiazol- 3(2H)-one 2634-33-5 Redworm Experimental 1,4 days LC50 S410.6 mg/kg (Dry Weight) 1,2-benzisothiazol- 3(2H)-one 1,2-benzisothiazol- 3(2H)-one 2634-33-5 Soil microbes Experimental 28 days EC50 S811.5 mg/kg (Dry Weight) 0ctamethylcyclotetrasil oxane		2624.22.5	0.11	P : 1	14.1	EGEO	
1,2-benzisothiazol- 3(2H)-one2634-33-5RedwormExperimental14 daysLC50>410.6 mg/kg (Dry Weight)1,2-benzisothiazol- 3(2H)-one2634-33-5Soil microbesExperimental28 daysEC50>811.5 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental96 hoursLC50>0.022 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l		2634-33-5	Cabbage	Experimental	14 days	EC50	200 mg/kg (Dry Weight)
3(2H)-one 1,2-benzisothiazol- 3(2B) as a septimental 1,2-benzisothiazol- 3(2B) as a septimental 2,2-benzisothiazol- 3(2B) as a septimental 3,2-benzisothiazol- 3,2-ben		2624.22.5	D - d	E	14 4	1.050	> 410 6/  (D
1,2-benzisothiazol- 3(2H)-one2634-33-5Soil microbesExperimental28 daysEC50>811.5 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental96 hoursLC50>0.022 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l	· /	2034-33-3	Reaworm	Experimental	14 days	LC30	
3(2H)-one   Experimental   28 days   NOEC   0.73 mg/kg (Dry Weight)   octamethylcyclotetrasil   556-67-2   Midge   Experimental   14 days   LC50   >170 mg/kg (Dry Weight)   oxane   S56-67-2   Mysid Shrimp   Experimental   96 hours   LC50   >0.0091 mg/l   oxane   S56-67-2   Rainbow trout   Experimental   96 hours   LC50   >0.0091 mg/l   oxane   S56-67-2   Water flea   Experimental   48 hours   EC50   >0.015 mg/l   octamethylcyclotetrasil   S56-67-2   Rainbow trout   Experimental   48 hours   EC50   >0.004 mg/l   octamethylcyclotetrasil   S56-67-2   Rainbow trout   Experimental   48 hours   EC50   >0.015 mg/l   octamethylcyclotetrasil   S56-67-2   Rainbow trout   Experimental   93 days   NOEC   0.0044 mg/l   octamethylcyclotetrasil   S56-67-2   Water flea   Experimental   21 days   NOEC   0.015 mg/l		2624 22 5	Sail miarahas	Evnorimental	20 days	EC50	
octamethylcyclotetrasil oxane556-67-2BlackwormExperimental28 daysNOEC0.73 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2MidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental96 hoursLC50>0.022 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l		2034-33-3	Son microbes	Experimental	20 days	EC30	
oxaneSectionMidgeExperimental14 daysLC50>170 mg/kg (Dry Weight)octamethylcyclotetrasil oxane556-67-2Mysid ShrimpExperimental96 hoursLC50>0.0091 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental96 hoursLC50>0.022 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental48 hoursEC50>0.015 mg/loctamethylcyclotetrasil oxane556-67-2Rainbow troutExperimental93 daysNOEC0.0044 mg/loctamethylcyclotetrasil oxane556-67-2Water fleaExperimental21 daysNOEC0.015 mg/l	octamethylevelotetrasil	556-67-2	Blackworm	Evnerimental	28 days	NOEC	
octamethylcyclotetrasil oxane		330-07-2	Diackworm	Experimental	26 days	NOEC	0.73 mg/kg (Dry Weight)
oxane   Section   Section		556-67-2	Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
octamethylcyclotetrasil oxane	, ,	200 0, 2	i i i i i i i i i i i i i i i i i i i	2pere	1 . 44.5	1200	Tro mg ng (21) weight)
oxane     Section of the contamethylcyclotetrasil oxane     Section oxane     NOEC     Section oxane     Section oxane     Section oxane     Section oxane     Section oxane     NOEC     Section oxane     Section oxane     Section oxane     Section oxane     NOEC     Section oxane     Section oxane     Section oxane     Section oxane     NOEC     Section oxane		556-67-2	Mysid Shrimp	Experimental	96 hours	LC50	>0.0091 mg/l
octamethylcyclotetrasil oxane     556-67-2     Rainbow trout     Experimental     96 hours     LC50     >0.022 mg/l       octamethylcyclotetrasil oxane     556-67-2     Water flea     Experimental     48 hours     EC50     >0.015 mg/l       octamethylcyclotetrasil oxane     556-67-2     Rainbow trout     Experimental     93 days     NOEC     0.0044 mg/l       octamethylcyclotetrasil oxane     556-67-2     Water flea     Experimental     21 days     NOEC     0.015 mg/l	, ,		J = =====	F			""
oxane     Section of the contamethylcyclotetrasil oxane     Section of the contamethylcyclotetrasil oxane     Section oxane     NOEC     0.0044 mg/l       octamethylcyclotetrasil oxane     Section oxane     Section oxane     Section oxane     Section oxane     NOEC     0.015 mg/l		556-67-2	Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
octamethylcyclotetrasil oxane     556-67-2     Water flea     Experimental     48 hours     EC50     >0.015 mg/l       octamethylcyclotetrasil oxane     556-67-2     Rainbow trout     Experimental     93 days     NOEC     0.0044 mg/l       octamethylcyclotetrasil oxane     556-67-2     Water flea     Experimental     21 days     NOEC     0.015 mg/l		<u>                                      </u>		<u>                                     </u>			<u>                                     </u>
oxane     Experimental     93 days     NOEC     0.0044 mg/l       octamethylcyclotetrasil oxane     556-67-2     Water flea     Experimental     21 days     NOEC     0.015 mg/l	octamethylcyclotetrasil	556-67-2	Water flea	Experimental	48 hours	EC50	>0.015 mg/l
oxane   Section 21 days   Octomethylcyclotetrasil   556-67-2   Water flea   Experimental   21 days   NOEC   0.015 mg/l	oxane						
octamethylcyclotetrasil 556-67-2 Water flea Experimental 21 days NOEC 0.015 mg/l	octamethylcyclotetrasil	556-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
oxane		556-67-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l
	oxane	<u> </u>					

octamethylcyclotetrasil	556-67-2	Activated sludge	Experimental	3 hours	EC50	>10,000 mg/l
oxane						

### 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Estimated Biodegradation	28 days	BOD	31.3 %BOD/Th OD	OECD 301F - Manometric respirometry
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Experimental Biodegradation	28 days	BOD	22 %BOD/ThO D	OECD 301F - Manometric respirometry
Oxidized Polyalkylene	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Biodegradation	28 days	BOD	0 %BOD/ThO D	OECD 301C - MITI test (I)
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Aquatic Inherent Biodegrad.	34 days	Dissolv. Organic Carbon Deplet	17 %removal of DOC	OECD 302A - Modified SCAS Test
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Biodegradation	21 days	Dissolv. Organic Carbon Deplet	80 %removal of DOC	OECD 303A - Simulated Aerobic
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Biodegradation		Half-life (t 1/2)	4 hours (t 1/2)	
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Hydrolysis		Hydrolytic half-life	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH
octamethylcyclotetrasiloxan e	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THC O2 evolution	OECD 310 CO2 Headspace
octamethylcyclotetrasiloxan e	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
octamethylcyclotetrasiloxan e	556-67-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	69.3-144 hours (t 1/2)	OECD 111 Hydrolysis func of pH

### 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oxidized Polyalkylene	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental BCF - Fish	56 days	Bioaccumulation factor	6.62	similar to OECD 305
1,2-benzisothiazol-3(2H)- one	2634-33-5	Experimental Bioconcentration		Log Kow	1.45	OECD 107 log Kow shke flsk mtd
octamethylcyclotetrasiloxa ne	556-67-2	Experimental BCF - Fish	28 days	Bioaccumulation factor	12400	40CFR 797.1520-Fish Bioaccumm
octamethylcyclotetrasiloxa ne	556-67-2	Experimental Bioconcentration		Log Kow	6.49	OECD 123 log Kow slow stir

### 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
1,2-benzisothiazol-3(2H)-	2634-33-5	Experimental	Koc	9.33 l/kg	OECD 121 Estim. of Koc by
one		Mobility in Soil			HPLC
octamethylcyclotetrasiloxa	556-67-2	Experimental	Koc	16,600 l/kg	OECD 106 Adsp-Desb Batch
ne		Mobility in Soil			Equil

### 12.5. Results of the PBT and vPvB assessment

Ingredient	CAS Nbr	PBT/vPvB status
octamethylcyclotetrasiloxane	556-67-2	Meets REACH PBT criteria
octamethylcyclotetrasiloxane	556-67-2	Meets REACH PBT criteria

### 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

Waste paint and varnish other than those mentioned in 08 01 11

### **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.

14.6 Special precautions for	Please refer to the other	Please refer to the other	Please refer to the other
user	sections of the SDS for	sections of the SDS for further	sections of the SDS for
	further information.	information.	further information.
14.7 Marine Transport in	No data available.	No data available.	No data available.
bulk according to IMO			
instruments			
Control Temperature	No data available.	No data available.	No data available.
	27 1	27 1 2 2 1 1	
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
	37.1.	27 1 2 2 1 1	27.1.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

IngredientCAS Nbroctamethylcyclotetrasiloxane556-67-2

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

### **Authorization status under REACH:**

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

IngredientCAS Nboctamethylcyclotetrasiloxane556-67-2

Authorization status: listed in the Candidate List of Substances of Very High Concern for Authorization

### Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

### DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2 None

#### Regulation (EU) No 649/2012

No chemicals listed

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

### **SECTION 16: Other information**

#### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

- Section 3: Composition/Information of ingredients table information was modified.
- Section 9: Flammability (solid, gas) information information was deleted.
- Section 09: Flammability information information was added.
- Section 09: Odor information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 15: Seveso Substance Text information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

### Meguiar's, Inc. Ireland SDSs are available at www.3M.com