

Safety Data Sheet

Copyright,2022, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group: | 41-7954-5 | Version number: | 1.00 |
|-----------------|------------|------------------|----------------|
| Revision date: | 06/05/2022 | Supersedes date: | Initial issue. |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Deep Crystal Polish A31 [A3116]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products: Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation |
|---|--|----------|--|
| | | | (EC) No. 1272/2008 [CLP] |
| Non-Hazardous Ingredients | Mixture | 60 - 90 | Substance not classified as hazardous |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (EC-No.) 926-141-6 | 5 - 10 | Asp. Tox. 1, H304 EUH066 |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | (EC-No.) 920-901-0 | 1-5 | Asp. Tox. 1, H304 EUH066 |
| Titanium dioxide | (CAS-No.) 13463-67-7 (EC-No.) 236-675-5 | < 0.3 | Carc. 2, H351 (inhalation) |
| reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-No.) 55965-84-9 (EC-No.) 911-418-6 | < 0.0015 | EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|---|--------------------|---|
| 5 | × / | (C >= 0.6%) Skin Corr. 1C, H314 |
| isothiazolin-3-one [EC no. 247-500-7]and 2- | (EC-No.) 911-418-6 | (0.06% =< C < 0.6%) Skin Irrit. 2, H315 |

| methyl-2H-isothiazol-3-one [EC no. 220- | $(C \ge 0.6\%)$ Eye Dam. 1, H318 |
|---|--|
| 239-6] (3:1) | (0.06% =< C < 0.6%) Eye Irrit. 2, H319 |
| | $(C \ge 0.0015\%)$ Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

Skin contact

Wash with soap and water. If you are concerned, get medical advice.

Eye contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u> |
|----------------------------|--------------------|
| Hydrocarbons. | During combustion. |
| Carbon monoxide | During combustion. |
| Carbon dioxide. | During combustion. |
| Irritant vapours or gases. | During combustion. |
| Oxides of nitrogen. | During combustion. |
| | |

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation

to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|------------------|------------|--------------|-----------------------------|---------------------|
| Titanium dioxide | 13463-67-7 | Ireland OELs | TWA(Total inhalable dust)(8 | |
| | | | hours):10 mg/m3;TWA(as | |
| | | | respirable dust)(8 hours):4 | |
| | | | mg/m3 | |
| | | | 6 | |

Ireland OELs : Ireland. OELs TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter type P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Liquid. |
|--|---|
| Specific Physical Form: | Paste |
| Colour | Soft White |
| Odor | Sweet Odor |
| Odour threshold | No data available. |
| Melting point/freezing point | No data available. |
| Boiling point/boiling range | 193.3 °С |
| Flammability (solid, gas) | Not applicable. |
| Flammable Limits(LEL) | No data available. |
| Flammable Limits(UEL) | No data available. |
| Flash point | > 93.3 °C [<i>Test Method</i> :Closed Cup] |
| Autoignition temperature | No data available. |
| Decomposition temperature | No data available. |
| рН | 8.3 |
| Kinematic Viscosity | 29,703 mm ² /sec |
| Water solubility | Moderate |
| Solubility- non-water | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Vapour pressure | No data available. |
| Density | 1.01 g/ml |
| Relative density | 1.01 [<i>Ref Std</i> :WATER=1] |
| Relative Vapor Density | No data available. |
| | |

9.2. Other information

9.2.2 Other safety characteristics EU Volatile Organic Compounds Evaporation rate

Evaporation rate Molecular weight No data available. No data available. No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur.

10.4 Conditions to avoid Heat. Sparks and/or flames.

10.5 Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6 Hazardous decomposition products

Substance None known. **Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

May cause additional health effects (see below).

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Additional Health Effects:

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|---------------------------------------|-----------------------------------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation- Vapour | Professio nal judgeme nt | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Inhalation- Vapour | | LC50 estimated to be 20 - 50 mg/l |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Titanium dioxide | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Titanium dioxide | Inhalation- Dust/Mist (4 hours) | Rat | LC50 > 6.82 mg/l |
| Titanium dioxide | Ingestion | Rat | LD50 > 10,000 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Rabbit | LD50 87 mg/kg |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Inhalation- Dust/Mist (4 hours) | Rat | LC50 0.33 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Minimal irritation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Minimal irritation |
| Titanium dioxide | Rabbit | No significant irritation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Rabbit | Mild irritant |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Rabbit | Mild irritant |

| Titanium dioxide | Rabbit | No significant irritation |
|--|--------|---------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Skin Sensitisation

| Name | Species | Value |
|--|------------------------|----------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Guinea pig | Not classified |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Guinea pig | Not classified |
| Titanium dioxide | Human and animal | Not classified |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Human and animal | Sensitising |

Photosensitisation

| Name | Species | Value |
|--|------------------------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Human and animal | Not sensitising |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In vivo | Not mutagenic |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | In vivo | Not mutagenic |
| Titanium dioxide | In Vitro | Not mutagenic |
| Titanium dioxide | In vivo | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In vivo | Not mutagenic |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In Vitro | Some positive data exist, but the data are not |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | sufficient for classification |

Carcinogenicity

| Route | Species | Value |
|------------|---|--|
| Not | Not | Not carcinogenic |
| specified. | available | |
| Not | Not | Not carcinogenic |
| specified. | available | |
| Ingestion | Multiple | Not carcinogenic |
| | animal | |
| | species | |
| Inhalation | Rat | Carcinogenic. |
| Dermal | Mouse | Not carcinogenic |
| | | |
| Indection | Pat | Not carcinogenic |
| ingestion | ixai | Not caremogenie |
| | | |
| | Not specified. Not specified. Ingestion | NotNotspecified.availableNotNotspecified.availableIngestionMultipleanimalspeciesInhalationRatDermalMouse |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|--|-------------------|--|------------------|------------------------|-------------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for female reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for male reproduction | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not specified. | Not classified for development | Rat | NOAEL Not available | 1 generation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for female reproduction | Not available | NOAEL NA | 1 generation |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for male reproduction | Not available | NOAEL NA | 28 days |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Not specified. | Not classified for development | Not available | NOAEL NA | during gestation |
| reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1) | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|------------------------|--|------------------------------|------------------------|----------------------|
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|------------------|------------|--------------------|--|---------|------------------------|-----------------------|
| Titanium dioxide | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 0.01 mg/l | 2 years |
| Titanium dioxide | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Aspiration hazard |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Туре | Exposure | Test endpoint | |
|---|------------|------------------|--------------|----------|---------------|--------------|
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green algae | Experimental | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Rainbow trout | Experimental | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Water flea | Experimental | 48 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green algae | Experimental | 72 hours | NOEL | 1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Green algae | Estimated | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Rainbow trout | Estimated | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Water flea | Estimated | 48 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11- C13, isoalkanes, <2% aromatics | 920-901-0 | Green algae | Estimated | 72 hours | NOEL | 1,000 mg/l |
| Titanium dioxide | 13463-67-7 | Activated sludge | Experimental | 3 hours | NOEC | >=1,000 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | EC50 | >10,000 mg/l |
| Titanium dioxide | 13463-67-7 | Fathead minnow | Experimental | 96 hours | LC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | NOEC | 5,600 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- | 55965-84-9 | Copepod | Experimental | 48 hours | EC50 | 0.007 mg/l |

| | 1 | 1 | 1 | | 1 | |
|---|------------|----------------------|--------------|----------|------|--------------|
| 3-one [EC no. 220-239- 6] (3:1) | | | | | | |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.0199 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | EC50 | 0.027 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|-----------------------------------|----------|----------------------------------|---|--|
| Hydrocarbons, C11-C14, n- alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Experimental Biodegradation | 28 days | BOD | 69 %BOD/ThB OD | OECD 301F - Manometric respirometry |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Estimated Biodegradation | 28 days | BOD | 31.3 %BOD/Th BOD | OECD 301F - Manometric respirometry |
| Titanium dioxide | 13463-67-7 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Photolysis | | Photolytic half-life (in air) | 1.2 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life | > 60 days (t 1/2) | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Estimated Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|---|----------|---------------------------|-------------|---|
| Hydrocarbons, C11-C14, n- alkanes, isoalkanes, cyclics, <2% aromatics | | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Titanium dioxide | 13463-67-7 | Experimental BCF - Carp | 42 days | Bioaccumulation factor | 9.6 | Non-standard method |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | Estimated BCF - Bluegill | 28 days | Bioaccumulation factor | 54 | OECD 305E - Bioaccumulation flow- through fish test |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---|--|--|--|
| 14.1 UN number or ID number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
| | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Marine Transport in oulk according to IMO nstruments | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Carcinogenicity | | | |
|------------------|----------------|-------------------------|------------------------|
| Ingredient | <u>CAS Nbr</u> | Classification | Regulation |
| Titanium dioxide | 13463-67-7 | Grp. 2B: Possible human | International Agency |
| | | carc. | for Research on Cancer |

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

| Ingredient | CAS Nbr |
|---|---|
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, | 926-141-6 |
| cyclics, <2% aromatics | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin- | 55965-84-9 |
| 3-one [EC no. 247-500-7]and 2-methyl-2H- | |
| isothiazol-3-one [EC no. 220-239-6] (3:1) | |
| Restriction status: listed in REACH Annex XVII | |
| Restricted uses: See Annex XVII to Regulation (EC) No | 1907/2006 for Conditions of Restriction |

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity (tonnes) for the application of | |
|--|---------------|---|-------------------------|
| | | Lower-tier requirements | Upper-tier requirements |
| reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 50 | 200 |

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|---|
| EUH071 | Corrosive to the respiratory tract. |

| H301 | Toxic if swallowed. |
|-------|---|
| H304 | May be fatal if swallowed and enters airways. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H351i | Suspected of causing cancer by inhalation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk